KARPAGAM ACADEMY OF HIGHER EDUCATION, COIMBATORE DEPARTMENT OF COMMERCE II BCOM PA & BPS - RESEARCH METHODOLOGY (18PAU401 & 18BPU401)

	KARPAGAM ACADEMY OF HIGHER EDUCATION, COIMBATORE DEPARTMENT OF COMMERCE II BCOM PA & BPS - RESEARCH METHODOLOGY (18PAU401 & 18BPU401) Unit II				
QUESTIONS	OPTION 1	OPTION 2	OPTION 3	OPTION 4	ANSWER
Deliberate sampling is also known as	Purposive sampling	Probability Sampling	Random Sampling	Judgment sampling	Purposive sampling
When population elements are selected for inclusion in the	Convenience sampling	Judgment sampling	Random Sampling	Probability	Convenience sampling
ample based on the convenient of the researcher is	Judgment Sampling	Convenience sampling	Random Sampling	Sampling Systematic	Judgment Sampling
Simple random sampling is also called as				Sampling Systematic	
To select a sample as every 10 th house on one side of a street is	Chance Sampling Non Probability sampling	Convenience sampling Systematic Sampling	Random Sampling Convenience sampling	Sampling Random Sampling	Chance Sampling Systematic Sampling
an example of Fo draw a sample from non-homogeneous group, the sampling	Stratified Sampling	Deliberate Sampling	Convenience sampling	Random Sampling	Stratified Sampling
used is Quota Sampling is an important form of	Probability Sampling	Non-Probability	Convenience Sampling	Systematic	Non-Probability Sampli
Grouping the population and selecting group for inclusion in the	Cluster Sampling	Sampling Area Sampling	Stratified Sampling	Sampling Systematic	Cluster Sampling
sampling is called as Sampling that helps the researcher to carry out research where there is no specific list of population concerned is available is	Cluster Sampling	Systematic Sampling	Stratified Sampling	Sampling Area Sampling	Area Sampling
Sampling determined according to mathematical decisions on the basis o information yielded as survey progresses is called as	Sequential Sampling	Multi-Stage Sampling	Area sampling	Quota Sampling	Sequential Sampling
Method of selecting items to be observed for the given study is called	Sampling design	Statistical Design	Operational Design	Observational Design	Sampling design
Research Design that relates to conditions under which observations are to be made is called	Sampling design	Statistical Design	Operational Design	Observational Design	Observational Design
A concept which can take on different quantitative values is called as	Variable	Research	Research Design	data	Variable
data's are those which have already been collected by someone else.	Primary	Secondary	Primary & Secondary	case study method	Secondary
Sources of secondary data are	Published sources	Unpublished sources	Neither Published sources nor Unpublished sources	both Published sources and Unpublished sources	Neither Published sour nor Unpublished sources
Compared with primary data , secondary data are	more reliable	less reliable	equally reliable	replicable	less reliable
n Quantitative classification, data are classified on the basis of	attributes	time	location	magnitudes	magnitudes
A source is one that deals with already collected data	Primary	Secondary	Published	un published	Secondary
The data which is compiled from the records of others is called	Primary	Secondary	un published	Published	Published
data	-		-		-
What type of data will be original in character? What type of data are those which have already been by	unpublised	source data	primary data	secondary data	primary data
formeone else? fournals, books, magazines etc are useful sources of collecting	secondary data	primary data	source data	unpublised	secondary data
Random sampling is	primary data	secondary data Non probability	case study method	warranty cards Deliberate	secondary data
Probability sampling is	Chance sampling	sampling	Complex sampling	sampling. systematic	Chance sampling
Non – probability sampling is	accidental sampling	quata sampling	snow ball sampling	sampling. Quota	systematic sampling.
Which is not a method of non-probability sampling?	systematic sampling.	Random sampling.	Cluster sampling.	sampling. Random	Quota sampling.
Which is not a method of probability sampling?	accidental sampling Systematic sampling.	quata sampling.	Purposive sampling Area sampling.	sampling. Purposive	Random sampling Purposive sampli
				sampling.	
Quota sampling is a method ofA predictive statement that relates a dependant variable with an	Probability sampling	Unrestricted sampling	Non-probability sampling	cluster sample	Non-probability sampli
n an Experimental Hypothesis testing research when a group is	Null Hypothesis	Alternate Hypothesis	Research hypothesis	non hypothesis	Research hypothesis
n an Experimental Hypothesis testing research when a group is exposed to usual conditions it is termed as in an Experimental Hypothesis testing research when a group is	Experimental Group	Control Group	Experimental units	Control units	Control Group
exposed to Special conditions it is termed as Survey of people who have had practical experience with the	Experimental Group	Control Group	Control units	Experimental units	Experimental Group
broblem to be studied is called	Feedback Survey	Experience Survey	Census Numeric	interview	Experience Survey
ailing of the various research operation Prediction or a hypothesized relationship is to be tested by	Research	Structure Experiment	Structured	experimental Scientific	Research Scientific
method Phenomena which can take on quantitatively different values	Discrete variables	Extraneous Variables	Continuous Variables	Independent	Continuous Variables
ven in decimal points are called /ariables that can be expressed only in integer values are called	Discrete variables	Extraneous Variables	Continuous Variables	Variables Independent Variables	Discrete variables
Age is an example of	Discrete variables	Extraneous Variables	Independent Variables	Continuous Variables	Continuous Variables
Number of Children is an example of	Discrete variables	Independent Variables	Continuous Variables	Extraneous Variables	Discrete variables
Variable that is antecedent to the dependant variable is called as	Discrete variables	Extraneous Variables	Continuous Variables	Independent Variables	Independent Variables
Behavioral changes that occur as a result of environmental nanipulations are examples of	Discrete variables	Extraneous Variables	Dependant Variables	Independent Variables	Dependant Variables
Independent variables that are not related to the study but may iffect the dependant variable are termed as	Independent Variables	Discrete Variables	Continuous Variables	Extraneous Variables	Extraneous Variables
Whatever effect is noticed on dependant variable as a result of extraneous variable is technically described as an	normal error	Experimental Error	Statistical Error	standard error	Experimental Error
Research has its special significance for solving problems	situational	economical	operational	social	operational
Research has its special significance in solving various operational andproblems in business industry	planning	scientific	structure	Business	planning
Research has its special significance in solving various	Business	Industry	finance	business and industry	business and industry
perational and planning problems of In discrete frequency distribution, values are given In continuous frequency distribution, values are given	Class interval	grouped data	ungrouped data	raw data	grouped data

Classification according to class intervals would yield	raw data	discrete data	qualitative data	grouped data	grouped data
In Qualitative classification data are classified on the basis of	attributes	time	location	class intervals	attributes
In chronological classification, data are classified on the basis of	class intervals	attributes	time	location	time
In Geographical classification, data are classified on the basis of	area	attributes	time	location	area
Clinical interview is concerned with the course of individuals	Experience	Motivation	Life experience	work experience	Life experience
data are those which are collected a fresh and for the first time	Primary	Secondary	case study	warranty cards	Primary
data are to be originally collected	Secondary	Primary	warranty cards	case study	Primary
Data collection can be classified into ways	2	3	4	5	2
There aremethods of collection of primary data	2	3	4	5	4
is an arrangement of condition for collection and analysis of data	Sampling design	Research Design	Operational Design	Observational Design	Research Design
is known as blusprint of research work	Sampling design	Research Design	Operational Design	Observational Design	Research Design
There aresteps in sampling design	4	7	6	5	7
Number of items to be included in the sample will be called as	Sampling size	Research Design	Operational Design	Observational Design	Sampling size

Class: II B COM	Course Name: RESEARC	CH METHODOLOGY
Course Code: 18CMU401	Semester: IV	Year: 2018 Batch

UNIT III MEASUREMENT AND SCALING

Concept of measurement– what is measured? Problems in measurement in research – Validity and Reliability. Levels of measurement – Nominal, Ordinal, Interval, Ratio. Concept of Scaling, Ratings and Ranking Scale, Thurstone, Likert and Semantic Differential scaling, Paired Comparison. Preparing questionnaire – Quality of a good questionnaire.

* * * *

SCALING TECHNIQUES

In research we quite often face measurement problem (since we want a valid measurement but may not obtain it), specially when the concepts to be measured are complex and abstract and we do not possess the standardised measurement tools. Alternatively, we can say that while measuring attitudes and opinions, we face the problem of their valid measurement. Similar problem may be faced by a researcher, of course in a lesser degree, while measuring physical or institutional concepts

As such we should study some procedures which may enable us to measure abstract concepts more accurately. This brings us to the study of scaling techniques.

MEANING OF SCALE

Scaling describes the procedures of assigning numbers to various degrees of opinion, attitude and other concepts. This can be done in two ways viz., (i) making a judgement about some characteristic of an individual and then placing him directly on a scale that has been defined in terms of that characteristic and (ii) constructing questionnaires in such a way that the score of individual's responses assigns him a place on a scale. It may be stated here that a scale is a continuum, consisting of the highest point (in terms of some characteristic e.g., preference, favourableness, etc.) and the lowest point along with several intermediate points between these two extreme points. These scale-point positions are so related to each other that when the first point happens to be the highest point, the second point indicates a higher degree in terms of a given

Class: II B COM	Course Name: RESEARCH METHODOLOGY
Course Code: 18CMU401	Semester: IV Year: 2018Batch

characteristic as compared to the third point and the third point indicates a higher degree as compared to the fourth and so on

Numbers for measuring the distinctions of degree in the attitudes/opinions are, thus, assigned to individuals corresponding to their scale-positions. All this is better understood when we talk about scaling technique(s). Hence the term 'scaling' is applied to the procedures for attempting to determine quantitative measures of subjective abstract concepts. Scaling has been defined as a "procedure for the assignment of numbers (or other symbols) to a property of objects in order to impart some of the characteristics of numbers to the properties in question."

MEASUREMENT OF SCALES

1) Nominal scale

Nominal scale is simply a system of assigning number symbols to events in order to label them. The usual example of this is the assignment of numbers of basketball players in order to identify them. Such numbers cannot be considered to be associated with an ordered scale for their order is of no consequence; the numbers are just convenient labels for the particular class of events and as such have no quantitative value. Nominal scales provide convenient ways of keeping track of people, objects and events. One cannot do much with the numbers involved. For example, one cannot usefully average the numbers on the back of a group of football players and come up with a meaningful value. Neither can one usefully compare the numbers assigned to one group with the numbers assigned to another. The counting of members in each group is the only possible arithmetic operation when a nominal scale is employed. Accordingly, we are restricted to use mode as the measure of central tendency. There is no generally used measure of dispersion for nominal scales. Chi-square test is the most common test of statistical significance that can be utilized, and for the measures of correlation, the contingency coefficient can be worked out.

Class: II B COMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IVYear: 2018Batch

Nominal scale is the least powerful level of measurement. It indicates no order or distance relationship and has no arithmetic origin. A nominal scale simply describes differences between things by assigning them to categories. Nominal data are, thus, counted data. The scale wastes any information that we may have about varying degrees of attitude, skills, understandings, etc. In spite of all this, nominal scales are still very useful and are widely used in surveys and other ex-post-facto research when data are being classified by major sub-groups of the population.

2) Ordinal Scale

The lowest level of the ordered scale that is commonly used is the ordinal scale. The ordinal scale places events in order, but there is no attempt to make the intervals of the scale equal in terms of some rule. Rank orders represent ordinal scales and are frequently used in research relating to qualitative phenomena. A student's rank in his graduation class involves the use of an ordinal scale. One has to be very careful in making statement about scores based on ordinal scales. For instance, if Ram's position in his class is 10 and Mohan's position is 40, it cannot be said that Ram's position is four times as good as that of Mohan. The statement would make no sense at all. Ordinal scales only permit the ranking of items from highest to lowest. Ordinal measures have no absolute values, and the real differences between adjacent ranks may not be equal. All that can be said is that one person is higher or lower on the scale than another, but more precise comparisons cannot be made.

Thus, the use of an ordinal scale implies a statement of 'greater than' or 'less than' (an equality statement is also acceptable) without our being able to state how much greater or less. The real difference between ranks 1 and 2 may be more or less than the difference between ranks 5 and 6. Since the numbers of this scale have only a rank meaning, the appropriate measure of central tendency is the median. A percentile or quartile measure is used for measuring dispersion. Correlations are restricted to various rank order methods. Measures of statistical significance are restricted to the nonparametric methods.

Class: II B COMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IVYear: 2018Batch

3) Interval Scale

In the case of interval scale, the intervals are adjusted in terms of some rule that has been established as a basis for making the units equal. The units are equal only in so far as one accepts the assumptions on which the rule is based. Interval scales can have an arbitrary zero, but it is not possible to determine for them what may be called an absolute zero or the unique origin. The primary limitation of the interval scale is the lack of a true zero; it does not have the capacity to measure the complete absence of a trait or characteristic. The Fahrenheit scale is an example of an interval scale and shows similarities in what one can and cannot do with it. One can say that an increase in temperature from 30° to 40° involves the same increase in temperature as an increase from 60° to 70° , but one cannot say that the temperature of 60° is twice as warm as the temperature of 30° because both numbers are dependent on the fact that the zero on the scale is set arbitrarily at the temperature of the freezing point of water. The ratio of the two temperatures, 30° and 60° , means nothing because zero is an arbitrary point.

Interval scales provide more powerful measurement than ordinal scales for interval scale also incorporates the concept of equality of interval. As such more powerful statistical measures can be used with interval scales. Mean is the appropriate measure of central tendency, while standard deviation is the most widely used measure of dispersion. Product moment correlation techniques are appropriate and the generally used tests for statistical significance are the 't' test and 'F' test.

4) Ratio Scale

Ratio scales have an absolute or true zero of measurement. The term 'absolute zero' is not as precise as it was once believed to be. We can conceive of an absolute zero of length and similarly we can conceive of an absolute zero of time. For example, the zero point on a centimeter scale indicates the complete absence of length or height. But an absolute zero of temperature is theoretically unobtainable and it remains a concept existing only in the scientist's mind. The number of minor traffic-rule violations and the

Class: II B COMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IVYear: 2018Batch

number of incorrect letters in a page of type script represent scores on ratio scales. Both these scales have absolute zeros and as such all minor traffic violations and all typing errors can be assumed to be equal in significance. With ratio scales involved one can make statements like "Jyoti's" typing performance was twice as good as that of "Reetu." The ratio involved does have significance and facilitates a kind of comparison which is not possible in case of an interval scale.

Ratio scale represents the actual amounts of variables. Measures of physical dimensions such as weight, height, distance, etc. are examples. Generally, all statistical techniques are usable with ratio scales and all manipulations that one can carry out with real numbers can also be carried out with ratio scale values. Multiplication and division can be used with this scale but not with other scales mentioned above. Geometric and harmonic means can be used as measures of central tendency and coefficients of variation may also be calculated.

Thus, proceeding from the nominal scale (the least precise type of scale) to ratio scale (the most precise), relevant information is obtained increasingly. If the nature of the variables permits, the researcher should use the scale that provides the most precise description. Researchers in physical sciences have the advantage to describe variables in ratio scale form but the behavioural sciences are generally limited to describe variables in interval scale form, a less precise type of measurement.

IMPORTANT SCALING TECHNIQUES

A) Rating Scale

In rating scale, the rater makes judgment about some characteristic of a subject and places him directly on some point on the scale. Rating scale may be either a graphic rating scale or an itemized random scale.

1) Graphic Rating Scale

Class: II B COMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IVYear: 2018Batch

It is quite simple and various points are usually put along the line to form a continuum and the rater indicates his rating by making a tick mark at the appropriate point on a line that runs from one extreme to other.

2) The Itemized Rating Scale

It is also known as numerical scale, presents a series of statements from which a respondent select one as best reflecting his evaluation. These statements are ordered progressively in terms of more or less of some property. It provide more information and meaning to the rater and increases reliability. This form is difficult to develop and the statement may not say exactly what the respondent would like to express.

The advantage of rating scale is that the results attained from these scales are comparable favorably with alternative methods. They require less time, interesting to us and have wide range of applications. One of the disadvantages of rating scales is that it suffers from lack of reliability and validity.

B) Attitude Scales

The attitude scales are constructed with sets of rating scales designed to measures one or more aspects of an individual's or group's attitude towards some objects. The individual responses to various scales may be aggregated to provide a single attitude for the individual. There are different attitude scales. They are

1) Likert's Summated Scale

It was developed by Likert, which is frequently used in the measurement of social attitude. It uses only the definitely favorable and unfavorable statement and does not take into account the intermediate position, and the respondent is asked to react. The respondent indicates his agreements or disagreement with each statement. Each response is given a numerical score and the score are totaled to measure the respondent's attitude. The overall scale represents the respondent's position on the continuum of favorable – unfavorable towards an issue.

Class: II B COM	Course Name: RESEARC	CH METHODOLOGY
Course Code: 18CMU401	Semester: IV	Year: 2018Batch

Half of the statements (usually 15) included in the questionnaire are favorable and the rest ones are unfavorable.

Strongly Agree	-5	or	+2
Agree	-4	or	+1
Undecided	-3	or	0
Disagree	-2	or	-1
Strongly Disagree	-1	or	-2

Procedure

- At the out set, subjects are dividing in to a couple of arbitrarily defined groups. For instance, those subjects with top 25% of all total scores and those with the lowest 25% of all total scores are constructed to be in possession of the most favorable and least favorable attitudes
- ii. Thereafter the researcher calculates the mean score for each statement separately
- iii. The difference between the two mean scores, in respect of each statement is calculated
- iv. Finally, all statements are ranked according to their difference in mean scores. Those with mean differences near zero are considered poor and therefore eliminated.

Advantages

- i. Item analysis increases the degree of homogeneity or internal consistency in the set of statements
- ii. This method is less difficult
- iii. Since a wide range of answers are given to the subject, they don't find it difficult to respond and express the intensity of their feeling
- iv. Since there is no involvement of the outside group of judges in selection of the statements, it does not suffer from the problem of subjectivity

Disadvantages

Class: II B COM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester: IV Year: 2018Batch

- i. Ties in rank are likely to occur quite frequently due to equality in total score values
- ii. The response pattern of two persons having exactly identical scores may be significantly different
- iii. It suffers from the problem of interpretation which does not arise in Thurstone's scale
- iv. The subject is required to respond to all statement, whereas in Thurstone scale, he is required to check only those statement with which he agrees

2) Thurstone's Equal Appearing Interval Scale

L.L. Thurstone is the inventor of this scale. This scale consists of 15 to 20 statements which form a continuum of attitudes towards a subject ranging from the most favorable to the least favorable.

Procedure

- i. The researcher gather a large number of statements, usually 20 or more, that express various points of view towards a group, idea or practice
- ii. These statements are then submitted to a panel of judges, each of whom arranges them in eleven group or piles ranging from one extreme to another in position. Each of the judges is requested to place generally in the first pile the statements which he thinks are unfavorable issue, in the second pile to place those statement which he thinks all next most unfavorable and he goes on doing so in this manner till in the 11th pile he put the statement which he considers to be most favorable
- iii. This sorting by each judge a composite position for each of the items
- iv. For items that are retained, each is given its median scale value between one and 11th as established by the panel. In other words the scale value of any one statement is computed as the median position to which it is assigned by the group of judges
- v. A final selection of statement is then made. For this purpose a sample of statement, whose median scores is spread evenly from one extreme to the other is taken. The statement so selected constitutes the final scale to be administered to respondents

Class: II B COMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IVYear: 2018Batch

vi. After developing the scale, the respondent is asked during the administration of scale to check the statements with which they agree. Respondents score is equal to the average of scale values attached to the items he endorses. This average is either median or mean.

Disadvantages

- i. The procedure involved in the construction is very costly and time consuming
- ii. The scale does not allow subjects to express the intensity of their feelings
- iii. The scale values assigned to statements are influenced by the attitudes, background and intelligence of judges who see things differently from actual respondents
- iv. This method is not completely objective, it involves subjective decision

3) Bogardus's Scale of Social Distance

Bogardus used cumulative scale containing a number of questions regarding a particular issue. The respondent is required to express his agreement or disagreement over that issue. The respondents who answer favorably have higher aggregate score than those who answer unfavorably. The score is computed by counting the number of items which is responded favorably by the respondent. The respondent is placed on a particular position on the scale on the basis of his scores. Bogardus used this scale to know social distance by measuring the attitude of individual towards a particular social group. In this scale a number of suggested relationships are listed to which member of an ethic group are admitted. The respondent is asked to indicate to which social group is admissible to him for each specified relationship in terms of his willingness to accept social distance.

The respondent is asked to tick off against each of 7 categories of relationship, he is willing to accept a average number of a particular ethic, social or nationality group, because the respondents first feeling reactions are known by this. In this scale the respondent has to express his reaction to each race as a group without having any regard to any individual members of a group, whether he likes of dislikes.

Class: II B COM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester: IV Year: 2018Batch

In order to calculate social distance mathematically weights are assigned to different categories of relationship.

Procedure

- i. The weight and percentage response in respect of each category are to be placed in rows
- ii. The percentage responses are to be multiplied by its weight
- iii. The product is to be summed up so as to indicate social distance

Limitations

- i. Although it is expected that the respondent has to express his reaction to each race as a group without having any regard to any individual members of that group, in reality the influence of any individual members may not be wiped out from mind of respondent while giving preferences
- ii. The score is this scale does not indicates the actual extent or exact degree of preference of a group
- iii. It is not always possible on the part of the respondent to be acquainted completely with a group, difficulty to express his attitude towards that group

4) Guttman's Cumulative Scale

Cumulative scale or Louis Guttmann's scalograms analysis, consist of a series of statements to which a respondent expresses his agreement or disagreement. The special feature is that they are cumulative in nature. A respondent replies favorably to item no.3 and also to item no. 2 and 1. The score of the individual is worked out by counting the number of point concerning the number of statement he answers favorably. If the investigator knows this total score, he can estimate as to how a respondent has answered individual statements consulting cumulative scales. The major scale of this type of cumulative scales is the Guttman's scalogram.

Scalogram analysis refers to the procedure for determining whether a set of items forms an unidimensional scale. A scale is said to be unidimensional if the responses fall into

Class: II B COM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester: IV Year: 2018Batch

a pattern in which endorsement of item reflecting extreme position results. The perfect scale in terms of Guttman's technique implies that an informant who responds to given question will have a high total score than informants who responded to it negatively.

Procedure

- i. The area of concept in first defined with reference to problem in hand
- ii. Ten or twelve statement are selected which are assumed to be representative of selected area
- iii. The statements are arranged in form of 3 or 5 point scale so that subjects can indicates the intensity of their attitude for each item
- iv. 10 or 12 items are submitted to a sample of 100 or more respondents who will check the items. This step is designed to determine the scalability of item
- v. After the total score is attained for each person by adding up the weights of categories checked, the questionnaires are arranged in rank order from high to low according to total score
- vi. A table of scalogram is presented from data as the questionnaire by recording separately the response of each person to each category by providing a column for each person and a row for each category
- vii. The reproducibility of each item is determined on the basis that none with a tower score ranks higher in any item than any person with a higher total score. By this method the error of reproducibility is minimized.

Limitation

- i. This method is not frequently used for simple reason that its development procedure is tedious and complex
- ii. As regards the measurement of attitude towards some objects or prediction of behaviour relating to such objects, the unidimensional scale may not always prove to be most effective basis.

Measurement is a systematic way of assigning number or names to object and their attitudes. And scaling is the procedure for determining the quantitative measure of

Class: II B COMCourse Name:Course Code: 18CMU401Semes

Course Name: RESEARCH METHODOLOGY Semester: IV Year: 2018Batch

abstract concepts. A scale consists of a set of statements logically related referring to same attitude. Thus a scale may be used to measure the characteristic of respondent or to evaluate object presented to him.

PROCESSING OF DATA

The data, after collection, has to be processed and analyzed in accordance with the outline laid down for the purpose at the time of developing the research plan. This is essential for a scientific study and for ensuring that we have all relevant data for making contemplated comparisons and analysis. Technically speaking, processing implies editing, coding, classification and tabulation of collected data so that they are amenable to analysis. The term analysis refers to the computation of certain measures along with searching for patterns of relationship that exist among data-groups. Thus, "in the process of analysis, relationships or differences supporting or conflicting with original or new hypotheses should be subjected to statistical tests of significance to determine with what validity data can be said to indicate any conclusions". But there are persons (Selltiz, Jahoda and others) who do not like to make difference between processing and analysis. They opine that analysis of data in a general way involves a number of closely related operations which are performed with the purpose of summarising the collected data and organising these in such a manner that they answer the research question(s). We, however, shall prefer to observe the difference between the two terms as stated here in order to understand their implications more clearly.

EDITING

Editing is a process of examining the collected data to detect errors and omissions and to correct these when possible. As a matter of fact, editing involves a careful scrutiny of the completed questionnaire / schedules. Editing is done to assure that the data are accurate, consistent (constant), uniformly entered (Male=1, Female=2), as completed as possible and have been well arranged to facilitate coding and tabulation

Types of Editing

Class: II B COM Course Code: 18CMU401

A) Field Editing

- Field Editing is the review of the reporting forms by the investigator for completing (translating or rewriting) what the latter has written in abbreviated or illegible (unreadable) form at the time of recording the respondent's responses
- 2. This type of editing is necessary in view of the fact that individual writing styles often can be difficult for others to decipher (read)
- 3. This sort of editing should be done as soon as possible after the interview, preferably on the very day or on the next day
- 4. While doing field editing, the investigator must restrain (control) himself and must not correct error of omission by simply guessing what the informant would have said if the question had been asked

B) Central Editing

- 1. Central Editing should take place when all forms of schedules have been completed and returned to the office
- 2. This type of editing implies that all forms should get a through editing by a single editor in a small study and by a team of editors in case of large enquiry
- 3. Editor may correct the obvious (noticeable) errors (ex.) entry in the wrong place, entry recorded in the months when it should have been recorded in weeks,
- 4. In case of inappropriate (Wrong) on missing replies, the editor can sometimes determine the proper answer by reviewing the other information in the schedule
- 5. At times, the respondent can be contacted for clarification
- 6. The editor must strike out the answer if the same is inappropriate and he has no basis for determining the correct answer or the response. In such a case an editing entry of 'No answer' is called for
- All wrong replies, which are quite obvious (unclear) must be dropped from the final results

Points to be Considered by Editor While Editing of Data

Class: II B COM	Course Name: RESEARC	CH METHODOLOGY
Course Code: 18CMU401	Semester: IV	Year: 2018Batch

- 1. They should be familiar with instructions given to the interviewers and coders as well as with the editing instructions supplied to them for the purpose
- 2. They must make entries on the form in some distinctive (unique) and that too in a standardized form
- 3. They should initial all answers which they change or supply
- 4. Editor's initials and the date of editing should be placed on each completed form or schedule
- 5. While crossing-out (removing or deleting) an original entry for one reason or another, they should just draw a single line on it so that the same may remain legible

CODING

Coding refers to the process of assigning numerals or other symbols to answers so that responses can be put into a limited number of categories or classes. Such classes should be appropriate to the research problem under consideration. They must also possess the characteristics of exhaustiveness and also that of mutual exclusively which means that a specific answers can be placed in one and only one cell in a given category set. Another rule to be observed is that of unidimensionality by which is meant that every class is defined in terms of only one concept

Coding is necessary for efficient analysis and through it the several replies may be reduced to a small number of classes which contain the critical information required for analysis. Coding decisions should usually be taken at the designing stage or the questionnaire. This makes it possible to precode the questionnaire choices and which in turn is helpful for computer tabulation as one can straight forward key punch from the original questionnaire. But in case of hand coding some standard method may be used. One such standard method is to code in the margin with a colored pencil. The other method can be to transcribe the data from the questionnaire to a coding sheet. Whatever method is adopted, one should see that coding errors are altogether eliminated or reduced to the minimum level.

Class: II B COM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester: IV Year: 2018Batch

CLASSIFICATION

Most research studies result in a large volume of raw data which must be reduced into homogeneous groups if we are to get meaningful relationships. This fact necessitates classification of data which happens to be the process of arranging data in groups or classes on the basis of common characteristics. Data having a common characteristic are placed in one class and in this way the entire data get divided into a number of groups or classes. Classification can be one of the following two types, depending upon the nature of the phenomenon involved:

1) Classification according to Attributes

As stated above, data are classified on the basis of common characteristics which can either be descriptive (such as literacy, sex, honesty, etc.) or numerical (such as weight, height, income, etc.). Descriptive characteristics refer to qualitative phenomenon which cannot be measured quantitatively; only their presence or absence in an individual item can be noticed. Data obtained this way on the basis of certain attributes are known as statistics of attributes and their classification is said to be classification according to attributes. Such classification can be simple classification or manifold classification. In simple classification we consider only one attribute and divide the universe into two classes—one class consisting of items possessing the given attribute. But in manifold classification we consider two or more attributes simultaneously, and divide that data into a number of classes (total number of classes of final order is given by 2n, where n = number of attributes considered).* Whenever data are classified according to attributes, the researcher must see that the attributes are defined in such a manner that there is least possibility of any doubt/ambiguity concerning the said attributes.

2) Classification according to Class-Intervals

Unlike descriptive characteristics, the numerical characteristics refer to quantitative phenomenon which can be measured through some statistical units. Data

Class: II B COMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IVYear: 2018Batch

relating to income, production, age, weight, etc. come under this category. Such data are known as statistics of variables and are classified on the basis of class intervals. For instance, persons whose incomes, say, are within Rs 201 to Rs 400 can form one group, those whose incomes are within Rs 401 to Rs 600 can form another group and so on. In this way the entire data may be divided into a number of groups or classes or what are usually called, 'class-intervals.' Each group of class-interval, thus, has an upper limit as well as a lower limit which are known as class limits. The difference between the two class limits is known as class magnitude. We may have classes with equal class magnitudes or with unequal class magnitudes. The number of items which fall in a given class is known as the frequency of the given class. All the classes or groups, with their respective frequencies taken together and put in the form of a table, are described as group frequency distribution or simply frequency distribution. Classification according to class intervals usually involves the following three main problems:

i) How may classes should be there? What should be their magnitudes?

There can be no specific answer with regard to the number of classes. The decision about this calls for skill and experience of the researcher. However, the objective should be to display the data in such a way as to make it meaningful for the analyst. Typically, we may have 5 to 15 classes. With regard to the second part of the question, we can say that, to the extent possible, class-intervals should be of equal magnitudes, but in some cases unequal magnitudes may result in better classification. Hence the researcher's objective judgement plays an important part in this connection. Multiples of 2, 5 and 10 are generally preferred while determining class magnitudes. Some statisticians adopt the following formula, suggested by H.A. Sturges, determining the size of class interval:

$$i = R/(1 + 3.3 \log \theta)$$

N) where

i = size of class interval;

Class: II B COM	Course Name: RESEARC	CH METHODOLOGY
Course Code: 18CMU401	Semester: IV	Year: 2018Batch

R = Range (i.e., difference between the values of the largest item and smallest item among the given items); N = Number of items to be grouped.

It should also be kept in mind that in case one or two or very few items have very high or very low values, one may use what are known as open-ended intervals in the overall frequency distribution. Such intervals may be expressed like under Rs 500 or Rs 10001 and over. Such intervals are generally not desirable, but often cannot be avoided. The researcher must always remain conscious of this fact while deciding the issue of the total number of class intervals in which the data are to be classified.

ii) How to Choose Class Limits?

While choosing class limits, the researcher must take into consideration the criterion that the mid-point (generally worked out first by taking the sum of the upper limit and lower limit of a class and then divide this sum by 2) of a class-interval and the actual average of items of that class interval should remain as close to each other as possible. Consistent with this, the class limits should be located at multiples of 2, 5, 10, 20, 100 and such other figures. Class limits may generally be stated in any of the following forms:

Exclusive type class intervals: They are usually stated as follows:

10–20 20–30 30–40 40–50 The above intervals should be read as under: 10 and under 20 20 and under 30 30 and under 40 40 and under 50

Class: II B COMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IVYear: 2018Batch

Thus, under the exclusive type class intervals, the items whose values are equal to the upper limit of a class are grouped in the next higher class. For example, an item whose value is exactly 30 would be put in 30–40 class interval and not in 20–30 class interval. In simple words, we can say that under exclusive type class intervals, the upper limit of a class interval is excluded and items with values less than the upper limit (but not less than the lower limit) are put in the given class interval.

Inclusive type class intervals: They are usually stated as follows:

11-20

21-30

31-40

41-50

In inclusive type class intervals the upper limit of a class interval is also included in the concerning class interval. Thus, an item whose value is 20 will be put in 11–20 class interval. The stated upper limit of the class interval 11–20 is 20 but the real limit is 20.99999 and as such 11–20 class interval really means 11 and under 21.

When the phenomenon under consideration happens to be a discrete one (i.e., can be measured and stated only in integers), then we should adopt inclusive type classification. But when the phenomenon happens to be a continuous one capable of being measured in fractions as well, we can use exclusive type class intervals.

iii) How to determine the Frequency of Each Class?

This can be done either by tally sheets or by mechanical aids. Under the technique of tally sheet, the class-groups are written on a sheet of paper (commonly known as the tally sheet) and for each item a stroke (usually a small vertical line) is marked against the class group in which it falls. The general practice is that after every four small vertical lines in a class group, the fifth line for the item falling in the same group, is indicated as horizontal line through the said four lines and the resulting flower (IIII) represents five items. All this facilitates the counting of items in each one of the class groups.

Class: II B COMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IVYear: 2018Batch

Alternatively, class frequencies can be determined, specially in case of large inquires and surveys, by mechanical aids i.e., with the help of machines viz., sorting machines that are available for the purpose. Some machines are hand operated, whereas other work with electricity. There are machines which can sort out cards at a speed of something like 25000 cards per hour. This method is fast but expensive.

TABULATION

When a mass of data has been assembled, it becomes necessary for the researcher to arrange the same in some kind of concise (brief / short) and logical order. This is known as tabulation. Thus, tabulation is the process of summarizing raw data and displaying the same in compact form. In a broader sense, tabulation is an orderly arrangement of data in column and rows

Need for Tabulation

- 1. It conserves (save) space and reduce explanatory and descriptive statement to a minimum
- 2. It facilitates the process of comparison
- 3. It facilitates the summation (abstract) of items and the detection of errors and omissions
- 4. It provides a basis for various statistical computations (calculation)

Principles of Tabulation

- 1. Every table should have a clear, concise (short) and adequate title so as to make the table intelligible without reference to the text and this title should always be placed just above the body of the table
- 2. Every table should be given a distinct number to facilitate easy reference
- 3. The column and the row headings of the table should be clear and brief
- 4. The units of measurements under each heading or sub-heading must always be indicated (i.e.) in Rs.
- 5. Explanatory footnotes, if any, concerning the table should be placed directly beneath (under) the table, along with the reference symbols used in the table

Class: II B COM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester: IV Year: 2018Batch

- 6. Source or sources from where the data in the table have been obtained must be indicated juts below the table
- Usually the columns are separated from one another by lines which make the table more readable and attractive. Lines are always drawn at the top and bottom of the table and below the captions
- 8. There should be thick lines to separate the data under one class from the data under another class and the lines separating the sub-divisions of the classes should be comparatively thin lines
- 9. The columns may be numbered to facilitate reference
- 10. Those columns whose data are to be compared should be kept side by side. Similarly, percentages and / or averages must also be kept close to the data
- 11. It is generally considered better to approximate (rough / estimated) figures before tabulation as the same would reduce unnecessary details in the table itself
- 12. In order to emphasize the relative significance of certain categories, different kinds of type, spacing and indentations (marks) may be used
- 13. It is important that all column figures be properly aligned. Decimal points and (+) or(-) signs should be in perfect alignment
- 14. Abbreviations should be avoided to the extent possible and ditto marks should not be used in the table
- 15. Miscellaneous and exceptional items, if any, should be usually placed in the last row of the table
- 16. Table should be made as logical, clear, accurate and simple as possible. If the data happen to be very large, they should not be crowded in a single table for that would make the table unwieldy and inconvenient
- 17. Total of rows should normally be placed in the extreme right column and that of column should be placed at the bottom
- 18. The arrangement of the categories in a table may be chronological, geographical, alphabetical or according to magnitude to facilitate comparison. Above all, the table must suit the needs and requirements of an investigation

Class: II B COM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester: IV Year: 2018Batch

INTERPRETATION

After collecting and analyzing the data, the researcher has to accomplish the task of drawing inferences followed by report writing. This has to be done very carefully, otherwise misleading conclusions may be drawn and the whole purpose of doing research may get vitiated. It is only through interpretation that the researcher can expose relations and processes that underlie his findings. In case of hypotheses testing studies, if hypotheses are tested and upheld several times, the researcher may arrive at generalizations. But in case the researcher had no hypothesis to start with, he would try to explain his findings on the basis of some theory. This may at times result in new questions, leading to further researches. All this analytical information and consequential inference(s) may well be communicated, preferably through research report, to the consumers of research results who may be either an individual or a group of individuals or some public/private organisation.

Meaning of Interpretation

Interpretation refers to the task of drawing inferences from the collected facts after an analytical and/or experimental study. In fact, it is a search for broader meaning of research findings. The task of interpretation has two major aspects viz., (i) the effort to establish continuity in research through linking the results of a given study with those of another and (ii) the establishment of some explanatory concepts. "In one sense, interpretation is concerned with relationships within the collected data, partially overlapping analysis. Interpretation also extends beyond the data of the study to include the results of other research, theory and hypotheses."1 Thus, interpretation is the device through which the factors that seem to explain what has been observed by researcher in the course of the study can be better understood and it also provides a theoretical conception which can serve as a guide for further researches.

Need for Interpretation

Class: II B COM	Course Name: RESEAR	CH METHODOLOGY
Course Code: 18CMU401	Semester: IV	Year: 2018Batch

Interpretation is essential for the simple reason that the usefulness and utility of research findings lie in proper interpretation. It is being considered a basic component of research process because of the following reasons:

- 1. It is through interpretation that the researcher can well understand the abstract principle that works beneath his findings. Through this he can link up his findings with those of other studies, having the same abstract principle, and thereby can predict about the concrete world of events. Fresh inquiries can test these predictions later on. This way the continuity in research can be maintained.
- Interpretation leads to the establishment of explanatory concepts that can serve as a guide for future research studies; it opens new avenues of intellectual adventure and stimulates the quest for more knowledge.
- 3. Researcher can better appreciate only through interpretation why his findings are what they are and can make others to understand the real significance of his research findings.
- 4. The interpretation of the findings of exploratory research study often results into hypotheses for experimental research and as such interpretation is involved in the transition from exploratory to experimental research. Since an exploratory study does not have a hypothesis to start with, the findings of such a study have to be interpreted on a post-factum basis in which case the interpretation is technically described as 'post factum' interpretation.

TECHNIQUES OF INTERPRETATION

Interpretation is not an easy job and it requires a great skill on the part of the investigator. The investigator gets the required expertise to apply the techniques. The techniques of interpretation are given below:

1) Relationship between Variables

The basic object of every analytical research is to find out the relationship between any two variables. There may be three types of relationship

Class: II B COMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IVYear: 2018Batch

- Symmetrical Relationship
- Reciprocal Relationship
- Asymmetrical Relationship

The interpretation of data can be made with the help of these relationships

2) Percentages

Percentages are used in making comparison between two or more series of data. They are also used to describe the relationships.

3) Averages

There are three forms of averages such as arithmetic mean, median, mode. Though there are other measures of central tendency, the above three measures are commonly used. Instead of using long statistical tables, the use of average makes the interpretation very simple.

4) Dispersion

Dispersion refers to the amount or the magnitude of the spread. Measures of dispersion include range, inter quartile range, average deviation and standard deviation. These measures help to interpret the data more scientifically

PRECAUTIONS IN INTERPRETATION

- At the outset, researcher must invariably satisfy himself that (a) the data are appropriate, trustworthy and adequate for drawing inferences; (b) the data reflect good homogeneity; and that (c) proper analysis has been done through statistical methods
- 2. The researcher must remain cautious about the errors that can possibly arise in the process of interpreting results. Errors can arise due to false generalization and/or due to wrong interpretation of statistical measures, such as the application of findings beyond the range of observations, identification of correlation with causation and the like. Another major pitfall is the tendency to affirm that definite relationships exist on

Class: II B COMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IVYear: 2018Batch

the basis of confirmation of particular hypotheses. In fact, the positive test results accepting the hypothesis must be interpreted as "being in accord" with the hypothesis, rather than as "confirming the validity of the hypothesis". The researcher must remain vigilant about all such things so that false generalization may not take place. He should be well equipped with and must know the correct use of statistical measures for drawing inferences concerning his study.

- 3. He must always keep in view that the task of interpretation is very much intertwined with analysis and cannot be distinctly separated. As such he must take the task of interpretation as a special aspect of analysis and accordingly must take all those precautions that one usually observes while going through the process of analysis viz., precautions concerning the reliability of data, computational checks, validation and comparison of results.
- 4. He must never lose sight of the fact that his task is not only to make sensitive observations of relevant occurrences, but also to identify and disengage the factors that are initially hidden to the eye. This will enable him to do his job of interpretation on proper lines. Broad generalisation should be avoided as most research is not amenable to it because the coverage may be restricted to a particular time, a particular area and particular conditions. Such restrictions, if any, must invariably be specified and the results must be framed within their limits.
- 5. The researcher must remember that "ideally in the course of a research study, there should be constant interaction between initial hypothesis, empirical observation and theoretical conceptions. It is exactly in this area of interaction between theoretical orientation and empirical observation that opportunities for originality and creativity lie." He must pay special attention to this aspect while engaged in the task of interpretation.

REPORT WRITING

Research report is considered a major component of the research study for the research task remains incomplete till the report has been presented and/or written. As a

Class: II B COMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IVYear: 2018Batch

matter of fact even the most brilliant hypothesis, highly well designed and conducted research study, and the most striking generalizations and findings are of little value unless they are effectively communicated to others. The purpose of research is not well served unless the findings are made known to others. Research results must invariably enter the general store of knowledge. All this explains the significance of writing research report. There are people who do not consider writing of report as an integral part of the research process. But the general opinion is in favour of treating the presentation of research results or the writing of report as part and parcel of the research project. Writing of report is the last step in a research study and requires a set of skills somewhat different from those called for in respect of the earlier stages of research. This task should be accomplished by the researcher with utmost care; he may seek the assistance and guidance of experts for the purpose.

TYPES OF REPORTS

- 1. Research reports vary greatly in length and type. In each individual case, both the length and the form are largely dictated (determined / ordered) by the problems at hand
- 2. For instance, business firms prefer reports in the letter form, just one or two pages in length.
- 3. Banks, Insurance organizations and financial institutions are generally fond of (having a liking for) the short balance-sheet type of tabulation for their annual reports to their customers and shareholders
- Mathematicians prefer to write the results of their investigations in the form of algebraic (numerical) notations (Symbols + / -)
- 5. Chemists (Scientist trained in Chemistry) report their results in symbols and formulae (method)
- 6. Students of literature usually write long reports presenting the critical analysis of some writer or period or the like with a liberal use of quotations from the works of the author under discussion

Class: II B COMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IVYear: 2018Batch

- 7. In the field of education and psychology, the favorite form in the report on the results of experimentation accompanied by the detailed statistical tabulations
- 8. Clinical psychologists and social pathologists (diagnosis of disease) frequently find it necessary to make use of the case-history (all the relevant information previous gatherer) form
- 9. News items in the daily papers are also forms of report writing. They represent firsthand on-the-scene accounts of the events described or compilation (collection) of interviews with persons who were on the scene (area). In such report the first paragraph usually contains the important information in detail and the succeeding paragraphs contain material which is progressively less and less important
- 10. Book reviews which analyze the content of the book and report on the author's intentions, his success or failure in achieving his aims, his language, his style, scholarship (learning / research / study), bias or his point of view, such reviews also happen to be a kind of short report
- 11. The reports prepared by governmental bureaus (agency) special commissions, and similar other organizations are generally very comprehensive (full / complete) reports on the issues involved. Such reports are usually considered as important research products
- 12. Similarly, Ph.D.theses and dissertation are also a form of report-writing, usually completed by students in academic institutions
- 13. The above narration throws light on the fact that the results of a research investigation can be presented in a number of ways viz., a technical report, popular report,
- 14. Which method of presentation to be used in a particular study depends on the circumstances under which the study arose (take place) and the nature of the results
- 15. A technical report is used whenever a full written report of the study is required whether for record-keeping or for public dissimilation
- 16. A popular report is used if the research results have policy implications.

A) TECHNICAL REPORT

Class: II B COMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IVYear: 2018Batch

In technical report the main emphasis is on (i) the methods employed (ii) assumptions made in the course of the study (iii) the detailed presentation of the findings including their limitations and supporting data

1) Summary of Results

A brief review of the main findings just in two or three pages

2) Nature of the Study

Description of the general objectives of study, formulation of the problem in operational terms, the working hypothesis, the type of analysis and data required

3) Methods Employed

Specific methods used in the study and their limitations. For instance, in sampling studies we should give details of sample design viz. sample size, sample selection etc.,

4) Data

Discussion of data collected, their sources, characteristics and limitations. If secondary data are used, their suitability of the problem at hand be fully assessed.

5) Analysis of Data and Presentation of Findings

The analysis of data and presentation of the findings of the study with supporting data in the form of tables and charts be fully narrated (explained). This, in fact, happens to be the main body of the report usually extending over several chapters

6) Conclusions

A detailed summary of the findings and the policy implications drawn from the results be explained

7) Bibliography

Bibliography of various sources consulted be prepared and attached 8) Technical Appendices

Class: II B COMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IVYear: 2018Batch

Appendices be given for all technical matters relating to questionnaire, mathematical derivations, elaboration on particular technique of analysis and the like ones

9) Index

Index must be prepared and be given invariably in the report at the end. Even in technical report, simple presentation and ready availability of the findings remain an important consideration and as such the liberal use of charts and diagrams is considered desirable

B) POPULAR REPORT

The popular report is one which emphasis on simplicity and attractiveness. The simplification should be sought (required) through clear writing, minimization of technical, particularly mathematical, details and liberal use of charts and diagrams. Attractive layout along with large print, many subheadings, even an occasional cartoon now and then is another characteristic feature of the popularreport

1) Findings and their Implications

Emphasis (importance) in the report is given on the findings of most practical interest and on the implication of these findings

2) Recommendation for Action

Recommendations for action on the basis of the findings of the study is made in this section of the report

3) Objectives of the Study

A general review of how the problem arise is presented along with the specific objectives of the project under study

4) Methods Employed

Class: II B COMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IVYear: 2018Batch

A brief and non-technical description of the methods and techniques used, including a short review of the data on which the study is based, is given in this part of the report

5) Results

This section constitutes the main body of the report wherein the results of the study are presented in clear and non-technical terms with the liberal use of all sorts of illustrations such as charts, diagrams and the like ones

6) Technical Appendices

More detailed information on methods used, forms etc, is presented in the form of appendices. But the appendices are often not detailed if the report is entirely meant for general public

LAYOUT OF THE RESEARCH REPORT

Anybody, who is reading the research report, must necessarily be conveyed enough about the study so that he can place it in its general scientific context (background), judge the adequacy of its methods and thus form an opinion of how seriously the findings are to be taken. For this purpose there is the need for proper layout of the report. The layout of the report means as to what the research report should contain. A comprehensive (complete) layout of the research report should comprise (a) Preliminary Pages (b) The Main Text and (c) The end matter

1) Preliminary Pages

In its preliminary pages the report should carry a title and date, followed by acknowledgements in the form of 'preface' or 'foreword'. Then there should be a table of contents followed by list of tables and illustrations so that the decision-maker or anybody interested in reading the report can easily locate the required information in the report

2) Main Text

The main text provides the complete outline of the research report along with all details. Title of the research study is repeated at the top of the first page of the main text

Class: II B COM Course Code: 18CMU401

Course Name: RESEARCH METHODOLOGY Semester: IV Year: 2018Batch

and then follows the other details on pages numbered consecutively, beginning with the second page. Each main section of the report should begin on a new page. The main text of the report should have the following sections:

i) Introduction

The purpose of introduction is to introduce the research project to the readers. It should contain a clear statement of the objectives of research i.e. enough background should be give to make clear to the reader why the problem was considered worth investigating. A brief summary of other relevant research may also be stated so that the present study can be seen in that context. The hypotheses of the study, if any, and the definitions of the major concepts employed in the study should be explicitly stated in the introduction of the report

The methodology adopted in conducting the study must be fully explained. The scientific reader would like to know in detail about thing: How was the study carried out? What was its basic design? If the study was an experimental one, then what were the experimental manipulations? If the data were collected by means of questionnaires or interviews, then exactly what questions were asked? If measurements were based on observation, then what instructions were given to the observers? Regarding the sample used in the study the reader should told: Who were the subject (Respondents)? How many were there? How were they selected? All these questions are crucial for estimating the probable limits of generalizability of the findings. The statistical analysis adopted must also be clearly stated. In addition to all this, the scope of the study should be stated the boundary lines be demarcated. The various limitations, under which the research project was completed, must also be narrated

ii) Statement of Findings and Recommendations

After introduction, the research report must contain a statement of findings and recommendations in non-technical language so that it can be easily understood by all

Class: II B COM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester: IV Year: 2018Batch

concerned. If the findings happen to be extensive, at this point they should be put in the summarized form

iii) Results

A detailed presentation of the findings of the study, with supporting data in the form of tables and charts together with a validation of results, is the next step in writing the main text of the report. This generally comprises the main body of the report, extending over several chapters. The result section of the report should contain statistical summaries and reductions of the data rather than the raw data. All the results should be presented in logical sequence and splitted into readily identifiable sections. All relevant results must find a place in the report. But how one is to decide about what is relevant is the basic question. Quite often guidance comes primarily from the research problem and from the hypotheses, if any, with which the study was concerned. But ultimately the researcher must rely on his own judgement in deciding the outline of his report. "Nevertheless", it is still necessary that he states clearly the problem with which he was concerned, the procedure by which he worked on the problem, the conclusions at which he arrived, and the bases for his conclusions

iv) Implications of the Results

Toward the end of the main text, the researcher should again put down the results of his research clearly and precisely. He should, state the implications that flow from the results of the study, for the general reader is interested in the implications for understanding the human behaviour.

- a. A statement of the inferences drawn from the present study which may be expected to apply in similar circumstances
- b. The conditions of the present study which may limit the extent of legitimate (lawful / rightful) generalizations of the inferences drawn from the study
- c. The relevant questions that still remain unanswered or new questions raised by the study along with suggestions for the kind of research that would provide answers for them

Class: II B COMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IVYear: 2018Batch

It is considered a good practice to finish the report with a short conclusion which summarizes and recapitulates (sum up) the main points of the study. The conclusion drawn from the study should be clearly related to the hypotheses that were stated in the introductory section. At the same time, a forecast of the probable future of the subject and an indication of the kind of research which needs to be done in that particular filed is useful and desirable

v) Summary

It has become customary (Usual) to conclude the research report with a very brief summary (abstract / synopsis), resting in brief the research problem, the methodology, the major findings and the major conclusions drawn from the research results.

3) End Matter

At the end of the report, appendices should be enlisted (join up) in respect of all technical data such as questionnaires, sample information, mathematical derivation and the like ones. Bibliography of sources consulted should also be given. Index should invariably be given at the end of the report. The value of index lies in the fact that it works as a guide to the reader for the contents in the report

STEPS IN WRITING REPORTS

Research reports are the product of slow, painstaking (careful / meticulous), accurate inductive (logical / reasonable) work

1) Logical Analysis of the Subject Matter

It is the first step which is primarily concerned with the development of a subject. There are two ways in which to develop a subject – (a) logically and (b) Chronologically (arranging data as per time of occurrence). The logical development is made on the basis of mental connections and associations between the one thing and another by means of analysis. Logical treatment often consists in developing the material from the simple

Class: II B COMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IVYear: 2018Batch

possible to the most complex structures. Chronological development is based on a connection or sequence in time or occurrence. The directions for doing or making something usually follow the chronological order

2) Preparation of the Final Outline

It is the next step in writing the research report. Outlines (hints) are the framework upon which long written works are constructed. They are in aid (help) to the logical organization of the material and a reminder of the points to be stressed in the report.

3) Preparation of the Rough Draft

This follows the logical analysis of the subject and the preparation of the final outline. Such a step is of utmost importance for the researcher now sits to write down what he has done in the context of his research study. He will write down the procedure adopted by him in collecting the material for his study along with various limitations faced by him, the technique of analysis for adopted by him, the broad findings and generalizations and the various suggestions he wants to offer regarding the problem concerned

4) Rewriting and Polishing of the Rough Draft

This step happens to be most difficult part of all formal writing. Usually this step requires more time than the writing of the rough report. The careful revision makes the difference between a mediocre (ordinary) and a good piece of writing. While rewriting and polishing, one should check the report for weaknesses in logical development or presentation. The researcher should also 'see whether or not the material, as it is presented, has unity and cohesion (organization); does the report stand upright and firm and exhibit a definite pattern, like a marble arch? Or does it resemble an old wall of moldering cement and loose bricks. In addition, the researcher should give due attention to the fact that in his rough draft he has been consistent (reliably / steady) or not. He should check the mechanics of writing – grammar, spelling and usage

Class: II B COM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester: IV Year: 2018Batch

5) Preparation of the Final Bibliography

Next in order comes the task of the preparation of the final bibliography. The bibliography, which is generally appended (add on) to the research report, is a list of books in some way pertinent to the research which has been done. It should contain all those works which the researcher has consulted. The bibliography should be arranged alphabetically and may be divided into two parts; the first part may contain the names of books and pamphlets, and the second part may contain the name of magazines and newspaper articles. Generally, this pattern of bibliography is considered convenient and satisfactory from the point of view of reader, thought it is not the only way of presenting bibliography

6) Writing the Final Draft

This consists the last step. The final draft should be written in a concise (brief) and objective style and in simple language, avoiding vague expressions such as "it seems". While writing the final draft, the researcher must avoid abstract (theoretical) terminology and technical jargon. Illustrations and examples based on common experiences must be incorporated in the final draft as they happen to most effective in communicating the research findings to others. A research report should not be dull (boring), but must enthuse (motivate) people and maintain interest and must show originality. It must be remembered that every report should be an attempt to solve some intellectual problem and must contribute to the solution of a problem and must add to the knowledge of both the researcher and the reader

CONTENTS OF REPORTS

- The format is divided into three broad categories namely (1) Preliminary Section (2) Main body of the text (3) Reference Section
- 2. The preliminary section will vary according to the type of research one has undertaken. The headings below this section are meant as a guide and one may decide to omit some of them or to amalgamate when this seems appropriate

Class: II B COMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IVYear: 2018Batch

- 3. The main body of the report is divided into five sub-sections, namely introduction, review of the literature, design of the study, presentation and analysis of data, summary and conclusions. Introduction is the starting point. In introduction the researcher should say why he / she undertook the research what the problem is and why it is important. Depending on the particular piece of research, the review of the literature is introduced. This division will show what is known already and how our research will fill a gap in knowledge or replicate earlier work.
- 4. The description of the design of our research will depend on the particular project the researcher has undertaken. The section presentation and analysis of data will interpret the results of the research. Tables, figures will substantiate the analysis. The summary division will organize the results and point out the implications of the findings for policy or for other researchers and show what further research needs to be done.
- 5. The last category namely the references section should include bibliography, appendices and index in a proper form.

* * * * *

KARPAGAM ACADEMY OF HIGHER EDUCATION, COIMBATORE DEPARTMENT OF COMMERCE II BCOM PA - RESEARCH METHODOLOGY (18PAU401) Unit III

		Unit III			
QUESTIONS	OPTION 1	OPTION 2	OPTION 3	OPTION 4	ANSWER
Data Collected by filling up the Schedules by the enumerators on the basis of replies given by respondents will be	Questionnaire	Schedule	Interview	observation	Schedule
known as	Uncontrolled observation	Controlled observation	Personal observation	Uncontrolled observation	Controlled observation
is asking questions face to face.	Indirect method	Mailed questionnaire	Through post	Personal interview	Personal interview
Quota Sampling is an important form of	Probability Sampling	Non-Probability Sampling	Convenience Sampling	random sampling	Non-Probability Sampling
method of data collection is very popular	Questionnaire	Warranty card	Mailed questionnaire	Through post	Questionnaire
method of data collection is used especially in case of big enquiries.	Questionnaire	Warranty card	Mailed questionnaire	Through post	Questionnaire
Assigning numbers of basket ball players in order to identify them is an example of	Nominal Scale	Ordinal Scale	Interval Scale	Ratio Scale	Nominal Scale
method is most commonly used method specially ;in studies relating to behavioural science	Interview	Questionnaire	Schedule	Observation	Observation
method of collecting data involves presentation of oral verbal stimuli	Questionnaire	Interview	Observation	Schedule	Interview
The method of collecting information through personal interview is usually carried out in a way	Structured	unstructured	formal	informal	Structured
interview is meant to focus attention on the given experience of the respondent and its effect	Focused	Clinical	Structured	Directive	Focused
interview is concerned with broad underlying feelings or motivations	Unstructured	Sttructured	Clinical	Non-directive	Sttructured
Number of questions in a questionnaire should be	5	10	maximum	minimum	minimum
What type of data will be original in character?	unpublised	source data	primary data	secondary data	primary data
Primary data can be collected through	direct method	indirect method	other mathods	direct and indirect method	direct and indirect method
Which type of data collection is most commonly used method?	mailed questionnaire	through post	observation method	indirect collection	observation method
If observations takes place in the natural setting, it may be termed as	uncontrolled observation	controlled observation	personal observation	controlled observation	uncontrolled observation
If observation takes place according to definite prearranged plans, it is called as	uncontrolled observation	controlled observation	personal observation	uncontrolled observation	controlled observation
is asking questions face to face	indirect method	mailed questionnaire	through post	personal interview	personal interview
is meant to focus attention on the given experience of the respondent and its effects In interview, the interviewers function is to simply encourage the respondent to talk about the given	facing interview	sending post	facing indirect interview	mailing through net.	facing interview
topic interview, the interviewers function is to simply encourage the respondent to talk about the given	Direct	in direct	through post	through mail	in direct
More information and depth can be obtained in method	through mail	questionnaire	indirect interview	interview	interview
Number of items to be included in the sample will be called as	Sampling size	Research Design	Operational Design	Observational Design	Sampling size
Number of questions in a questionnaire should be	5	10	Maximum	Minimum	Minimum
What type of data will be original in character?	Unpublished	Source data	Primary data	Secondary data	Primary data
. Which type of data collection is most commonly used method?	Mailed questionnaire	Through post	Observation method	Indirect collection	Observation method
If observations take place in the natural setting, it may be termed as	Uncontrolled observation	Controlled observation	Personal observation	Controlled observation	Uncontrolled observation
method of data collection is very popular	questionnaire	pilot study	mailed questionnaire	through post	questionnaire
method of data collection is used especially in case of big enquiries method of data collection is very much like the collection of data through questionnaire	questionnaire schedule	pilot study	mailed questionnaire finding	through post	questionnaire schedule
	quantitative method	inquires qualitative method		posting method	qualitative method
Case study method is a very popular method involves careful and complete observation of a unit	pilot study	questionnaire study	non qualitative case study	non quantitative schedule	case study
The collected raw data to detect errors and are called	editing	coding	classification	tabulation	editing
When editing is done to assure that the data are	accurate	informal	formal	additional	accurate
Pilot study is conducteed for	pre- testing the questionnaire	post testing the questionnaire	pre- testing the hypothesis	post testing the hypothesis	pre- testing the questionnaire
Questionnaire should be	simple and easy	complex	not understandable	maximum	simple and easy
The aim of schedule is	To collect the data in an objective	Reliability	Subjective	consistent	To collect the data in an objective manner
Assigning numbers of basket ball players in order to identify them is an example of	Nominal Scale	Ordinal Scale	Interval scale	Ratio Scale	Nominal Scale
Rank orders represent ordinal scales and are frequently used in research relating to	Quantitative phenomena	Qualitative phenomena	experimental	discrete	Qualitative phenomena
Dark and an annual and and and an frammatic set in the later to	Quantitative phenomena	Qualitative phenomena	and the set of the set	discrete	O Frida I
Rank orders represent ordinal scales and are frequently used in research relating to	Quantitative pitenomena	Qualitative pitenomena	experimental	uisciete	Qualitative phenomena
Rank orders represent ordinal scales and are frequently used in research relating to	Sampling design	Research Design	Operational Design	Design	Research Design
is known as blueprint of research work. A Fahrenheit scale is an example of an	Sampling design Nominal Scale	Research Design Ordinal Scale	Operational Design Interval scale	Design Ratio Scale	Research Design Interval scale
is known as bhueprint of research work. A Fahrenheit scale is an example of an Likert scale is also known as	Sampling design Nominal Scale Arbitrary scale	Research Design Ordinal Scale Differential Scale	Operational Design Interval scale Summated scale	Design Ratio Scale Cumulative Scale	Research Design Interval scale Summated scale
is known as blueprint of research work. A Fahrenheit scale is an example of an	Sampling design Nominal Scale Arbitrary scale pre- testing the questionnaire	Research Design Ordinal Scale Differential Scale post testing the questionnaire	Operational Design Interval scale Summated scale pre- testing the hypothesis	Design Ratio Scale Cumulative Scale post testing the hypothesis	Research Design Interval scale Summated scale pre- testing the questionnaire
is known as blueprint of research work. A Fahrchneit scale is an example of an Likert scale is also known as Pilot study is conducted for A questionnaire should be	Sampling design Nominal Scale Arbitrary scale pre- testing the questionnaire simple and easy	Research Design Ordinal Scale Differential Scale post testing the questionnaire complex	Operational Design Interval scale Summated scale pre- testing the hypothesis Vague	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum	Research Design Interval scale Summated scale pre- testing the questionnaire simple and easy
is known as blueprint of research work. A Fahrnheit scale is an example of an Likert scale is also known as Pilot study is conducted for A questionnaire should be Warranty cards are usually sized cards	Sampling design Nominal Scale Arbitrary scale pre- testing the questionnaire simple and easy normal	Research Design Ordinal Scale Differential Scale post testing the questionnaire complex A4 size cards	Operational Design Interval scale Summated scale pre- testing the hypothesis Vague postal	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card	Research Design Interval scale Summated scale pre- testing the questionnaire simple and easy postal
is known as blueprint of research work. A Fahrenheit scale is an example of an Likert scale is also known as Pilot study is conducted for A questionnaire should be Warranty cards are usually sized cards A students rank in his graduation class involves the sue of an	Sampling design Nominal Scale Arbitrary scale pre- testing the questionnaire simple and easy normal Nominal Scale	Research Design Ordinal Scale Differential Scale post testing the questionnaire complex A4 size cards Ordinal Scale	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale	Research Design Interval scale Summated scale pre-testing the questionnaire simple and easy postal Ordinal Scale
is known as blueprint of research work. A Fahrenheit scale is an example of an Latert scale is also known as Pilot study is conducted for A questionnaire should be Warranty cards are usually sized cards A students rank in his graduation class involves the sue of an A Fahrenheit scale is an example of an	Sampling design Nominal Scale Arbitrary scale pre- testing the questionnaire simple and easy normal Nominal Scale Nominal Scale	Research Design Ordinal Scale Differential Scale post testing the questionnaire complex A4 size cards Ordinal Scale Ordinal Scale	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Interval scale	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Ratio Scale	Research Design Interval scale Summated scale pre-testing the questionnaire simple and easy postal Ordinal Scale Interval scale
is known as blueprint of research work. A Fahrenheit scale is an example of an	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and easy normal Nominal Scale Nominal Scale Content Validity	Research Design Ordinal Scale Differential Scale post testing the questionnaire complex A4 size cards Ordinal Scale Ordinal Scale Criterion Validity	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Interval scale Concurrent Validity	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Ratio Scale Construct Validity	Research Design Interval scale Summated scale pre- testing the questionnaire simple and easy postal Ordinal Scale Interval scale Content Validity
is known as blueprint of research work. A Fahrenheit scale is an example of an Latert scale is also known as Pilot study is conducted for A questionnaire should be Warranty cards are usually sized cards A students rank in his graduation class involves the sue of an A Fahrenheit scale is an example of an	Sampling design Nominal Scale Arbitrary scale pre- testing the questionnaire simple and easy normal Nominal Scale Nominal Scale	Research Design Ordinal Scale Differential Scale post testing the questionnaire complex A4 size cards Ordinal Scale Ordinal Scale	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Interval scale	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Ratio Scale	Research Design Interval scale Summated scale pre-testing the questionnaire simple and easy postal Ordinal Scale Interval scale
is known as blueprint of research work. A Fahrenheit scale is an example of an	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and easy normal Nominal Scale Nominal Scale Content Validity	Research Design Ordinal Scale Differential Scale post testing the questionnaire complex A4 size cards Ordinal Scale Ordinal Scale Criterion Validity	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Interval scale Concurrent Validity	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Ratio Scale Construct Validity	Research Design Interval scale Summated scale pre- testing the questionnaire simple and easy postal Ordinal Scale Interval scale Content Validity
is known as blueprint of research work. A Fahrenheit scale is an example of an	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and easy normal Nominal Scale Nominal Scale Content Validity Content Validity	Research Design Ordinal Scale Differential Scale post testing the questionnaire complex A4 size cards Ordinal Scale Ordinal Scale Criterion Validity Predictive Validity	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Interval scale Concurrent Validity Concurrent Validity	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Ratio Scale Construct Validity Construct Validity	Research Design Interval scale Summated scale pre- testing the questionnaire simple and easy postal Ordinal Scale Interval scale Content Validity Predictive Validity
is known as blueprint of research work. A Fahrenheit scale is an example of an	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and easy normal Nominal Scale Content Validity Content Validity Scaling Nominal Scale Nominal Scale	Research Design Ordinal Scale Differential Scale post testing the questionnaire complex A4 size cards Ordinal Scale Ordinal Scale Criterion Validity Predictive Validity Measuring Ordinal Scale Ordinal Scale	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Interval scale Concurrent Validity Concurrent Validity Responding Interval scale Interval scale	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Construct Validity Construct Validity Reliability Reliability Ratio Scale	Research Design Interval scale Summated scale pre-testing the questionnaire simple and easy postal Ordinal Scale Interval scale Content Validity Predictive Validity Scaling Ratio Scale Ranking Scale
is known as blueprint of research work. A Fahrenheit scale is an example of an Lâcet scale is an example of an Lâcet scale is an example of an plot study is conducted for A questionnaire should be vertice and the state of t	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and casy normal Nominal Scale Content Validity Content Validity Scaling Nominal Scale Nominal Scale Nominal Scale Nominal Scale Nominal Scale	Research Design Ordinal Scale Differential Scale post testing the questionnaire complex A4 size ards Ordinal Scale Ordinal Scale Criterion Validity Predictive Validity Measuring Ordinal Scale Ordinal Scale Multidimensional Scale	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Interval scale Concurrent Validity Concurrent Validity Responding Interval scale Ordinal Scales	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Ratio Scale Construct Validity Construct Validity Reliability Ratio Scale Ranking Scale Ranking Scale	Research Design Interval scale Summated scale pre-testing the questionnaire simple and casy postal Ordinal Scale Interval scale Content Validity Predictive Validity Scaling Ratio Scale Ranking Scale Unidimensional Scale
is known as blueprint of research work. A Fahrnchit scale is an example of an	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and casy normal Nominal Scale Nominal Scale Content Validity Scaling Nominal Scale Nominal Scale Nominal Scale Nominal Scale Nominal Scale Nominal Scale Nominal Scale	Research Design Ordinal Scale Differential Scale post testing the questionnaire complex A4 size cards Ordinal Scale Ordinal Scale Criterion Validity Predictive Validity Measuring Ordinal Scale Ordinal Scale	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Interval scale Concurrent Validity Concurrent Validity Responding Interval scale	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Ratio Scale Construct Validity Construct Validity Reliability Ratio Scale Ranking Scale Ranking Scale Ranking Scale	Research Design Interval scale Summated scale pre-testing the questionnaire simple and easy postal Ordinal Scale Interval scale Content Validity Predictive Validity Scaling Ratio Scale Ranking Scale
is known as blueprint of research work. A Fahrenheit scale is an example of an Lâcet scale is an example of an Lâcet scale is an example of an plot study is conducted for A questionnaire should be vertice and the state of t	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and casy normal Nominal Scale Content Validity Content Validity Scaling Nominal Scale Nominal Scale Nominal Scale Nominal Scale Nominal Scale	Research Design Ordinal Scale Differential Scale post testing the questionnaire complex A4 size ards Ordinal Scale Ordinal Scale Criterion Validity Predictive Validity Measuring Ordinal Scale Ordinal Scale Multidimensional Scale	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Interval scale Concurrent Validity Concurrent Validity Responding Interval scale Ordinal Scales	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Ratio Scale Construct Validity Construct Validity Reliability Ratio Scale Ranking Scale Ranking Scale	Research Design Interval scale Summated scale pre-testing the questionnaire simple and casy postal Ordinal Scale Interval scale Content Validity Predictive Validity Scaling Ratio Scale Ranking Scale Unidimensional Scale
is known as blueprint of research work. A Fahrenheit scale is an example of an	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and casy normal Nominal Scale Nominal Scale Content Validity Scaling Nominal Scale Nominal Scale Nominal Scale Nominal Scale Nominal Scale Nominal Scale Nominal Scale	Research Design Ordinal Scale Differential Scale post testing the questionnaire complex A4 size ards Ordinal Scale Ordinal Scale Criterion Validity Predictive Validity Measuring Ordinal Scale Ordinal Scale Ordinal Scale Multidimensional Scale	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Interval scale Concurrent Validity Concurrent Validity Responding Interval scale Interval scale Ordinal Scales Item analysis approach	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Ratio Scale Construct Validity Construct Validity Reliability Ratio Scale Ranking Scale Ranking Scale Ranking Scale	Research Design Interval scale Summated scale pre-testing the questionnaire simple and casy postal Ordinal Scale Interval scale Content Validity Predictive Validity Scaling Ratio Scale Ranking Scale Unidimensional Scale Arbitrary Approach
is known as blueprint of research work. A Fahrenheit scale is an example of an	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and easy normal Nominal Scale Content Validity Content Validity Scaling Nominal Scale Nominal Scale Nominal Scale Unidimensional Scale Arbitrary Approach Arbitrary scale	Research Design Ordinal Scale Differential Scale post testing the questionnaire complex A4 size cards Ordinal Scale Ordinal Scale Criterion Validity Predictive Validity Measuring Ordinal Scale Ordinal Scale Ordinal Scale Consensus Approach Officential Scale	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Interval scale Concurrent Validity Concurrent Validity Responding Interval scale Interval scale	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Ratio Scale Construct Validity Construct Validity Reliability Ratio Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale	Research Design Interval scale Summated scale pre-testing the questionnaire simple and easy postal Ordinal Scale Interval scale Content Validity Predictive Validity Scaling Ratio Scale Ranking Scale Unidimensional Scale Unidimensional Scale Consensus Approach Summated scale Differential Scale
is known as blueprint of research work. A Fahrenheit scale is an example of an	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and easy normal Nominal Scale Content Validity Content Validity Scaling Nominal Scale Unidimensional Scale Unidimensional Scale Unidimensional Scale Arbitrary Approach Arbitrary Approach	Research Design Ordinal Scale Differential Scale post testing the questionnaire complex A4 size cards Ordinal Scale Ordinal Scale Criterion Validity Predictive Validity Measuring Ordinal Scale Ordinal Scale Ordinal Scale Consensus Approach Consensus Approach	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Interval scale Concurrent Validity Concurrent Validity Concurrent Validity Responding Interval scale Interval scale Interval scale Ordinal Scales Item analysis approach Item analysis approach Summated scale Summated scale	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Construct Validity Construct Validity Reliability Ratio Scale Ranking Scale Ranking Approach Ranking Approach	Research Design Interval scale Summated scale pre-testing the questionnaire simple and easy postal Ordinal Scale Interval scale Content Validity Predictive Validity Scaling Ratio Scale Ranking Scale Unidimensional Scale Arbitrary Approach Consensus Approach Summated scale
is known as blueprint of research work. A Fahrnhoit scale is an example of an	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and casy normal Nominal Scale Content Validity Content Validity Content Validity Scaling Nominal Scale Unidimensional Scale Unidimensional Scale Arbitrary Approach Arbitrary Approach Arbitrary scale Arbitrary scale Arbitrary scale	Research Design Ordinal Scale Differential Scale post testing the questionnaire complex A4 size cards Ordinal Scale Ordinal Scale Criterion Validity Predictive Validity Measuring Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Differential Scale Differential Scale Differential Scale	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Interval scale Concurrent Validity Concurrent Validity Responding Interval scale Interval scale Interval scale Interval scale Interval scale Interval scale Interval scale Interval scale Summated scale Summated scale Ungrouped data	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Ratio Scale Construct Validity Construct Validity Reliability Ratio Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Approach Cumulative Scale Cumulative Scale Cumulative Scale Cumulative Scale	Research Design Interval scale Summated scale pre-testing the questionnaire simple and easy postal Ordinal Scale Interval scale Content Validity Predictive Validity Scaling Ratio Scale Ranking Scale Unidimensional Scale Arbitrary Approach Consensus Approach Summated scale Differential Scale Summated scale
is known as blueprint of research work. A Fahrenheit scale is an example of an Eldert scale is also known as Pilot study is conducted for A questionnaire should be Warranty cards are usually sized cards A questionnaire should be Warranty cards are usually sized cards A students rank in his graduation class involves the sue of an A fahrenheit scale is an example of an The textent to which a measuring instrument provides adequate coverage of the topic under study is The scale constructed moves a structure of the respondent or object are called as Categorical Scale are also known as Categorical Scale are also known as The scale constructed through the item analysis approach are called The scale constructed through the item analysis approach are called The scale constructed through the item analysis approach are called The scale constructed through the item analysis approach are called The scale constructed through the item analysis approach are called The scale constructed through the item analysis approach are called The scale constructed through the item analysis approach are called The scale constructed through the item analysis approach are called The scale constructed through the item analysis approach are called The scale constructed through the item analysis approach are called	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and easy normal Nominal Scale Content Validity Content Validity Scaling Nominal Scale Unidimensional Scale Unidimensional Scale Arbitrary Approach Arbitrary scale Arbitrary scale Arbitrary scale Arbitrary scale Arbitrary scale Traw data 1990-91	Research Design Ordinal Scale Differential Scale post testing the questionnaire complex A4 size cards Ordinal Scale Ordinal Scale Ordinas Scale Ordinas Scale Differential Scale Differential Scale Differential Scale Differential Scale Differential Scale Differential Scale Differential Scale Differential Scale Differential Scale North	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Concurrent Validity Concurrent Validity Responding Interval scale Interval scale Interval scale Interval scale Interval scale Interval scale Summated scale Summated scale Summated scale Summated scale Summated scale Male	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Ratio Scale Construct Validity Construct Validity Reliability Ratio Scale Ranking Scale Ranking Scale Ranking Scale Ranking Approach Ranking Approach Cumulative Scale Cumulative Scale	Research Design Interval scale Summated scale pre- testing the questionnaire simple and easy postal Ordinal Scale Interval scale Content Validity Predictive Validity Scaling Ratio Scale Ranking Scale Unidimensional Scale Arbitrary Approach Consensus Approach Summated scale Differential Scale Summated scale ungrouped data Notth
is known as blueprint of research work. A Fahrenheit scale is an example of an	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and easy normal Nominal Scale Content Validity Content Validity Scaling Nominal Scale Ontent Validity Scaling Nominal Scale Unidimensional Scale Unidimensional Scale Arbitrary Approach Arbitrary scale Arbitrary scale Arbitrary scale arw data 1990-91 Telephone interview	Research Design Ordinal Scale Differential Scale post testing the questionnaire complex A4 size cards Ordinal Scale Ordinal Scale Ordinal Scale Criterion Validity Predictive Validity Measuring Ordinal Scale Ordinal Scale Consensus Approach Consensus Approach Differential Scale Differential Scale Differential Scale Differential Scale Differential Scale Differential Scale Differential Scale	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Interval scale Concurrent Validity Concurrent Validity Responding Interval scale Interval scale Ordinal Scales Item analysis approach Item analysis approach Item analysis approach Summated scale Summated scale Summated scale Summated scale Summated scale Male Structured interview	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Ratio Scale Construct Validity Construct Validity Reliability Ratio Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Cumulative Scale	Research Design Interval scale Summated scale pre-testing the questionnaire simple and easy postal Ordinal Scale Interval scale Content Validity Predictive Validity Scaling Ratio Scale Ranking Scale Unidimensional Scale Arbitrary Approach Consensus Approach Consensus Approach Summated scale Differential Scale Summated scale ungrouped data North Telephone interview
is known as blueprint of research work. A Fahrenheit scale is an example of an	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and casy normal Nominal Scale Content Validity Content Validity Scaling Nominal Scale Content Validity Scaling Nominal Scale Nominal Scale Nominal Scale Nominal Scale Nominal Scale Nominal Scale Nominal Scale Nominal Scale Arbitrary Approach Arbitrary scale Arbitrary scale Arbitrary scale I 1990-91 Telephone interview unstructured	Research Design Ordinal Scale Differential Scale complex A4 size cards Ordinal Scale Ordinal Scale Ordinal Scale Criterion Validity Predictive Validity Measuring Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Differential Scale	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Concurrent Validity Concurrent Validity Concurrent Validity Responding Interval scale Interval scale Interval scale Interval scale Interval scale Interval scale Birmanted scale Summated scale Summated scale Summated scale Summated scale Summated scale Summated scale Summated scale Summated scale	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Ratio Scale Construct Validity Construct Validity Reliability Ratio Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Approach Cumulative Scale Cumulative Scale	Research Design Interval scale Summated scale gret-testing the questionnaire simple and easy postal Ordinal Scale Interval scale Content Validity Predictive Validity Scaling Ratio Scale Ranking Scale Unidimensional Scale Arbitrary Approach Consensus Approach Consensus Approach Summated scale Differential Scale Summated scale ungrouped data North Telephone interview clinical
is known as blueprint of research work. A Fahrenheit scale is an example of an	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and easy normal Nominal Scale Content Validity Content Validity Scaling Nominal Scale Nominal Scale Nominal Scale Nominal Scale Arbitrary Approach Arbitrary Approach Arbitrary scale Arbitrary scale Arbitrary scale Arbitrary scale Information Scale Robitrary Scale Arbitrary scale Arbitrary scale Information Scale Robitrary Scale Arbitrary scale Arbitrary scale Information Scale Robitrary Scale Arbitrary scale Robitrary Scale	Research Design Ordinal Scale Differential Scale post testing the questionnaire complex A4 size cards Ordinal Scale Ordinal Scale Consensus Approach Differential Scale Differential Scale	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Concurrent Validity Concurrent Validity Concurrent Validity Responding Interval scale Interval scale Interval scale Interval scale Interval scale Interval scale Summated scale Summated scale Summated scale Summated scale Summated scale Commanded scale Summated scale Commanded scale Summated scale Summated scale Commanded scale Summated scale Summated scale Summated scale Commanded scale	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Ratio Scale Construct Validity Construct Validity Reliability Ratio Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Approach Cumulative Scale Cumulative Scale	Research Design Interval scale Summated scale pre-testing the questionnaire simple and easy postal Ordinal Scale Interval scale Content Validity Predictive Validity Scaling Ratio Scale Ranking Scale Unidimensional Scale Arbitrary Approach Summated scale Differential Scale Summated scale ungrouped data North Telephone interview
is known as blueprint of research work. A Fahrenheit scale is an example of an	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and easy normal Nominal Scale Content Validity Content Validity Scaling Nominal Scale Ontent Validity Scaling Nominal Scale Arbitrary Approach Arbitrary Approach Arbitrary scale Arbitrary scale Arbitrary scale Arbitrary scale Telephone interview telephone interview	Research Design Ordinal Scale Differential Scale post testing the questionnaire complex A4 size cards Ordinal Scale Ordinal Scale Criterion Validity Predictive Validity Measuring Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Multidimensional Scale Consensus Approach Offerential Scale Differential Scale personal interview personal interview	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Interval scale Concurrent Validity Concurrent Validity Responding Interval scale Interval scale Ordinal Scales Item analysis approach Item analysis approach Item analysis approach Summated scale Summated scale Summated scale Summated scale Summated scale Male Structured interview clinical structured interview	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Ratio Scale Construct Validity Construct Validity Reliability Ratio Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Approach Ranking Approach Cumulative Scale Cumulative Scale	Research Design Interval scale Summated scale pre-testing the questionnaire simple and easy postal Ordinal Scale Interval scale Content Validity Predictive Validity Scaling Ratio Scale Ranking Scale Unidimensional Scale Unidimensional Scale Unidimensional Scale Consensus Approach Summated scale Differential Scale Summated scale Unifferential Scale Summated scale Differential Scale Summated scale Unifferential Scale
is known as blueprint of research work. A Fahrenheit scale is an example of an	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and casy normal Nominal Scale Content Validity Content Validity Scaling Nominal Scale Ontent Validity Scaling Nominal Scale Unidimensional Scale Unidimensional Scale Unidimensional Scale Arbitrary Approach Arbitrary scale Arbitrary scale Trelephone interview unstructured telephone interview direct	Research Design Ordinal Scale Differential Scale complex A4 size ands Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Criterion Validity Predictive Validity Messuring Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Differential Scale	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Interval scale Concurrent Validity Concurrent Validity Concurrent Validity Responding Interval scale Ordinal Scales Item analysis approach Item analysis approach Item analysis approach Summated scale Summated scale Summated scale Summated scale Commated scale Summated scale Summated scale Commated scale Summated scale Su	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Ratio Scale Construct Validity Construct Validity Reliability Ratio Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Cumulative Scale	Research Design Interval scale Summated scale pre-testing the questionnaire simple and casy postal Ordinal Scale Interval scale Content Validity Predictive Validity Scaling Ratio Scale Ranking Scale Unidimensional Scale Arbitrary Approach Consensus Approach Summated scale Differential Scale Summated scale Unigrouped data North Telephone interview telephone interview
is known as blueprint of research work. A Fahrenheit scale is an example of an	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and casy normal Nominal Scale Content Validity Content Validity Scaling Nominal Scale Content Validity Scaling Nominal Scale Nominal Scale Nominal Scale Unidimensional Scale Unidimensional Scale Arbitrary Approach Arbitrary scale Arbitrary scale Arbitrary scale Arbitrary scale Information interview unstructured telephone interview direct questionnaire	Research Design Ordinal Scale Differential Scale complex A4 size cards Ordinal Scale Ordinal Scale Differential Scale	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Interval scale Concurrent Validity Concurrent Validity Concurrent Validity Responding Interval scale Interval scale Interval scale Interval scale Interval scale Birmanted scale Summated scale Summated scale ungrouped data Male Structured interview elinical structured interview Observation face to face interview	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Ratio Scale Construct Validity Construct Validity Reliability Reliability Ratio Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Cumulative Scale	Research Design Interval scale Summated scale pre-testing the questionnaire simple and easy postal Ordinal Scale Interval scale Content Validity Predictive Validity Scaling Ratio Scale Ranking Scale Unidimensional Scale Arbitrary Approach Consensus Approach Consensus Approach Summated scale Differential Scale Summated scale ungrouped data North Telephone interview telephone interview telephone interview
is known as blueprint of research work. A Fahrenheit scale is an example of an	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and casy normal Nominal Scale Content Validity Content Validity Scaling Nominal Scale Ontent Validity Scaling Nominal Scale Unidimensional Scale Unidimensional Scale Unidimensional Scale Arbitrary Approach Arbitrary scale Arbitrary scale Trelephone interview unstructured telephone interview direct	Research Design Ordinal Scale Differential Scale complex A4 size ands Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Criterion Validity Predictive Validity Messuring Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Differential Scale	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Interval scale Concurrent Validity Concurrent Validity Concurrent Validity Responding Interval scale Ordinal Scales Item analysis approach Item analysis approach Item analysis approach Summated scale Summated scale Su	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Construct Validity Construct Validity Reliability Reliability Ratio Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Cumulative Scal	Research Design Interval scale Summated scale pre-testing the questionnaire simple and easy postal Ordinal Scale Interval scale Content Validity Predictive Validity Scaling Ratio Scale Ranking Scale Unidimensional Scale Unidimensional Scale Arbitrary Approach Consensus Approach Summated scale Differential Scale Summated scale Unifferential Scale Summated scal
	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and easy normal Nominal Scale Content Validity Content Validity Scaling Nominal Scale Unidimensional Scale Unidimensional Scale Arbitrary Approach Arbitrary Approach Arbitrary scale Arbitrary scale Arbitrary scale Arbitrary scale Arbitrary scale Institute and the scale Institute of the scale Institute of the scale Institute of the scale Arbitrary scale Arbitrary scale Arbitrary scale Institute of the scale of the scale Institute of the scale of the scale of the scale Institute of the scale of the scale of the scale of the scale Institute of the scale of t	Research Design Ordinal Scale Differential Scale post testing the questionnaire complex A4 size cards Ordinal Scale Ordinal Scale Ordinal Scale Criterion Validity Predictive Validity Measuring Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Differential Scale	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Interval scale Concurrent Validity Concurrent Validity Concurrent Validity Responding Interval scale Interval scale Interval scale Interval scale Interval scale Birmanted scale Summated scale Summated scale ungrouped data Male Structured interview elinical structured interview Observation face to face interview	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Ratio Scale Construct Validity Construct Validity Reliability Reliability Ratio Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Cumulative Scale	Research Design Interval scale Summated scale pre-testing the questionnaire simple and easy postal Ordinal Scale Interval scale Content Validity Predictive Validity Scaling Ratio Scale Ranking Scale Unidimensional Scale Arbitrary Approach Consensus Approach Consensus Approach Summated scale Differential Scale Summated scale ungrouped data North Telephone interview telephone interview telephone interview
is known as blueprint of research work. A Fahrenheit scale is an example of an	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and casy normal Nominal Scale Content Validity Content Validity Content Validity Scaling Nominal Scale Nominal Scale Unidimensional Scale Unidimensional Scale Unidimensional Scale Arbitrary Approach Arbitrary Approach Arbitrary scale Arbitrary scale Telephone interview unstructured telephone interview telephone interview direct questionnaire normal respondents ordinal	Research Design Ordinal Scale Differential Scale complex A4 size cards Ordinal Scale Ordinal Scale Differential Scale	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Interval scale Concurrent Validity Concurrent Validity Concurrent Validity Responding Interval scale Interval scale Ordinal Scales Item analysis approach Item analysis approach Item analysis approach Summated scale Summated scale Su	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Ratio Scale Construct Validity Construct Validity Ratio Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Cumulative Scale Cumulativ	Research Design Interval scale Summated scale pre-testing the questionnaire simple and easy postal Ordinal Scale Interval scale Content Validity Predictive Validity Scaling Ratio Scale Ranking Scale Unidimensional Scale Unidimensional Scale Arbitrary Approach Consensus Approach Consensus Approach Summated scale Differential Scale Summated scale ungrouped data North Telephone interview telephone interview telephone interview telephone interview
	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and easy normal Nominal Scale Content Validity Content Validity Scaling Nominal Scale Ontent Validity Scaling Nominal Scale Unidimensional Scale Unidimensional Scale Unidimensional Scale Arbitrary Approach Arbitrary Approach Arbitrary scale Arbitrary scale Arbitrary scale araw data 1990-91 Telephone interview unstructured Itelphone interview Itelphone interview direct questionnaire normal respondents	Research Design Ordinal Scale Differential Scale complex A4 size ards Ordinal Scale Ordinal Scale Differential Scale Differential Scale Differential Scale Differential Scale Differential Scale Diffe	Operational Design Interval scale Summated scale yre: etsting the hypothesis Vague postal Interval scale Interval scale Concurrent Validity Concurrent Validity Concurrent Validity Responding Interval scale Ordinal Scales Item analysis approach Item analysis approach Item analysis approach Summated scale Summated scale Summated scale Summated scale Summated scale interview Coloreview elinical structured interview elinical structured interview oObservation face to face interviay postal sample design interval	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Ratio Scale Construct Validity Construct Validity Reliability Ratio Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Approach Cumulative Scale Cumulative Scale Scale Scale Scale Scale Scale Scale Scale Scale Scale Scale Scale Scal	Research Design Interval scale Summated scale pre-testing the questionnaire simple and casy postal Ordinal Scale Interval scale Content Validity Predictive Validity Scaling Ratio Scale Ranking Scale Unidimensional Scale Arbitrary Approach Consensus Approach Consensus Approach Summated scale Uniformatic Scale Summated Scale Sc
	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and easy normal Nominal Scale Content Validity Content Validity Scaling Nominal Scale Ontent Validity Scaling Nominal Scale Unidimensional Scale Arbitrary Approach Arbitrary Approach Arbitrary scale Arbitrary scale Arbitrary scale Arbitrary scale Interview Unstructured telephone interview telephone interview direct questionnaire normal respondents organal	Research Design Ordinal Scale Differential Scale post testing the questionnaire complex A4 size cards Ordinal Scale Ordinal Scale Differential Scale Diffe	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Concurrent Validity Concurrent Validity Responding Interval scale Interval scale Interval scale Interval scale Interval scale Interval scale Interval scale Interval scale Summated scale S	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Ratio Scale Construct Validity Construct Validity Reliability Reliability Ratio Scale Ranking Scale Cumulative Scale Sca	Research Design Interval scale Summated scale pre- testing the questionnaire simple and easy postal Ordinal Scale Interval scale Content Validity Predictive Validity Scaling Ratio Scale Ranking Scale Unidimensional Scale Unidimensional Scale Arbitrary Approach Consensus Approach Summated scale Differential Scale Summated scale Unifferential Scale Consensus Approach Summated scale Unifferential Scale Summated Scale Unifferential Scale S
	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and easy normal Nominal Scale Content Validity Content Validity Scaling Nominal Scale Ontent Validity Scaling Nominal Scale Unidimensional Scale Arbitrary Approach Arbitrary Approach Arbitrary scale Arbitrary scale Arbitrary scale Arbitrary scale Telephone interview unstructured telephone interview direct questionnaire normal respondents crinal Sequence Ordinal	Research Design Ordinal Scale Differential Scale complex A4 size cards Ordinal Scale Ordinal Scale Ordinal Scale Criterion Validity Predictive Validity Measuring Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Consensus Approach Differential Scale Differential Scale data North Personal interview structured personal interview indirect schedule 4 size cards selected items ratio Interval Nominal	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Interval scale Concurrent Validity Concurrent Validity Responding Interval scale Ordinal Scales Item analysis approach Item analysis approach Item analysis approach Summated scale Summated scale Summate	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Ratio Scale Construct Validity Construct Validity Reliability Ratio Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Approach Cumulative Scale Cumulative Scale Cumulati	Research Design Interval scale Summated scale pre-testing the questionnaire simple and easy postal Ordinal Scale Interval scale Content Validity Predictive Validity Scaling Ratio Scale Ranking Scale Unidimensional Scale Unidimensional Scale Arbitrary Approach Consensus Approach Summated scale Differential Scale Summated scale Uniferential Scale Scale Scale Scale Scale Scale Uniferential Scale Sc
	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and easy normal Nominal Scale Content Validity Content Validity Scaling Nominal Scale Nominal Scale Nominal Scale Nominal Scale Nominal Scale Unidimensional Scale Arbitrary Approach Arbitrary Approach Arbitrary scale Arbitrary scale Arbitrary scale Arbitrary scale Telephone interview Ielephone interview Ielephone interview direct questionnaire normal respondents ordinal Sequence Ordinal	Research Design Ordinal Scale Differential Scale complex A4 size ards Ordinal Scale Ordinal Scale Differential S	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Interval scale Concurrent Validity Concurrent Validity Concurrent Validity Responding Interval scale Interval scale Interval scale Ordinal Scales Item analysis approach Item analysis approach Item analysis approach Summated scale Summated scale Su	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Ratio Scale Construct Validity Construct Validity Reliability Ratio Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Approach Cumulative Scale Cumulative Scale Cumulati	Research Design Interval scale Summated scale pre-testing the questionnaire simple and easy postal Ordinal Scale Interval scale Content Validity Predictive Validity Scaling Ratio Scale Ranking Scale Unidimensional Scale Arbitrary Approach Consensus Approach Summated scale Differential Scale Summated scale ungrouped data North Telephone interview telephone interview telephone interview telephone interview telephone and scale gestionaire postal sample design ordinal Interval Interval
is known as blueprint of research work. A Fahrenhoit scale is an example of an	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and easy normal Nominal Scale Content Validity Content Validity Scaling Nominal Scale Unidimensional Scale Unidimensional Scale Arbitrary Approach Arbitrary Approach Arbitrary Approach Arbitrary scale Arbitrary scale Arbitrary scale Arbitrary scale Telephone interview telephone interview telephone interview telephone interview telephone interview telephone interview telephone interview telephone interview telephone interview telephone interview detextonnaire normal respondents ordinal Ordinal Measurement	Research Design Ordinal Scale Differential Scale post testing the questionnaire complex A4 size cards Ordinal Scale Ordinal Scale Differential Scale Differential Scale Differential Scale Differential S	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Concurrent Validity Concurrent Validity Concurrent Validity Responding Interval scale Interval scale Interval scale Ordinal Scales Item analysis approach Summated scale Summated scale Summated scale Summated scale Summated scale Colinical Structured interview clinical structured interview clinical structured interview observation face to face interview postal scample design interval Numeric Interval interval scales	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Ratio Scale Construct Validity Construct Validity Reliability Ratio Scale Ranking Approach Cumulative Scale Cumulative S	Research Design Interval scale Summated scale pre-testing the questionnaire simple and easy postal Ordinal Scale Interval scale Content Validity Predictive Validity Scaling Ratio Scale Ranking Scale Unidimensional Scale Arbitrary Approach Consensus Approach Summated scale Differential Scale Summated scale Differential Scale Consensus Approach Summated scale Unidimensional Scale Consensus Approach Summated scale Unidimensional Scale Consensus Approach Summated scale Unifferential Scale Summated Scale
is known as blueprint of research work. A Fahrenheit scale is an example of an	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and easy normal Nominal Scale Content Validity Content Validity Scaling Nominal Scale Unidimensional Scale Unidimensional Scale Arbitrary Approach Arbitrary Approach Arbitrary scale Arbitrary scale Arbitrary scale Arbitrary scale Arbitrary scale Iraw data 1990-91 Telephone interview telephone interview telephone interview telephone interview direct questionnaire normal respondents ordinal Sequence Ordinal Ordinal Measurement Ratio Nominal Scale	Research Design Ordinal Scale Differential Scale complex Ad size cards Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Criterion Validity Predictive Validity Measuring Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Ordinal Scale Differential Scale Scale grouped data North Personal interview indirect schedule 4 size cards selected items ratio Interval Norminal Norminal Norminal Norminal	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Interval scale Concurrent Validity Concurrent Validity Concurrent Validity Responding Interval scale Ordinal Scales Item analysis approach Item analysis approach Item analysis approach Summated scale Summated scale interview celinical face to face interview observation face to face interview postal sample design interval scales Nominal	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Construct Validity Construct Validity Reliability Ratio Scale Ranking Approach Cumulative Scale Cumulative Scale Cumulat	Research Design Interval scale Summated scale pre-testing the questionnaire simple and easy postal Ordinal Scale Interval scale Content Validity Predictive Validity Scaling Ratio Scale Ranking Scale Unidimensional Scale Unidimensional Scale Unidimensional Scale Unidimensional Scale Unidimensional Scale Unidimensional Scale Unidimensional Scale Consensus Approach Summated scale Differential Scale Summated scale Unifferential Scale Consensus Approach Summated scale Unifferential Scale Unified Scale Unifferential Scale Unifferential Scale Unifferential Scale Unified
	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and easy normal Nominal Scale Content Validity Content Validity Scaling Nominal Scale Unidimensional Scale Unidimensional Scale Unidimensional Scale Unidimensional Scale Unidimensional Scale Arbitrary Approach Arbitrary Approach Arbitrary scale Arbitrary scale Arbitrary scale Arbitrary scale I scale Arbitrary scale I scal	Research Design Ordinal Scale Differential Scale post testing the questionnaire complex A4 size cards Ordinal Scale Ordinal Scale Differential Scale Differential Scale Differential Scale Differential Scale Differential Scale Differential Scale Differential Scale Differential Scale Bifferential Scale Differential Scale Bifferential Scale Differential Scale Differential Scale Bifferential Scale Differential Scale Bifferential Scale Differential Scale Bifferential Scale Bifferential Scale Differential Scale Bifferential Scale Bifferential Scale Bifferential Scale Bifferential Scale Bifferential Scale Bifferential Scale Bifferential Scale Bifferential Scale Bifferential Scale Differential Scale Bifferential Scale Bifferenti	Operational Design Interval scale Summated scale pre-testing the hypothesis Vague postal Interval scale Concurrent Validity Concurrent Validity Concurrent Validity Responding Interval scale Interval scale Interval scale Ordinal Scales Item analysis approach Item analysis approach Item analysis approach Summated scale Summated scale Su	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Construct Validity Construct Validity Reliability Reliability Ratio Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Ranking Scale Cumulative Scal	Research Design Interval scale Surmasted scale pre-testing the questionnaire simple and easy postal Ordinal Scale Interval scale Content Validity Predictive Validity Scaling Ratio Scale Ranking Scale Unidimensional Scale Unidimensional Scale Arbitrary Approach Surmated scale Differential Scale Surmated scale Uniferential Scale Consensus Approach Surmated scale Uniferential Scale Guinerate Scale Uniferential Scale Uniferential Scale Guinerate Uniferential Scale Uniferential Scale Uniferential Scale Summated Scale Uniferential Scale Scale Uniferential Scale Scale Uniferential Scale Summated Scale Uniferential Scale Scale Uniferential Scale Scale Uniferential Scale Scale Uniferential Scale Scale Uniferential Scale Scale Uniferential Scale Scale Uniferential Scale Scale Uniferential Scale Scal
is known as blueprint of research work. A Fahrenheit scale is an example of an	Sampling design Nominal Scale Arbitrary scale pre-testing the questionnaire simple and easy normal Nominal Scale Content Validity Content Validity Scaling Nominal Scale Unidimensional Scale Unidimensional Scale Arbitrary Approach Arbitrary Approach Arbitrary scale Arbitrary scale Arbitrary scale Arbitrary scale Arbitrary scale Iraw data 1990-91 Telephone interview telephone interview telephone interview telephone interview direct questionnaire normal respondents ordinal Sequence Ordinal Ordinal Measurement Ratio Nominal Scale	Research Design Ordinal Scale Differential Scale complex A4 size ards Ordinal Scale Ordinal Scale Differential Scale Scale Differential Scale Differential Scale Differen	Operational Design Interval scale Summated scale yre: etsting the hypothesis Vague postal Interval scale Interval scale Concurrent Validity Concurrent Validity Concurrent Validity Responding Interval scale Ordinal Scales Item analysis approach Item analysis approach Item analysis approach Summated scale Summated scale Summated scale Summated scale Summated scale Summated scale Summated scale Summated scale interview elinical structured interview elinical structured interview Observation face to face interview postal sample design interval Numeric Interval Seales Nominal Values Interval	Design Ratio Scale Cumulative Scale post testing the hypothesis maximum store card Ratio Scale Construct Validity Construct Validity Reliability Ratio Scale Ranking Approach Cumulative Scale Cumulative Scale Cumulat	Research Design Interval scale Summated scale pre-testing the questionnaire simple and easy postal Ordinal Scale Interval scale Content Validity Predictive Validity Scaling Ratio Scale Ranking Scale Unidimensional Scale Unidimensional Scale Unidimensional Scale Unidimensional Scale Unidimensional Scale Unidimensional Scale Unidimensional Scale Consensus Approach Summated scale Differential Scale Summated scale Unifferential Scale Consensus Approach Summated scale Unifferential Scale Unified Scale Unifferential Scale Unifferential Scale Unifferential Scale Unified

Class: II BCOM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester IV Year: 2018Batch

UNIT IV HYPOTHESIS TESTING

Hypothesis – Qualities of a good Hypothesis –Null Hypothesis & Alternative Hypothesis. Hypothesis Testing –Tests concerning means and proportions; ANOVA, Chi-square test and other Nonparametric tests, correlation and Regression

* * * * *

HYPOTHESIS

Hypothesis is usually considered as the principal instrument in research. Its main function is to suggest new experiments and observations. In fact, many experiments are carried out with the deliberate object of testing hypotheses. Decision-makers often face situations wherein they are interested in testing hypotheses on the basis of available information and then take decisions on the basis of such testing. In social science, where direct knowledge of population parameter(s) is rare, hypothesis testing is the often used strategy for deciding whether a sample data offer such support for a hypothesis that generalisation can be made. Thus hypothesis testing enables us to make probability statements about population parameter(s). The hypothesis may not be proved absolutely, but in practice it is accepted if it has withstood a critical testing. Before we explain how hypotheses are tested through different tests meant for the purpose, it will be appropriate to explain clearly the meaning of a hypothesis and the related concepts for better understanding of the hypothesis testing techniques.

What is Hypothesis?

Ordinarily, when one talks about hypothesis, one simply means a mere assumption or some supposition to be proved or disproved. But for a researcher hypothesis is a formal question that he intends to resolve. Thus a hypothesis may be defined as a proposition or a set of proposition set forth as an explanation for the occurrence of some specified group of phenomena either asserted merely as a provisional conjecture to guide some investigation or accepted as highly probable in the light of established facts. Quite often a research hypothesis is a predictive statement, capable of

Class: II BCOMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester IVYear: 2018Batch

being tested by scientific methods, that relates an independent variable to some dependent variable. For example, consider statements like the following ones:

"Students who receive counseling will show a greater increase in creativity than students not receiving counseling" Or

"the automobile A is performing as well as automobile B."

These are hypotheses capable of being objectively verified and tested. Thus, we may conclude that a hypothesis states what we are looking for and it is a proposition which can be put to a test to determine its validity.

CHARACTERISTICS OF HYPOTHESIS

- 1. Hypothesis should be clear and precise. If the hypothesis is not clear and precise, the inferences drawn on its basis cannot be taken as reliable.
- 2. Hypothesis should be capable of being tested. In a swamp of untestable hypotheses, many a time the research programmes have bogged down. Some prior study may be done by researcher in order to make hypothesis a testable one. A hypothesis "is testable if other deductions can be made from it which, in turn, can be confirmed or disproved by observation."
- 3. Hypothesis should state relationship between variables, if it happens to be a relational hypothesis.
- 4. Hypothesis should be limited in scope and must be specific. A researcher must remember that narrower hypotheses are generally more testable and he should develop such hypotheses.
- 5. Hypothesis should be stated as far as possible in most simple terms so that the same is easily understandable by all concerned. But one must remember that simplicity of hypothesis has nothing to do with its significance.
- 6. Hypothesis should be consistent with most known facts i.e., it must be consistent with a substantial body of established facts. In other words, it should be one which judges accept as being the most likely.

Class: II BCOMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester IVYear: 2018Batch

- Hypothesis should be amenable to testing within a reasonable time. One should not use even an excellent hypothesis, if the same cannot be tested in reasonable time for one cannot spend a life-time collecting data to test it.
- 8. Hypothesis must explain the facts that gave rise to the need for explanation. This means that by using the hypothesis plus other known and accepted generalizations, one should be able to deduce the original problem condition. Thus hypothesis must actually explain what it claims to explain; it should have empirical reference.

FORMULATION OF HYPOTHESIS

- A hypothesis may originate in different ways. A cultural environment may give rise to it. In India, for example, religion and custom dominate the way of life. This has had it reaction on economic values and individual initiative in various walks of life. Such a situation could give rise to any number of hypothesis; sociological, cultural, political and economic
- 2. A second source of hypothesis is folk wisdom or current popular beliefs and practices suggesting both the problems and the hypothesis
- Analogies are often a spring of valuable hypothesis. Students of sociology in the course of their studies would have come across analogies wherein a society is compared to a biological organism, the natural law to the social law, thermodynamics to social dynamics etc.,
- 4. The history of science provides an eloquent testimony to the fact that personal and idiosyncratic experiences of the scientist contributes a great deal to the type and form of questions he may ask as also to the kinds of tentative answers to these questions that he can provide
- 5. Hypotheses may also rest on the findings of other studies. The researcher on the basis of the findings of other studies may hypothesise that similar relationship between specified variables will hold good in the present study, too. This is a very common way of researchers who design their study with a view to replicating another study conducted in a different concrete context

Class: II BCOMCourse Name: RESEAFCourse Code: 18CMU401Semester IV

Course Name: RESEARCH METHODOLOGY Semester IV Year: 2018Batch

- 6. Another source of hypothesis formulation in cases which are expectations to accepted theory
- 7. Personal experience and individual reaction may give rise to hypotheses
- Hypotheses may turn from a body of theory which, by way of logical deduction, may lead to the production that if certain conditions are present, certain results will follow. Theory is indeed an extremely fertile seed-bed of hypotheses.

PROCEDURE FOR HYPOTHESIS TESTING

To test a hypothesis means to tell (on the basis of the data the researcher has collected) whether or not the hypothesis seems to be valid. In hypothesis testing the main question is: whether to accept the null hypothesis or not to accept the null hypothesis? Procedure for hypothesis testing refers to all those steps that we undertake for making a choice between the two actions i.e., rejection and acceptance of a null hypothesis. The various steps involved in hypothesis testing are stated below:

1) Making a Formal Statement

The step consists in making a formal statement of the null hypothesis (H0) and also of the alternative Hypothesis (Ha). This means that hypothesis should be clearly stated, considering the nature of the research problem. For instance, Mr. Mohan of the Civil Engineering Department wants to test the load bearing capacity of an old bridge which must be more than 10 tons, in that case he can state his hypotheses as under:

Null Hypothesis H_0 : μ =10 tons

Alternative Hypothesis H_a : $\mu > 10$ tons

Take another example. The average score in an aptitude test administered at the national level is 80. To evaluate a state's education system, the average score of 100 of the state's students selected on random basis was 75. The state wants to know if there is a significant difference between the local scores and the national scores. In such a situation the hypotheses may be stated as under:

Null Hypothesis H_0 : $\mu = 80$

Class: II BCOMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester IVYear: 2018Batch

Alternative Hypothesis H_a : $\mu \neq 80$

The formulation of hypotheses is an important step which must be accomplished with due care in accordance with the object and nature of the problem under consideration. It also indicates whether we should use a one-tailed test or a two-tailed test. If Ha is of the type greater than (or of the type lesser than), we use a one-tailed test, but when Ha is of the type "whether greater or smaller" then we use a two-tailed test.

2) Selecting a Significance Level

The hypotheses are tested on a pre-determined level of significance and as such the same should be specified. Generally, in practice, either 5% level or 1% level is adopted for the purpose. The factors that affect the level of significance are: (a) the magnitude of the difference between sample means; (b) the size of the samples; (c) the variability of measurements within samples; and (d) whether the hypothesis is directional or non-directional (A directional hypothesis is one which predicts the direction of the difference between, say, means). In brief, the level of significance must be adequate in the context of the purpose and nature of enquiry.

3) Deciding the Distribution to Use

After deciding the level of significance, the next step in hypothesis testing is to determine the appropriate sampling distribution. The choice generally remains between normal distribution and the t-distribution. The rules for selecting the correct distribution are similar to those which we have stated earlier in the context of estimation.

4) Selecting a Random Sample and Computing an Appropriate Value

Another step is to select a random sample(s) and compute an appropriate value from the sample data concerning the test statistic utilizing the relevant distribution. In other words, draw a sample to furnish empirical data.

5) Calculation of the Probability

Class: II BCOM	Course Name: RESEARCH	H METHODOLOGY
Course Code: 18CMU401	Semester IV	Year: 2018Batch

One has then to calculate the probability that the sample result would diverge as widely as it has from expectations, if the null hypothesis were in fact true.

6) Comparing the Probability

Yet another step consists in comparing the probability thus calculated with the specified value for α_{\Box} the significance level. If the calculated probability is equal to or smaller than the α value in case of one-tailed test (and $\alpha \Box/2$ in case of two-tailed test), then reject the null hypothesis (i.e., accept the alternative hypothesis), but if the calculated probability is greater, then accept the null hypothesis. In case we reject H₀, we run a risk of (at most the level of significance) committing an error of Type I, but if we accept H₀, then we run some risk (the size of which cannot be specified as long as the H₀ happens to be vague rather than specific) of committing an error of Type II.

STATISTICS

't' Test

When the size of sample is small (less than 30). In particular, it will no longer be possible for us to assume (a) that the random sampling distribution of a statistic is approximately normal and (b) that values given by the sample data are sufficiently close to the population values and can be used in their place for the calculation of the standard error of the estimate.

The removal of these assumptions makes it necessary to use entirely new techniques to deal with the problems of small samples. The division between the theories of large and small samples is, therefore, a very real one, though it is not always easy to draw a precise line of demarcation. It should be noted that as a rule, the methods and the theory of small samples are applicable to large samples, though the reverse is not true.

While dealing with small samples our main interest is not to estimate the population values as in true in large samples; rather our interest lies in testing a given hypothesis, i.e., in ascertaining whether observed values could have arisen by sampling

Class: II BCOMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester IVYear: 2018Batch

fluctuations from some value given in advance. For example, if a sample of 15 gives a correlation coefficient of +0.4, we shall be interested not so much in the value of the correlation in the parent population, but more generally whether this value could have been arisen from an uncorrelated population. i.e. whether it is significant of correlation in the parent population.

It should be noted that the investigator who works with very small samples must know that his estimates will vary widely from sample to sample. Moreover, he must be satisfied with relatively wide confidence intervals. Precision of statement is less, of course, the wider the intervals employed. Each inference drawn from large sample results in far more precise in the limits it sets up than is an inference based on a much smaller sample.

Student's 't' Distribution

Theoretical work on t-distribution was done by W.S. Gosset (1876-1937) in the early 1900. Gosset was employed by the Guinness and Son, a Dulbin bravery, Ireland, which did not permit employees to publish research findings under their own names. So Gosset adopted the pen name "Student" and published his findings under their name. Thereafter, the t-distribution is commonly called Student's t-distribution or simply student's distribution.

The t-distribution is used when sample size is 30 or less and the population standard deviation is unknown.

The 't' statistic is defined as

 $t = X - \mu / \frac{S - X}{\sqrt{n}}$ Where $S = \sqrt{\sum (X - X)^2 / n - 1}$

Sum 1: The manufacturer of a certain make of electric bulbs claims that his bulbs have a mean life of 25 months with a standard deviation of 5 months. A random sample of 6 such bulbs gave the following values

Class: II BCOM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester IV Year: 2018Batch

Life of Months	24	26	30	20	20	18

Can you regard the producer's claim to be valid at 1% level of significance? (Given that the table values of the appropriate test statistics at the said level are 4.032, 3.707 and 3.499 for 5, 6 and 7 degrees of freedom respectively)

Solution

Let us taken the hypothesis that there is no significant difference in the mean life of bulbs in the sample and that of the population, Applying t-test:

X	$\begin{array}{c} (X-\overline{X}) \\ X \end{array}$	X ²
24	+1	1
26	+3	9
30	+7	49
20	-3	9
20	-3	9
18	-5	25
∑X=138		$\Sigma X^2 = 102$

 $t = \overline{X} - \mu / SD X \sqrt{n}$

Average of $X = \sum X/n = 138/6 = 23$

SD =
$$X^2/n-1$$
 = $\sqrt{102/5}$ = $\sqrt{20.4}$ = 4.517

(23-25)		2 X 2.449	
= √6	=		= 1.084
4.517		4.517	
v=n-1=6-1=5			
For $v=5 t_{0.01}=4.032$			

The calculated value of t is less than the table value. The hypothesis is accepted. Hence, the producer's claim is not valid at 1% level of significance.

Class: II BCOM	Course Name: RESEARC	H METHODOLOGY
Course Code: 18CMU401	Semester IV	Year: 2018Batch

Sum 2: A random sample of size 16 has 53 as mean. The sum of the squares of the deviation taken from mean is 135. Can this sample be regarded as taken from the population having 56 as mean? Obtain 95% and 99% confidence limits of the mean of the population. (For v=15, $t_{0.05}$ =2.13 for v=15, $t_{0.01}$ =2.95)

Solution

Let us take the hypothesis that there is no significant difference between the sample mean and hypothetical mean, Applying t-test.

t=
$$X-\mu/SD X\sqrt{n}$$

SD = $\sqrt{\sum X^2/n-1}$ = $\sqrt{135/15}$ = 3
= (53-56) / 3 $X\sqrt{16}$
= 3 X 4/ 3
= 4

v=16-1=15. For v=16, t_{0.05}=2.13.

The calculated value is more than the table value. The hypothesis is rejected. Hence, the sample has not come from a population having 56 as mean.

Sum: 3 The life time of electric bulbs for a random sample of 10 from a large consignment gave the following data:

Item	1	2	3	4	5	6	7	8	9	10
Life in '000 hours	4.2	4.6	3.9	4.1	5.2	3.8	3.9	4.3	4.4	5.6

Can we accept the hypothesis that the average life time of bulbs is 4000 hours.

Solution

Let us take the hypothesis that there is no significant difference in the sample mean and the hypothetical population mean

X	$(X-\overline{X})$	$(X-\overline{X})^2$
4.2	-0.2	0.04

Class: II BCOM	Course Name:	RESEARCH METHODOLOGY
Course Code: 18CMU401	Semes	ter IV Year: 2018Batch
4.6	+0.2	0.04
3.9	-0.5	0.25
4.1	-0.3	0.09
5.2	+0.8	0.64
3.8	-0.6	0.36
3.9	-0.5	0.25
4.3	-0.1	0.01
4.4	0.0	0.00
5.6	+1.2	1.44
$\Sigma X=44$		$\Sigma(X-X)^2=3.12$

 $t = X - \mu/S X n$

Where $S = \sqrt{\sum (X-X)^2} / n-1$

 $t = \begin{array}{ccc} 4.4-4 & & 0.4 \times 3.162 \\ ------ \sqrt{10} & = & ----- \\ 0.589 & & 0.589 \end{array} = 0.2148$

 $\nu = n-1 = 10-1 = 9$

For $\nu=9 t_{0.05}=2.262$

The calculated value of t is less than the table value. The hypothesis is accepted. The average life time of the bulbs could be 4000 hours.

Sum 4: Two types of drugs were used on 5 and 7 patients for reducing their weight.

Drug A was imported and drug B indigenous. The decrease in the weight after using the drugs for six months was as follows:

Drug A	10	12	13	11	14		
Drug B	8	9	12	14	15	10	9

Is there a significant difference in the efficacy of the two drugs? If not, which drug should you buy (For v=10, $t_{0.05}$ =2.228)

Solution

Let us take the hypothesis that there is no significant difference in the efficacy of the two drugs.

Class: II BCOM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester IV Year: 2018Batch

X ₁	$(X_1 - \overline{X}_1)$	$(X_1 - \overline{X}_1)^2$	X ₂	(X ₂ -X ₂)	$(X_2 - \overline{X}_2)^2$
10	-2	4	8	-3	9
12	0	0	9	-2	4
13	+1	1	12	+1	1
11	-1	1	14	+3	9
14	+2	4	15	+4	16
			10	-1	1
			9	-2	4
$\Sigma X_1 = 60$		$\sum (X_1 - X_1)^2 = 10$	$\sum X_2 = 77$		$\sum (X_2 - X_2)^2 = 44$

$$t = \frac{X_{1} + X_{2}}{S} = \sqrt{\frac{\sum (X_{1} - \overline{X_{1}})^{2} + \sum (X_{2} - \overline{X_{2}})^{2}}{n_{1} + n_{2} - 2}}$$


$$S = \sqrt{\frac{10 + 44}{5+7-2}} = \sqrt{\frac{54}{10}} = 2.324$$
$$= \frac{12-11}{2.324} = \frac{5 \times 7}{5+7} = \frac{1.708}{2.324} = 0.735$$
$$v = n_1 + n_2 - 2 = 5 + 7 - 2 = 10$$

 $v = 10, t_{0.05} = 2.228$

The calculated value of t is less than the table value, the hypothesis is accepted. Hence, there is no significance in the efficacy of two drugs. Since drug B is indigenous and there is no difference in the efficacy of imported and indigenous drug, we should buy indigenous drug, i.e., B.

Class: II BCOM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester IV Year: 2018Batch

Sum 5 : For a random sample of 10 persons, fed on diet A, the increased weight in pounds in a certain period were:



For another random sample of 12 persons, fed on diet B, the increase in the same period were:

7	13	22	15	12	14	18	8	21	23	10	17	
---	----	----	----	----	----	----	---	----	----	----	----	--

Test whether the diets A and diet B differ significantly as regards their effect on

increase in weight, Given the following.

Degrees of Freedom	19	20	21	22	23
Value at t at 5% level	2.09	2.09	2.08	2.07	2.07

Solution: Let us take the null hypothesis that A and B do not differ significantly weight regard to their effect on increase in weight.

X1	$(X_1 - \overline{X_1})$	$(X_1 - \overline{X}_1)^2$	X2	$(X_2 - \overline{X}_2)$	$(X_2 - \overline{X}_2)^2$
10	-2	4	7	-8	64
6	-6	36	13	-2	4
16	+4	16	22	+7	49
17	+5	25	15	0	0
13	+1	1	12	-3	9
12	0	0	14	-1	1
8	-4	16	18	+3	9
14	+2	4	8	-7	49
15	+3	9	21	+6	36
9	-3	9	23	+8	64
			10	-5	25

Class: II BCOM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester IV Year: 2018Batch

			17	+2	4
$\sum X_1 = 120$		$\sum (X_1 - X_1)^2 = 120$	$\sum X_2 = 180$		$\sum (X_2 - X_2)^2 = 314$
	· · · ·		1		

Mean increase in weight of 10 persons fed on diet A

Mean increase in weight of 10 persons fed on diet B

$$t = \frac{X_{1} + X_{2}}{S} \times \sqrt{\frac{n_{1}n_{2}}{n_{1} + n_{2}}}$$
$$S = \sqrt{\frac{\sum (X_{1} - \overline{X_{1}})^{2} + \sum (X_{2} - \overline{X_{2}})^{2}}{n_{1} + n_{2} - 2}}$$

$$SD = \frac{120 + 314}{10 + 12 - 2} = \frac{434}{20} = 4.66$$

 $X_1=12$, $X_2=15$, $n_1=10$, $n_2=12$, S=4.66. Substituting the values in the above formula:

For v=20, the table value of t at 5 per cent level is 2.09. The calculated value is less than the table value and hence the experiment provides no evidence against the hypothesis. We, therefore, conclude that diets A and B do not differ significantly as regards their effect on increase in weight is concerned.

Sum 6: In a test given to two groups of students, the marks obtained are as follows:

I Group	18	20	36	50	49	36	34	49	41
II Group	29	28	26	35	30	44	46		

Class: II BCOMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester IVYear: 2018Batch

Examine the significance of difference between the arithmetic mean of the marks secured by the students of the above two groups. (The value of t at 5% level of significance for v=14 is 2.14)

Solution

Let us take the hypothesis that there is no significant difference in the arithmetic mean of the marks secured by the students of the two groups.

Group I X1	$(X_1 - \overline{X}_1)$	$(X_1 - \overline{X_1})^2$	Group II X2	$(X_2 - \overline{X}_2)$	$(X_2 - \overline{X}_2)^2$
18	-19	361	29	-5	25
20	-17	289	28	-6	36
36	-1	1	26	-8	64
50	+13	169	35	+1	1
49	+12	144	30	-4	16
36	-1	1	44	+10	100
34	-3	9	46	+12	144
49	+12	144			
41	+4	16			
$\sum X_1 = 333$		$\sum_{X_1} (X_1 - X_1)^2 = 1134$	∑X ₂ =238		$\sum (X_2 - X_2)^2 = 386$

$$t = \frac{X_1 + X_2}{S} - \frac{X_1 - X_2}{n_1 + n_2}$$
$$S = \sqrt{\frac{\sum (X_1 - \overline{X}_1)^2 + \sum (X_2 - \overline{X}_2)^2}{n_1 + n_2 - 2}}$$

 $v=n_1+n_2-2=9+7-2=14$; For v = 14, $t_{0.05}=2.14$

Class: II BCOMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester IVYear: 2018Batch

The calculated value of t is less than the table value and hence the hypothesis hold true. We, therefore, conclude that the mean marks of the students of the two groups do not differ significantly.

F-Test

The F-test is named in honor of the great Statistician R.A. Fisher. The object of F –test is to find out whether the two independent estimates of population variance differ significantly, or whether the two samples may be regarded as drawn from the normal populations having the same variance. For carrying out the test of significance, we calculate the ratio F. F is defined as

F=S₁²/S₂², Where S₁² = $\sum (X_1 - \overline{X_1})^2 / n_1 - 1$ and S₂² = $\sum (X_2 - \overline{X_2})^2 / n_2 - 1$

It should be noted that S_1^2 is always the larger estimate of variance, i.e., $S_1^2 > S_2^2$

F= Larger estimate of Variance Smaller estimate of Variance

The calculated value of F is compared with the table value for v1 and v2 at 5% or 1% level of significance. If calculated value of F is greater than the table value then the F ratio is considered significant and the null hypothesis is rejected. On the other hand, if the calculated value of F is less than the table value the null hypothesis is accepted and it is inferred that both the samples have come from the population having same variance.

Since F Test is based on the ratio of two variances, it is also known as the Variance Ratio Test. The ratio of two variances follows a distribution called the F distribution named after the famous statistician R.A. Fisher.

Sum 1: Two random samples were drawn from two normal populations and their values are :

Class: II BCOM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester IV Year: 2018Batch

Α	66	67	75	76	82	84	88	90	92		
В	64	66	74	78	82	85	87	92	93	95	97

Test whether the two populations have the same variance at the 5% level of

significance. (F=3.36) at 5% level of significance level v1=10 and v2=8.

Solution

Let us take the hypothesis that the two populations have the same variance

					c
A X ₁	$(X_1 - X_1); X1$	X_1^2	B X ₂	$(X_2-\overline{X_2}); X_2$	X_2^2
66	-14	196	64	-19	361
67	-13	169	66	-17	289
75	-5	25	74	-9	81
76	-4	16	78	-5	25
82	2	4	82	-1	1
84	4	16	85	2	4
88	8	64	87	4	16
90	10	100	92	9	81
92	12	144	93	10	100
			95	12	144
			97	14	196
∑X1=720	∑X1=0	$\sum X_1^2 = 734$	∑X2=913	∑X2=0	$\sum X_2^2 = 1298$

Average of $X_1 = \sum X_1/n1 = 720 / 9 = 80$; Average of $X_2 = \sum X_2/n2 = 913 / 11 = 83$ $S_1^2 = \sum (X_1 - X_1)^2 / n_1 - 1$ = 734 / 9 - 1 = 91.75 $S_2^2 = \sum (X_2 - X_2)^2 / n_2 - 1$ = 1298 / 11 - 1 = 129.80 $F = S_1^2 / S_2^2$

Class: II BCOM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester IV Year: 2018Batch

= 129.8 / 191.75 = 1.415

The calculated value of F is less than the table value. The hypothesis is accepted. Hence, it may be calculated that the two populations have the same variance.

Sum 2: In a sample of 8 observations, the sum of squared deviations of items from the mean was 84.4. In another sample of 10 observations, the value was found to be 102.60. Test whether the difference is significant at 5% level.

You are given that at 5% level, critical value of F for v1=7 and v2=9 degrees of freedom is 3.29 and for v1=8 and v2=10 degrees of freedom, its value is 3.07.

Solution

Let us take hypothesis that the difference in the variance of the two samples is not significant. We are given

S_1^2	$=\sum (X_1-X_1)^2/n_1-1$	= 84.4/7	= 12.06
${S_2}^2$	$=\sum (X_2 - X_2)^2 / n_2 - 1$	= 102.3/9	= 11.40
F	$=S_1^2/S_2^2$	= 12.06/11.4	0 = 1.06

The calculated value of F is less than the table value. Hence, we accept the hypothesis and conclude that the difference in the variance of two samples is not significant at 5% level.

Sum 3: Two samples are drawn from two normal populations. From the following data test whether the two samples have the same variance at 5% level.

Sample 1	60	65	71	74	76	82	85	87		
Sample 2	61	66	67	85	78	63	85	86	88	91

Solution: Let us take the hypothesis that the two populations have the same variance. $F = S_1^2/S_2^2$

Class: II BCOM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester IV Year: 2018Batch

Sample 1 X ₁	(X ₁ -X ₁); X1	X_1^2	Sample 2 X ₂	$(X_2-\overline{X}_2); X_2$	X_2^2
60	-15	225	61	-16	256
65	-10	100	66	-11	121
71	-4	16	67	-10	100
74	-1	1	85	8	64
76	1	1	78	1	1
82	7	49	63	-14	196
85	10	100	85	8	64
87	12	144	86	9	81
			88	11	121
			91	14	196
∑X1=600	∑X1=0	$\sum X_1^2 = 636$	∑X ₂ =770	∑X2=0	$\sum X_2^2 = 1200$

Average of $X_1 = 600/8 = 75$ Average of $X_2 = 770/10 = 77$ $S_1^2 = \sum (X_1 - X_1)^2 / n_1 - 1 = 636 / 8 - 1 = 90.857$ $S_2^2 = \sum (X_2 - X_2)^2 / n_2 - 1 = 1200/10 - 1 = 133.33$ $F = S_1^2 / S_2^2$ = 133.33/90.857= 1.467

For v1=9 and v2=7, $F_{0.05}$ = 3.68. The calculated value of F is less than the table value. The hypothesis holds good and hence we conclude that the two populations have the same variance.

Sum 4: The following data present the yields in Quintals of common ten subdivisions of equal area of two agricultural plots.

Plot 1	6.2	5.7	6.5	6.0	6.3	5.8	5.7	6.0	6.0	5.8
Plot 2	5.6	5.9	5.6	5.7	5.8	5.7	6.0	5.5	5.7	5.5

Test whether two samples taken from two random populations have the same variance. (5% point of F for v1=9 and v2=9 is 3.18)

Class: II BCOM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester IV Year: 2018Batch

Solution: Let us take the null hypothesis that the samples come from populations having the same variance

Plot 1 X ₁	(X ₁ -X ₁); X1	X1 ²	Plot 2 X ₂	$(X_2-\overline{X}_2); X_2$	$c X_2^2$
6.2	0.2	0.04	5.6	-0.1	0.01
5.7	-0.3	0.09	5.9	0.2	0.04
6.5	0.5	0.25	5.6	-0.1	0.01
6.0	0	0	5.7	0	0
6.3	0.3	0.09	5.8	0.1	0.01
5.8	-0.2	0.04	5.7	0	0
5.7	-0.3	0.09	6.0	0.3	0.09
6.0	0	0	5.5	-0.2	0.04
6.0	0	0	5.7	0	0
5.8	-0.2	0.04	5.5	-0.2	0.04
∑X1=60	∑X1=0	$\sum X_1^2 = 0.64$	∑X₂=57	∑X2=0	$\sum X_2^2 = 0.24$

F	$= S_1^2 / S_2^2$	
S_1^2	$=\sum (X_1-X_1)^2/n_1-1$	= 0.64 / 9 = 0.071
${S_2}^2$	$=\sum (X_2 - X_2)^2 / n_2 - 1$	= 0.24 / 9 = 0.027
F	$= S_1^2 / S_2^2$	= 0.071/0.027 = 2.63

The value of F for 9 and 6 at 5% level of significance is 3.18. The calculated value is less than the table value. The hypothesis holds true. Hence, the samples come from population having the same variance.

CHI-SQUARE

The chi-square test is an important test amongst the several tests of significance developed by statisticians. Chi-square, symbolically written as χ^2 (Pronounced as Ki-square), is a statistical measure used in the context of sampling analysis for comparing a variance to a theoretical variance. As a non-parametric test, it "can be used to determine if categorical data shows dependency or the two classifications are independent. It can also be used to make comparisons between theoretical populations and actual data when categories are used." Thus, the chi-square test is applicable in large number of problems. The test is, in fact, a technique through the use of which it is possible for all researchers

Class: II BCOM	Course Name: RESEARCH	H METHODOLOGY
Course Code: 18CMU401	Semester IV	Year: 2018Batch

to (i) test the goodness of fit; (ii) test the significance of association between two attributes, and (iii) test the homogeneity or the significance of population variance.

Chi-square is an important non-parametric test and as such no rigid assumptions are necessary in respect of the type of population. We require only the degrees of freedom (implicitly of course the size of the sample) for using this test. As a nonparametric test, chi-square can be used (i) as a test of goodness of fit and (ii) as a test of independence.

As a test of goodness of fit, χ^2 test enables us to see how well does the assumed theoretical distribution (such as Binomial distribution, Poisson distribution or Normal distribution) fit to the observed data. When some theoretical distribution is fitted to the given data, we are always interested in knowing as to how well this distribution fits with the observed data. The chi-square test can give answer to this. If the calculated value of χ^2 is less than the table value at a certain level of significance, the fit is considered to be a good one which means that the divergence between the observed and expected frequencies is attributable to fluctuations of sampling. But if the calculated value of χ^2 is greater than its table value, the fit is not considered to be a good one.

As a test of independence, χ^2 test enables us to explain whether or not two attributes are associated. For instance, we may be interested in knowing whether a new medicine is effective in controlling fever or not, χ^2 test will helps us in deciding this issue. In such a situation, we proceed with the null hypothesis that the two attributes (viz., new medicine and control of fever) are independent which means that new medicine is not effective in controlling fever. On this basis we first calculate the expected frequencies and then work out the value of χ^2 . If the calculated value of χ^2 is less than the table value at a certain level of significance for given degrees of freedom, we conclude that null hypothesis stands which means that the two attributes are independent or not associated (i.e., the new medicine is not effective in controlling the fever). But if the calculated value of χ^2 is greater than its table value, our inference then would be that null hypothesis

Class: II BCOMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester IVYear: 2018Batch

does not hold good which means the two attributes are associated and the association is not because of some chance factor but it exists in reality (i.e., the new medicine is effective in controlling the fever and as such may be prescribed). It may, however, be stated here that χ^2 is not a measure of the degree of relationship or the form of relationship between two attributes, but is simply a technique of judging the significance of such association or relationship between two attributes.

In order that we may apply the chi-square test either as a test of goodness of fit or as a test to judge the significance of association between attributes, it is necessary that the observed as well as theoretical or expected frequencies must be grouped in the same way and the theoretical distribution must be adjusted to give the same total frequency as we find in case of observed distribution. χ^2 is then calculated as follows:

$$\chi^2 = \Sigma \frac{\left(O_{ij} - E_{ij}\right)^2}{E_{ij}}$$

If two distributions (observed and theoretical) are exactly alike, $\chi 2 = 0$; but generally due to 2 sampling errors, $\chi 2$ is not equal to zero and as such we must know the sampling distribution of $\chi 2$ so that we may find the probability of an observed $\chi 2$ being given by a random sample from the hypothetical universe. Instead of working out the probabilities, we can use ready table which gives probabilities for given values of $\chi 2$. Whether or not a calculated value of $\chi 2$ is significant can be ascertained by looking at the tabulated values of $\chi 2$ for given degrees of freedom at a certain level of significance. If the calculated value of $\chi 2$ is equal to or exceeds the table value, the difference between the observed and expected frequencies is taken as significant, but if the table value is more than the calculated value of $\chi 2$, then the difference is considered as insignificant i.e., considered to have arisen as a result of chance and as such can be ignored.

As already stated, degrees of freedom play an important part in using the chisquare distribution and the test based on it, one must correctly determine the degrees of

Class: II BCOMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester IVYear: 2018Batch

freedom. If there are 10 frequency classes and there is one independent constraint, then there are (10 - 1) = 9 degrees of freedom. Thus, if 'n' is the number of groups and one constraint is placed by making the totals of observed and expected frequencies equal, the d.f. would be equal to (n - 1). In the case of a contingency table (i.e., a table with 2 columns and 2 rows or a table with two columns and more than two rows or a table with two rows but more than two columns or a table with more than two rows and more than two columns), the d.f. is worked out as follows: d.f. = (c - 1)(r - 1), where 'c' means the number of columns and 'r' means the number of rows.

CONDITIONS FOR THE APPLICATION OF $\chi 2$ TEST

- 1. Observations recorded and used are collected on a random basis.
- 2. All the items in the sample must be independent.
- 3. No group should contain very few items, say less than 10. In case where the frequencies are less than 10, regrouping is done by combining the frequencies of adjoining groups so that the new frequencies become greater than 10. Some statisticians take this number as 5, but 10 is regarded as better by most of the statisticians.
- 4. The overall number of items must also be reasonably large. It should normally be at least 50, howsoever small the number of groups may be.
- 5. The constraints must be linear. Constraints which involve linear equations in the cell frequencies of a contingency table (i.e., equations containing no squares or higher powers of the frequencies) are known are know as linear constraints.

Sum 1: A die is thrown	132 times with	following results:
------------------------	----------------	--------------------

Number turned up	1	2	3	4	5	6
Frequency	16	20	25	14	29	28

Is the die unbiased?

Solution

Class: II BCOMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester IVYear: 2018Batch

Let us take the hypothesis that the die is unbiased. If that is so, the probability of obtaining any one of the six numbers is 1/6 and as such the expected frequency of any one number coming upward is $132 \times 1/6 = 22$. Now we can write the observed frequencies along with expected frequencies and work out the value of $\chi 2$ as follows:

No. Turned UP	Observed Frequency	Expected Frequency	(Oi – Ei)	(Oi – Ei)	(Oi – Ei) /Ei
1	16	22	-6	36	36/22
2	20	22	-2	4	4/22
3	25	22	3	9	9/22
4	14	22	-8	64	64/22
5	29	22	7	49	49/22
6	28	22	6	36	36/22

 $\sum (O-E)^2 / E = 9$

Hence, the calculated $\chi^2=9$

DF = (n-1)(6-1)=5

The table value of χ^2 for 5 degrees of freedom at 5 per cent level of significance is 11.071. Comparing calculated and table values of χ^2 , we find that calculated value is less than the table value and as such could have arisen due to fluctuations of sampling. The result, thus, supports the hypothesis and it can be concluded that the die is unbiased.

Sum 2: Find the value of $\Box 2$ for the following information:

Class	A	B	C	D	E
Observed frequency	8	29	44	15	4
Theoretical (or expected) frequency	7	24	38	24	7

Class: II BCOM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester IV Year: 2018Batch

Solution : Since some of the frequencies less than 10, we shall first re-group the given data as follows and then will work out the value of $\chi 2$

Class	Observed Frequency	Expected Frequency	О-Е	(O-E) ² /E
A and B	(8+29) = 37	(7+24) = 31	6	36/31
С	44	38	6	36/38
D and E	(15+4) = 19	(24+7) = 31	-12	144/31

 $\sum (O-E)^2/E = 6.76$ (Approximate)

Sum 3: Genetic theory states that children having one parent of blood type A and the other of blood type B will always be of one of three types, A, AB, B and that the proportion of three types will on an average be as 1 : 2 : 1. A report states that out of 300 children having one A parent and B parent, 30 per cent were found to be types A, 45 per cent per cent type AB and remainder type B. Test the hypothesis by $\chi 2$ test.

Solution: The observed frequencies of type A, AB and B is given in the question are 90, 135 and 75 respectively.

The expected frequencies of type A, AB and B (as per the genetic theory) should have been 75, 150 and 75 respectively.

Туре	Observed Frequency	Expected Frequency	О-Е	$(\mathbf{O}-\mathbf{E})^2$	(O-E) ² /E
A	90	75	15	225	225/75 = 3
AB	135	150	-15	225	225/150 = 1.5
В	75	75	0	0	0/75 = 0

We now calculate the value of $\chi 2$ as follows:

 $\sum (O-E)^2/E = 3 + 1.5 = 4.5$

Table value of $\chi 2$ for 2 d.f. at 5 per cent level of significance is 5.991.

The calculated value of $\chi 2$ is 4.5 which is less than the table value and hence can be ascribed to have taken place because of chance. This supports the theoretical

Class: II BCOM	Course Name: RESEARCH	H METHODOLOGY
Course Code: 18CMU401	Semester IV	Year: 2018Batch

hypothesis of the genetic theory that on an average type A, AB and B stand in the proportion of 1 : 2 : 1.

Sum 4: The table given below shows the data obtained during outbreak of smallpox:

Particulars	Attacked	Not attacked	Total
Vaccinated	31	469	500
Not vaccinated	185	1315	1500
Total	216	1784	2000

Test the effectiveness of vaccination in preventing the attack from smallpox. Test your result with the help of $\chi 2$ at 5 per cent level of significance.

Solution: Let us take the hypothesis that vaccination is not effective in preventing the attack from smallpox i.e., vaccination and attack are independent.

Group	Observed Frequenc y	Ехрестеа	O-E	(O-E) ²	(O-E) ² /E
AB	31	54	-23	529	529/54 = 9.796
Ab	469	446	+23	529	529/44 = 1.186
aB	158	162	+23	529	529/162 = 3.265
ab	1315	1338	-23	529	529/1338 = 0.395

$\sum (O-E)^2/E = 14.462$

Degrees of freedom in this case = (r-1)(c-1) = (2-1)(2-1) = 1.

The table value of χ^2 for 1 degree of freedom at 5 per cent level of significance is 3.841. The calculated value of χ^2 is much higher than this table value and hence the result of the experiment does not support the hypothesis. We can, thus, conclude that vaccination is effective in preventing the attack from smallpox.

Sum 5: Two research workers classified some people in income groups on the basis of sampling studies. Their results are as follows:

Class: II BCOM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester IV Year: 2018Batch

Investigators	Income groups			Tatal
Investigators	Poor	Middle	Rich	Total
А	160	30	10	200
В	140	120	40	300
Total	300	150	50	500

Show that the sampling technique of at least one research worker is defective.

Solution

Let us take the hypothesis that the sampling techniques adopted by research workers are similar (i.e., there is no difference between the techniques adopted by research workers). This being so, the expectation of A investigator classifying the people in

OF	EF	(O-E)	(O-E) ² /E
160	120	40	1600/120 = 13.33
30	60	-30	900/60 = 15.00
10	20	-10	100/20 = 5.00
140	180	-40	1600/180 = 8.88
120	90	30	900/90 = 10.00
40	30	10	100/30 = 3.33

$\sum (O-E)^2/E = 55.54$

Degrees of freedom = (c-1)(r-1) = = (3-1)(2-1) = 2.

The table value of χ^2 for two degrees of freedom at 5 per cent level of significance is 5.991. The calculated value of χ^2 is much higher than this table value which means that the calculated value cannot be said to have arisen just because of chance. It is significant. Hence, the hypothesis does not hold good. This means that the sampling techniques adopted by two investigators differ and are not similar. Naturally, then the technique of one must be superior than that of the other.

Sum 6: In an anti a malarial campaign in a certain area, quinine was administered to 812 persons out of a total population of 3248. The number of fever cases is shown below:

Treatment	Fever	No Fever	Total
Quinine	20	792	812
No Quinine	220	2216	2436
Total	240	3008	3248

Class: II BCOMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester IVYear: 2018Batch

Discuss the usefulness of Quinine in checking malaria.

Solution

Let us take the hypothesis that quinine is not effective in checking malaria.

Observed Frequency	Expected Frequency	(O-E) ²	(O-E) ² /E
20	60	1600	26.667
220	180	1600	8.889
792	752	1600	2.128
2216	2256	1600	0.709
			$(\sum ((O-E)^2/E)=38.393$

$$\chi^{2} = \Sigma \frac{\left(O_{ij} - E_{ij}\right)^{2}}{E_{ij}}$$

= 38.393
v= (r-1)(c-1) = (2-1) (2-1)=1
v=1, $\chi^{2}_{0.05} = 3.84$

The calculated value of χ^2 is greater than the table value. The hypothesis is rejected. Hence, quinine is useful in checking malaria.

Sum 7: Based on information on 1000 randomly selected fields about the tenancy status of the cultivation of these fields and use of fertilizers, collected in an agro-economic survey, the following classification was noted:

Treatment	Owned	Rented	Total
Using Fertilizer	416	184	600
Not using Fertilizer	64	336	400
Total	480	520	1000

Would you conclude that owner cultivators are more inclined towards the use of fertilizer at 5% level? Carry out chi-square test as per testing procedure.

Solution

Let us take the hypothesis that ownership of fields and the use of fertilizers are independent attributes.

Observed Expected (O-E) (O-E)/E

Class: II BCOM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester IV Year: 2018Batch

Frequency	Frequency		
416	288	16384	56.889
64	192	16384	85.333
184	312	16384	52.513
336	208	16384	78.769
			$(\sum ((O-E)^2/E)=273.504$

$$\chi^{2} = \Sigma \frac{\left(O_{ij} - E_{ij}\right)^{2}}{E_{ij}}$$

= 273.504
v= (r-1)(c-1) = (2-1) (2-1)=1
v=1, $\chi^{2}_{0.05} = 3.84$

The calculated value of χ^2 is much more than the table value. The hypothesis is rejected. Hence, it can be concluded that owner's cultivators are more inclined towards the use of fertilizers.

Sum 8: In an experiment on immunization of cattle from tuberculosis, the following results were obtained.

Particulars	Affected	Not Affected
Inoculated	12	26
Not Inoculated	16	6

Calculate χ^2 and discuss the effect of vaccine in controlling suspectability to

tuberculosis. (5% value of χ^2 for one degree of freedom =3.84)

Solution:

Let us take the hypothesis that the vaccine is not effective in controlling susceptibility to tuberculosis.

	Observed	Expected	$(O-E)^2$	(O-E) ² /E
--	----------	----------	-----------	--------------------------------

Class: II BCOM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester IV Year: 2018Batch

Frequency	Frequency		
12.5	17.7	27.04	1.528
15.5	10.3	27.04	2.625
25.5	20.3	27.04	1.332
6.5	11.7	27.04	2.311
			(∑((O -E) ² /E)=7.796

 $\chi^2 = \Sigma \frac{\left(O_{ij} - E_{ij}\right)^2}{E_{ij}}$

= 7.796 v=(r-1)(c-1) = (2-1)(2-1)=1 $v=1, \chi^{2}_{0.05} = 3.84$

Since the calculated value of χ^2 is greater than the table value, the hypothesis is not true. We, therefore, conclude that vaccine is effective in controlling susceptibility to tuberculosis.

Sum 9: From the data given below about the treatment of 250 patients suffering from a disease, state whether the new treatment is superior to the conventional treatment.

Treatment	Favourable	Unfavourable	Total
New	140	30	170
Conventional	60	20	80
Total	200	50	250

Solution

Observed Frequency	Expected Frequency	(O-E) ²	(O-E) ² /E
140	136	16	0.118
60	64	16	0.250

Class: II BCOM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester IV Year: 2018Batch

30	34	16	0.471
20	16	16	1.000
			$(\sum ((O-E)^2/E) = 1.839$

$$\chi^{2} = \Sigma \frac{\left(O_{ij} - E_{ij}\right)^{2}}{E_{ij}}$$

= 1.839
v= (r-1)(c-1) = (2-1) (2-1)=1
v=1, $\chi^{2}_{0.05} = 3.84$

The calculated value of χ^2 is less than the table value. The hypothesis is accepted. Hence, there is no significant difference between the new and conventional treatment.

Sum 10: 1000 students at College level are graded according to IQ and their economic conditions. Use Chi-square test to find out whether there is any association between economic conditions and the level of IQ.

Intelligent Quotient			Total	
High	Medium	Low		
160	300	140	600	
140	100	160	400	
300	400	300	1000	
	High 160 140	High Medium 160 300 140 100	High Medium Low 160 300 140 140 100 160	

Solution

Let us take the hypothesis that there is no association between economic conditions and the level of IQ. On the basis of this hypothesis the expected frequencies corresponding to (a) and (b) are:

Observed Frequency	Expected Frequency	(O-E) ²	(O-E) ² /E
160	180	400	2.222
140	120	400	3.333
300	240	3600	15.000
100	160	3600	22.500
140	180	1600	8.889

Class: II BCOM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester IV Year: 2018Batch

160	120	1600	13.333
			$(\sum ((O-E)^2/E)=65.277$
$\chi^2 = \Sigma \frac{\left(O_{ij} - E_{ij}\right)^2}{E_{ij}}$			
= 65.277			
v=(r-1)(c-1)	= (2-1) (3-1)=2		
$v=2, \chi^{2}_{0.05}=5.9$	9		

The calculated value of χ^2 is much greater than the table value. The hypothesis is rejected. Hence, there is association between economic condition and the level of IQ.

ANALYSIS OF VARIANCE (ANOVA)

Analysis of variance (abbreviated as ANOVA) is an extremely useful technique concerning researches in the fields of economics, biology, education, psychology, sociology, and business/industry and in researches of several other disciplines. This technique is used when multiple sample cases are involved. As stated earlier, the significance of the difference between the means of two samples can be judged through either z-test or the t-test, but the difficulty arises when we happen to examine the significance of the difference amongst more than two sample means at the same time. The ANOVA technique enables us to perform this simultaneous test and as such is considered to be an important tool of analysis in the hands of a researcher. Using this technique, one can draw inferences about whether the samples have been drawn from populations having the same mean.

The ANOVA technique is important in the context of all those situations where we want to compare more than two populations such as in comparing the yield of crop from several varieties of seeds, the gasoline mileage of four automobiles, the smoking habits of five groups of university students and so on. In such circumstances one generally does not want to consider all possible combinations of two populations at a time for that would require a great number of tests before we would be able to arrive at a decision. This would also consume lot of time and money, and even then certain

Class: II BCOM	Course Name: RESEARC	CH METHODOLOGY
Course Code: 18CMU401	Semester IV	Year: 2018Batch

relationships may be left unidentified (particularly the interaction effects). Therefore, one quite often utilizes the ANOVA technique and through it investigates the differences among the means of all the populations simultaneously.

Professor R.A. Fisher was the first man to use the term 'Variance'* and, in fact, it was he who developed a very elaborate theory concerning ANOVA, explaining its usefulness in practical field. Later on Professor Snedecor and many others contributed to the development of this technique. ANOVA is essentially a procedure for testing the difference among different groups of data for homogeneity. "The essence of ANOVA is that the total amount of variation in a set of data is broken down into two types, that amount which can be attributed to chance and that amount which can be attributed to specified causes."1 There may be variation between samples and also within sample items. ANOVA consists in splitting the variance for analytical purposes. Hence, it is a method of analyzing the variance to which a response is subject into its various components corresponding to various sources of variation. Through this technique one can explain whether various varieties of seeds or fertilizers or soils differ significantly so that a policy decision could be taken accordingly, concerning a particular variety in the context of agriculture researches. Similarly, the differences in various types of feed prepared for a particular class of animal or various types of drugs manufactured for curing a specific disease may be studied and judged to be significant or not through the application of ANOVA technique. Likewise, a manager of a big concern can analyze the performance of various salesmen of his concern in order to know whether their performances differ significantly.

Thus, through ANOVA technique one can, in general, investigate any number of factors which are hypothesized or said to influence the dependent variable. One may as well investigate the differences amongst various categories within each of these factors which may have a large number of possible values. If we take only one factor and investigate the differences amongst its various categories having numerous possible values, we are said to use one-way ANOVA and in case we investigate two factors at the

KARPAGAM ACADEMY OF HIGHER EDUCATION, COIMBATOREClass: II BCOMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester IVYear: 2018Batch

same time, then we use two-way ANOVA. In a two or more way ANOVA, the interaction (i.e., inter-relation between two independent variables/factors), if any, between two independent variables affecting a dependent variable can as well be studied for better decisions.

BASIC PRINCIPLES OF ANOVA

The basic principle of ANOVA is to test for differences among the means of the populations by examining the amount of variation within each of these samples, relative to the amount of variation between the samples. In terms of variation within the given population, it is assumed that the values of (X_{ij}) differ from the mean of this population only because of random effects i.e., there are influences on (X_{ij}) which are unexplainable, whereas in examining differences between populations we assume that the difference between the mean of the jth population and the grand mean is attributable to what is called a 'specific factor' or what is technically described as treatment effect. Thus while using ANOVA, we assume that each of the samples is drawn from a normal population and that each of these populations has the same variance. We also assume that all factors other than the one or more being tested are effectively controlled. This, in other words, means that we assume the absence of many factors that might affect our conclusions concerning the factor(s) to be studied.

In short, we have to make two estimates of population variance viz., one based on between samples variance and the other based on within samples variance. Then the said two estimates of population variance are compared with F-test, wherein we work out.

F=

Estimate of population variance based on between sample variance Estimate of population variance based on within sample variance

Class: II BCOM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester IV Year: 2018Batch

Sum 1: Set up an analysis of variance table for the following per acre production data for three varieties of wheat, each grown on 4 plots and state if the variety differences are significant.

Plot of land		Per acre production data Variety of wheat	
i iot oi iunu	А	B	С
1	6	5	5
2	7	5	4
3	3	3	3
4	8	7	4

Solution: We can solve the problem by the direct method or by short-cut method, but in each case we shall get the same result. We try below both the methods.

Solution through direct method: First we calculate the mean of each of these samples:

Average of $X_1 =$	6+7+3+8 / 4	=	6
Average of $X_2 =$	5+5+3+7 / 4	=	5
Average of $X_3 =$	5+4+3+4 / 4	=	4
Mean of the same	ple means or		$\overline{\overline{X}} = \frac{\overline{X}_1 + \overline{X}_2 + \overline{X}_3}{k}$
	= 6 + 5 + 3 /3		
	= 5		

Now we work out SS between and SS within Samples

$$SS \text{ between} = n_1 \left(\overline{X}_1 - \overline{\overline{X}}\right)^2 + n_2 \left(\overline{X}_2 - \overline{\overline{X}}\right)^2 + n_3 \left(\overline{X}_3 - \overline{\overline{X}}\right)^2$$

$$= 4(6-5)^2 + 4(5-5)^2 + 4(4-5)^2 5$$

$$= 4+0+4$$

$$= 8$$

$$SS \text{ within} = \sum \left(X_{1i} - \overline{X}_1\right)^2 + \sum \left(X_{2i} - \overline{X}_2\right)^2 + \sum \left(X_{3i} - \overline{X}_3\right)^2, \quad i = 1, 2, 3, 4$$

$$= \left\{(6-6)^2 + (7-6)^2 + (3-6)^2 + (8-6)^2\right\} + \left\{(5-5)^2 + (5-5)^2 + (3-5)^2 + (7-5)^2\right\} + \left\{(5-4)^2 + (4-4)^2 + (3-4)^2 + (4-4)^2\right\}$$

Class: II BCOM Course Name: RESEARCH METHODOLOGY Course Code: 18CMU401 Semester IV Year: 2018Batch $\{0+1+9+4\} + \{0+0+4+4\} + \{1+0+1+0\}$ 14 + 8 + 224 SS for total variance $= \sum \left(X_{ij} - \overline{X} \right)^2$ i = 1, 2, 3...i = 1, 2, 3... $=(6-5)^{2}+(7-5)^{2}+(3-5)^{2}+(8-5)^{2}$ $+(5-5)^{2}+(5-5)^{2}+(3-5)^{2}$ $+(7-5)^{2}+(5-5)^{2}+(4-5)^{2}$ $+(3-5)^2+(4-5)^2$ = 1 + 4 + 4 + 9 + 0 + 0 + 4 + 4 + 0 + 1 + 4 + 1= 32

Source of Variation	SS	d.f.	MS	F-ratio	5% F-limit(from the F-table)
Between sample	8	(3-1)=2	8/2 = 4.00	4.00/2.67 = 1.5	F(2, 9) = 4.26
Within sample	24	(12 - 3) = 9	24/9 = 2.67		
Total	32	(12 - 1) = 11			

The above table shows that the calculated value of F is 1.5 which is less than the table value of 4.26 at 5% level with d.f. being v1 = 2 and v2= 9 and hence could have arisen due to chance. This analysis supports the null-hypothesis of no difference is sample means. We may, therefore, conclude that the difference in wheat output due to varieties is insignificant and is just a matter of chance.

Sum 2: To assess the significance of possible variation in performance in a certain test between the grammar schools of a city, a common test was given to a number of students taken at random from the senior fifth class of each of the four schools concerned. The results are given below. Make an analysis of variance of data.

Class: II BCOM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester IV Year: 2018Batch

Schools					
Α	В	С	D		
8	12	18	13		
10	11	12	9		
12	9	16	12		
8	14	14	16		
7	4	4	15		

Solution

Samp X		Sample 2 X ₂	Sample 3 X ₃	Sample 4 X ₄
	8	12	18	13
	10	11	12	9
	12	9	16	12
	8	14	6	16
	7	4	8	15
Total	45	50	60	65
Avg. of X	9	10	12	13

Grand Mean of X

=

=

=

 $= \overline{X_1} + \overline{X_2} + \overline{X_3} + X_4 / N$ 9 + 10 + 12 + 13/444/411

Grand Mean of all Samples of X 45 + 50 + 60 + 65 / 20= = 11

Variance between Samples

To obtain variance between samples, calculate square of the deviation of the various samples from the grand average. The mean of sample I is 9 but the grand mean is 11. So we will take the difference between 9 and 11 and square it. Similarly for sample II the mean is 10 but the grand average is 11 and so will take the difference between 10 and 11 and square it. Thus we will have the following table.

Class: II BCOM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester IV Year: 2018Batch

Sample 1	Sample 2	Sample 3	Sample 4
$(\overline{X}_{1-}\overline{\overline{X}_1})^2$	$- = (X_2 - X_2)^2$	$- = (X_{3}X_{3})^{2}$	$\frac{-}{(X_{4}-X_{4})^{2}}$
4	1	1	4
4	1	1	4
4	1	1	4
4	1	1	4
4	1	1	4
20	5	5	20

Sum of the squares between the samples = 20 + 5 + 5 + 20 = 50

Mean sum of squares between the samples is 50 / 4-1 = 16.7 (because there are four samples and the degrees of freedom are 4-1=3)

Variance within the Samples

Here we find the sum of the squares is the deviations of various items in a sample from the mean values of respective samples. Thus for the first sample, then mean is 9 and so we will take deviations from 10, and so on. The squared deviations are given in the following table.

Sam	ple 1	Sam	ple 2	Sam	ple 3	Sam	ple 4
X1	$(X_1 - \overline{X}_1)^2$	X_2	$(X_2 - \overline{X}_2)^2$	X3	$(X_3 - \overline{X}_3)^2$	X_4	$(X_4 - \overline{X}_4)^2$
8	1	12	4	18	36	13	0
10	1	11	1	12	0	9	16
12	9	9	1	16	16	12	1
8	1	14	16	6	36	16	9
7	4	4	36	8	16	15	4
∑(X1-)	$(X_1)^2 = 16$	∑(X2- ∑	$(X_2)^2 = 58$	∑(X3- X	$(3)^2 = 104$	∑(X4- 2	$(X_4)^2 = 30$

Total sum of squares within the samples = 16 + 58 + 104 + 30 = 208

Mean Sum of Squares within the Samples

= 208 / 20-4 = 208 / 16 = 13

Class: II BCOM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester IV Year: 2018Batch

It is advisable to check up the calculations by finding out total variation. Total variation is calculated by taking the squares of the deviation of each item from the grand average.

Sam	ple 1	Sam	ple 2	Sam	ple 3	Sam	ple 4
X1	$(X_1 - X_1)^2$	X_2	$(X_2 - X_2)^2$	X3	$(X_3 - X_3)^2$	X_4	$(X_4 - X_4)^2$
8	9	12	1	18	49	13	4
10	1	11	0	12	1	9	4
12	1	9	4	16	25	12	1
8	9	14	9	6	25	16	25
7	16	4	49	8	9	15	16
∑(X1- 2	$(X_1)^2 = 36$	∑(X₂- 2	$(X_2)^2 = 63$	∑(X3- X	$(x_3)^2 = 109$	∑(X4- 2	$(X_4)^2 = 50$

Total sum of squares = 36 + 63 + 109 + 50 = 258

Degrees of Freedom = 20 - 1 = 19

When we add the sum of squares between samples and sum of squares within the samples, we get the same total, i.e. 50 + 208 = 258. Hence, our calculations are correct.

Source of Variation	Sum of Squares	Degrees of Freedom	Mean Square
Between Samples	50	3	16.7
Within Samples	208	16	13.0
Total	258	19	

The table value of F for v1=3 and v2=16 at 5% level of significance =3.24. The calculated value of F is less than the table value and hence the difference in the mean values of the sample is not significant. i.e., the samples could have come from the same variance.

Class: II BCOM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester IV Year: 2018Batch

Sum 3: The three samples below have been obtained from normal populations with equal variances. Test the hypothesis that the sample means are equal.

8	7	12
10	5	9
7	10	13
14	9	12
11	9	14

The table value of F at 5% level of significance for v1=1 and v2=12 is 3.88.

Solution

Let us taken the null hypothesis that there is no significant difference in the means of three samples.

	X_1	X_2	X ₃
	8	7	12
	10	5	9
	7	10	13
	14	9	12
	11	9	14
Total	50	40	60
—			
Χ	10	8	12

$$\overline{\overline{X}} = 10 + 8 + 12/3 = 10$$

Variance between Samples

$(\overline{X}_1 - \overline{\overline{X}})^2$	$(\overline{X}_2 - \overline{\overline{X}})^2$	$(\overline{X}_3-\overline{\overline{X}})^2$
0	4	4
0	4	4
0	4	4
0	4	4
0	4	4
0	20	20

Sum of Squares between samples = 0 + 20 + 20 = 40

Variance within Samples

Class: II BCOM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester IV Year: 2018Batch

X ₁	$(X_1 - \overline{X_1})^2$	X2	$(X_2 - \overline{X_2})^2$	X3	$(X_3 - \overline{X_3})^2$
8	4	7	1	12	0
10	0	5	9	9	9
7	9	10	4	13	1
14	16	9	1	12	0
11	1	9	1	14	4
	30		16		14

Sum of Squares within Samples = 30 + 16 + 14 = 60

ANOVA TABLE

Source of Variation	Sum of Squares	V	Mean Square
Between	40	2	22
Within	60	12	5
Total	100	14	

F=20/5=4

For v1=2 and v2=12, $F_{0.05} = 3.88$

The calculated value of F is greater than the table value. The hypothesis is rejected. Hence, there is significant difference in the sample means.

BUSINESS FORECASTING

The growing competition rapidity of change in circumstances and the trend towards automation demand that decisions in business are not based purely on guesses and hunches rather on a careful analysis of data concerning the future course of events. More time and attention is given to the future than to the past and the question 'what is likely to happen'? takes precedence over 'what has happened?' though no attempt to answer the first can be taken without the facts and figures being available to answer the second.

Class: II BCOMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester IVYear: 2018Batch

When estimates of future conditions are made on a systematic basis, the process is referred to as "forecasting" and the figure or statement obtained is known as a "forecast". In a word where the future is not known with certainty, virtually every business and economic decision rests upon a forecast of future conditions. In fact, when a man assumes the responsibility of running a business, he automatically takes the responsibility for attempting to forecast the future and to a very large extent, his success or failure would depend upon the ability to forecast successfully the future course of events. Forecasting aims at reducing the areas of uncertainty that surround management decisionmaking with respect to costs, profit, sales, production, pricing, capital investment and so forth. If the future were known with certainty, forecasting would be unnecessary. Decisions could be made and plans formulated on a once-and-for-all basis, without the need for subsequent revision. But uncertainty does not exist, future outcomes are rarely assured and, therefore, organized system of forecasting is necessary rather than the establishment of predictions that are based on hunches, intuition or guesses. In fact, a good manager is not so much one who can minimize the effect of past mistakes but rather one who can successfully manage the future. The forecasts may be wrong, but they must be made.

The question is not 'forecast or no forecast'? Instead, it is: "What is kind of forecast?" It may be noted that the value of a forecast is not merely its accuracy but the fact that making it requires a balanced consideration of factors influencing future developments, right or wrong.

Role of Forecasting in Business

It should be realized at the outset that the object of business forecasting it not to determine a curve or series of figures that will tell exactly what will happen, say, a year in advance, but it is to make analysis based on definite statistical data, which will enable and execute to take advantage of future conditions to a greater extent than he could do without them. In many respects, the future tends to move like the past. This is a good thing, since without some element of continuity between past, present and future, there

Class: II BCOMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester IVYear: 2018Batch

would be little possibility of successful prediction. But history is not likely to repeat itself and we would hardly expect economic conditions next year or over the next ten years to follow a clear-cut precedent. Yet, frequently past patterns prevail sufficiently to justify using the past as a basis for predicting the future.

While forecasting, one should note that it is impossible to forecast the future precisely – there always must be some range of error allowed for in the forecast. Statistical forecasts are those in which we can use the mathematical theory of probability of measure the risks of errors in predictions.

Methods of Forecasting

There is nothing new about business forecasting as, for centuries, the businessmen have tried to adjust themselves in such a manner as to make the best out of the future conditions. The rule-of-thumb method has been widely practised in business. It consists of deciding about the future in terms of past experience and familiarity with the problem at hand. Even today, this method is very widely used in business. However, it can lead to absurd conclusions if employed by the inexperienced.

In recent years, the techniques of forecasting have improved to a marked degree and are applicable to almost every sphere of business activity. Attempts are being made to make forecasting as scientific as possible. The base of scientific forecasting is statistics, i.e., numerical data on business trends which many businessmen fail to acquaint themselves with. However, forecasting business change involves more than an analysis of statistical data – it also embodies the prediction of economic change, such as secular trend, seasonal variation and a consideration of cause and effect. To handle the increasing variety of managerial forecasting problems, several forecasting techniques have been developed in recent years. Forecasting techniques vary from simple expert guesses to complex analyses of mass data. Each technique has its special use and care must be taken to select the correct technique for a particular situation. Also before applying a method of forecasting, the following questions should be answered:

Class: II BCOM Course Code: 18CMU401

Course Name: RESEARCH METHODOLOGY Semester IV Year: 2018Batch

- 1. What is the purpose of the forecast how it is to be used?
- 2. What are the dynamics and components of the system for which the forecast will be made?
- 3. How important is the past in estimating the future?

The following are some of the important methods of forecasting:

- 1. Business Barometers
- 2. Extrapolation
- 3. Regression Analysis
- 4. Econometric Models
- 5. Forecasting by the use of Time Series Analysis
- 6. Opinion Polling
- 7. Causal Models
- 8. Exponential Smoothing
- 9. Survey Method

A forecast is usually a combination of several techniques.

1) Business Barometers

Of great assistance in practical forecasting is a series that can be used "index" or "indicator" is also widely, through loosely, used in business statistics; sometimes the term is used to mean simply an indicator of the present economic situations and sometimes it is used to designate an indicator of future conditions.

The following are some of the important series which aid businessmen in forecasting:

- 1. Gross National Product
- 2. Employment
- 3. Wholesale Prices
- 4. Consumer Prices
- 5. Industrial Production
- 6. Volume of bank deposits and currency outstanding

Class: II BCOM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester IV Year: 2018Batch

- 7. Consumer Credit
- 8. Disposable Personal Income
- 9. Departmental Store Sales
- 10. Stock Prices
- 11. Bond Yields

The list by no means exhaustive, nor is the arrangement necessarily in order of importance. Several of the above series are composite average or total – or indexes of these averages or totals. Analysis also should be made of the major components of these series.

Index numbers relating to different activities in the field of production, trade, finance, etc., may also be combined into a general index of Business Activity. This general index refers to the general conditions of trade and industry. But the behaviour of individual industries of trades might show a different trend from that of the Composite Business Activity Index. Also general boom or depression may be reflected in a majority of separate industries and trades, yet some industries and trade might show quite contrary tendencies. Hence the study of general business conditions, as revealed by the Composite Business Index, should be supplemented by special studies of individual business based on separate indices. The trends indicated by barometers will guide the businessmen as to whether the stocks of goods should be increased or released or whether to increase investment or not, etc.,

2) Extrapolation

Extrapolation is the simplest yet often a useful method of forecasting. In many forecasting situations the most reasonable expectation is that the variable will follow its already established path. Extrapolation relies on the relative constancy in the pattern of past movements in some time series. Strictly speaking, nothing needs to be known causation –why the series moves as it does. But in practice the justification does involve the nature of the growth process being described. Extrapolation is used frequently for

Class: II BCOM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester IV Year: 2018Batch

sales forecasts and for other estimates when "better" forecasting methods may not be justified.

Since extrapolation assumes that the variable will follow its established pattern of growth, the problem is to determine accurately the appropriate trend curve and the values of its parameters. Numerous alternative trend curves can be used for the purpose of business forecasting. Some of the most useful ones are:

- 1. Arithmetic Trend: The straight-line arithmetic trend assumes that growth will be by a constant absolute amount each year
- 2. Semi-log trend: The semi-logarithmic trend assumes a constant percentage increase each year. Since the annual increment is constant in logarithms, this line translates into a straight line when drawn on paper within a logarithmic vertical scale
- 3. Modified Exponential Trend: This curve assumes that each increment of growth will be a constant per cent less than 100 of the previous one. The line tends generally to approach, but never quite reach a constant asymptote, which may be thought of as an upper limit.
- 4. Logistic Curve: The logistic curve has both an upper asymptote and a lower asymptote. It assumes a 'law of growth' involving increasing increments from an initial low value and then gradual slowing down of growth as 'maturity' is approached
- 5. The Gompertz Curve: The Gompertz is curve with similar properties as prescribed above and is often used to describe growth of industrial output

Selection of an appropriate growth curve can be by empirical and theoretical considerations. Empirically, it is a question of selecting the curve that best fits the past movement of the data. Theoretical matters which intervene in that logic may support a particular growth pattern. For example, population growth, when there are no restraints, implies a geometric pattern of growth, as has been known since Malthus. With limited resources, however, population is sometimes thought to grow along a logistic curve. Lest

Class: II BCOMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester IVYear: 2018Batch

these theoretical consideration notions be taken too seriously, it should be emphasized that empirical consideration may lead us quickly to a more realistic and less restrictive notion of the relevant growth curve.

3) Regression Analysis

The regression approach offers many valuable contributions to the solution of the forecasting problem. It is the means by which we select from among the many possible or theoretically suggestive relationships between variable in a complex economy those which will be useful for forecasting. With it, one makes the jump from intuitive evaluation on the relationship between two variables to precise quantified knowledge. If two variables are functionally related then knowledge of one will make possible an estimate of the other. For example, if we know that advertising expenditure and sales are correlated then for a given advertising expenditure, we can find out the probable increase in sales or vice-versa.

Regression relationship may involve one predicted or dependent and one independent variable – simple regression, or it may involve relationships between the variable to be forecast and several independent variables – multiple regression. Statistical techniques to estimate the regression equations are often fairly complex and time-consuming but there are many computer programmes now available that estimate simple and multiple regressions quickly. Regression analysis is also the econometrician's standard tool in his research.

With the help of regression analysis, the level of industry sales is usually forecasted first and the company forecast is then made on the basis of predicted behaviour of the whole industry. The demand for most commodities often depends upon multiplicity of aggregate economic variables such as GNP, disposable income, prices, population, employment, industrial production. A careful analysis of these factors is made. It may be pointed out that the factors selected for analysis should be kept as low

Class: II BCOM	Course Name: RESEARCH	H METHODOLOGY
Course Code: 18CMU401	Semester IV	Year: 2018Batch

as possible because the danger of seriously imprecise results is multiplied as regressions are made more complex or if curvilinear relationships are used.

There are two dangers in using regression analysis for forecasting:

- 1. There is possibility of a mechanistic approach accepting with little question the relationship which the calculations reveal perhaps that with the highest r^2 and applying it to the forecast. There are many possibilities for spurious correlation among time series as many series move together over time even where there is no conceivable connection between them
- 2. There is the risk that estimated regression is false. The forecaster must always use his judgement and knowledge of the facts and of the underlying theory

4) Econometric Models

Econometric techniques, which originated in the eighteenth century, have recently gained in popularity for forecasting, Much of the revival of econometrics is attributed to the growth of computer technology. The term econometrics refers to the application of mathematical economic theory and statistical procedures to economic data in order to verify economic theorems and to establish quantitative results in economics. An econometric models take the form of a set of simultaneous equations. The values of the constants in such equations are supplied by a study of statistical time series and a large number of equations may be necessary to produce an adequate model. The work of computations is greatly facilitated by electronic data processing equipment like computer etc.,

At the present time, most short-term forecasting uses only statistical methods with little qualitative information. However, in the years to come when most large companies develop and refine econometrics models of their major business, this tool of forecasting will become more popular. However, it should be remembered that the development of an econometric model requires sufficient data so that the correct relationships can be

Class: II BCOM	Course Name: RESEARCI	H METHODOLOGY
Course Code: 18CMU401	Semester IV	Year: 2018Batch

established. Hence, when data are scarce – for example, when a product is first introduced into the market – this method cannot profitably be employed.

The econometric model is, in principle, the most formal, since the forecast is based on an explicit mathematical model. The model states in detail and in quantitative terms, the way in which the various aspects of the economy are interrelated. Theoretically, the model makes possible a wholly mechanical forecast, because once values have been estimated for the exogenous variables, the solution of the model gives specific values for the predicted variables. But in actual practice, qualitative and quantitative forecasters have tended to come together. The 'artist' forecaster has become fully aware of the fact that he needs quantitative relationships, while the econometric forecaster has learnt that in some instances, quantitative relationships have to be modified by qualitative factors.

The econometric model provides the forecaster with a record of the prediction with a clear statement of the assumptions concerning exogenous variables and the solution of the model – it is often possible or at least it is made easier to trace and reproduce the causes for success as well as failures. One can learn just where errors were made and, hopefully, where improvements can be made. Thus, discredited hypothesis may be dropped and new ones can be substituted which ultimately will lead to better understanding of the economic system and business fluctuations.

The econometric models are not very popular in practice because it is probably neither necessary nor feasible for every business forecaster to construct his own model of the economy. The effort and cost involved in a fully developed econometric model are well beyond most forecasting operations. Thus, most forecaster will probably rely for some time on the basic aggregate model developed at research institutes or at universities. These models may be used to make predictions and to test out alternative assumptions about Government policy or the other exogenous aspects of the economy. With the help of the models and hopefully sector analysis of his own industry the business forecaster will be in a better position to augment other more familiar approaches. The greater the

Class: II BCOM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester IV Year: 2018Batch

understanding of the various forecasting methods and of their inter-relationships, the better the forecasts will be.

5) Forecasting by the use of Time Series Analysis

Time series analysis helps to identify and explain:

- Any regular or systematic variation in the series of data which is due to seasonality the 'Seasonals"
- 2. Cyclical patterns
- 3. Trends in the data
- 4. Growth rates of these trends. Unfortunately, most existing methods identify only the seasonals, the combined effect of trends and cycles and the irregular or chance component. That is, they do not separate trend from cycles

This is not to say that those other effects are not to some degree manageable. The suggestion is rather that the analysis for trend and seasonal effects and the projection of these two sets of forces should be understood to be the first step in the forecast and that, taking into account such cyclical and residual forces as may be manageable, further refinements may be made.

Many statisticians consider time series analysis a somewhat useless tool. One critic, M.J. Moroney, said that 'Economic forecasting like weather forecasting in England is only valid for the next six hours or so. Beyond that it is sheer guesswork''

In any event, although the limitation of time series analysis must be understood, the importance and usefulness of the procedures should not be underestimated. The analysis serves two purposes:

- 1. It does provide an initial approximation forecast that takes into account those empirical regularities which may, with reasonable assurance, be expected to persist
- 2. After the trend and seasonal effects have been identified and measured, the original data may be adjusted for these influences, yielding a new historical time series

Class: II BCOM	Course Name: RESEARCE	H METHODOLOGY
Course Code: 18CMU401	Semester IV	Year: 2018Batch

consisting of the trend and seasonally adjusted data. This new time series may be helpful in the analysis and interpretation of cyclical and residual influences

It should be noted that this method of forecasting can be used only when several years' data for a product or product line are available and when relationships and trends are both clear and relatively stable.

6) **Opinion Polling**

Opinion poll is the survey of opinion of experts, i.e., knowledgeable persons in the field whose views carry lot of weight. For example, a survey of opinion of sales representatives, wholesalers, retailers, etc., shall be of great help in formulating demand projections. The survey Research Centre of the University of Michigan conducts an annual pool regarding the future plans of consumers. The answer to many questions are translated into short-run demand for colour television sets, automobiles and other consumer products.

7) Causal Models

A causal model is the most sophisticated kind of forecasting tool, It expresses mathematically the relevant causal relationships, and may include pipeline considerations (i.e., inventories) and market survey information. It may also directly incorporate the results of a time series analysis.

The causal model takes into account everything known of the dynamics of the flow system and utilizes predictions of related events such as competitive action, Strikes and promotions. If the data are available, the model generally include factors for each location in the flow chart and connects these by questions to describe overall product flow. If certain kinds of data are lacking, initially it may be necessary to make assumptions about some of the relationships and then track what is happening to determine if the assumptions are true. Typically, a causal model is continually revised as more knowledge about the system becomes available. S

Class: II BCOMCourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester IVYear: 2018Batch

8) Exponential Smoothing

This method is an outgrowth of the recent attempts to maintain the smoothing function of moving averages without then corresponding drawbacks and limitations. Exponential smoothing is a special kind of weighted average and is found extremely useful in short-term forecasting of inventories and sales.

When this method is applied and we wish to forecast the value of a time series for the period t + 1 on the basis of information available just after the period t the forecast is best considered as a function of two components : the actual value of the series for period t and the forecasted value for the same period made in the previous period t-1. The use of both realized and estimated values available now for predicting future values is better than the use of either alone, since the actual value in period t might have been unduly influenced by random factors and, or the conditions that led to the forecast for period, t, may not hold any longer.

9) Survey Method

The survey method is very widely used as a tool of forecasting for the existing and new products. Field surveys are conducted and the necessary information, both, quantitative and qualitative obtained. Forecasts are made out about likely demand expenditure on consumer durables etc., Attitude of consumers about consumption of different items provides very useful information,

An important limitation of the survey method is that the information supplied may be biased. However, bias could be reduced to minimal by proper designing of questionnaires, skilfully conducting the interviews and verifying the results by other methods.

* * * * *

KARPAGAM ACADEMY OF HIGHER EDUCATION, COIMBATORE DEPARTMENT OF COMMERCE 01)

II BCOM PA & BPS - RESEARCH METHODOLOGY (18PAU401 & 18BPU401)
Unit IV

	II DECMITA & DI	Unit IV			
QUESTIONS	OPTION 1	OPTION 2	OPTION 3	OPTION 4	ANSWER
t-test is an important	parametric test	non-parametric test	normal distribution	statistical test	parametric test
The word is used to indicate various	standard deviation	nanomatan	test statistic	hypothesis	nonomotor
The word is used to indicate various statistical measures like mean, median etc.,	standard deviation, correlation etc, in the	parameter	stanstic	hypothesis	parameter
statistical measures file mean, meanin etc.,	universe				
The term STATISTIC refers to the statistical	population	sample	universe	sample unit	universe
measures relating to the					
Type two error is called as	alpha error	standard error	beta error	statistic error	beta error
The hypothesis under test is called as	Simple hypothesis	alternative hypothesis	null hypothesis	complex hypothesis	null hypothesis
Level of significance is the probability of	Type I error	Type II error	Not committing error		Type I error
	51	51		6	51
A test based on a test statistic is classified as	Randomized test	non-randomized test	sequential test	Bayes test	Randomized test
Degrees of freedom is related to	No. of observations in a set	hypothesis under test	no. of independent observations in a set]	No.of samples under test	hypothesis under test
	set		observations in a set]	under test	
A critical function provides the basis for	accepting H ₀	rejecting H ₀	no decision about H ₀	no decision	rejecting H ₀
				about Ha	
Student's t-test is applicable in case of	small samples	for sample of size	large samples	optimum samples	small samples
		between 5 and 30			
If the sample size is 30 then those	less than	greater than	less than or greater	smaller than	greater than
samples may be regarded as large samples The random sampling distribution of statistics	normal	binomial	than poission	quantitative	normal
is approximately			Poission		
Reject H ₀ when it is true is known as	Type I error	Type II error	Correct decision	wrong decision	Type I error
Reject H ₀ when it is false is known as	Type I error	Type II error	wrong decision	Type III error	Correct decision
Accept H ₀ when it is true is known as	Type I error	wrong decision	Correct decision	Type II error	Correct decision
Accept H ₀ when it is false is known as	Type I error	Type II error	wrong decision	Correct decision	Type II error
If $ Z < Z_a$ the null hypothesis is	rejected	accepted	zero	not accepted	accepted
Any statistical measure computed from	parameter	sample	statistic	event	statistic
population data is known as A part of the population selected for study is	parameter	statistic	sample	event	sample
called as	parameter	statistic	sample	event	sample
The standard deviation of the sampling	standard error	proportion	hypothesis	normal error	standard error
distribution is known as					
Testing of hypothesis was initiated by	Neyman	spearman	poison	kothari. C. R	Neyman
The value of 5 % level of significance is	2.58	1.96	1,64	2.33	1.96
The value of 1 % level of significance is	2.58	1.96	1,64	2.33	2.58
			-,		
Type one error is denoted as	alpha error	beta error	normal error	standard error	alpha error
The vertical scale of a bar diagram possesses	Percentage	Frequency	Nominal scale	Discrete data	Discrete data
data of "Frequency Polygon" is formed in connecting	Variables	Quantitative data	Numerical numbers	Mid point	Mid point
requency rorygon is formed in connecting	v arrables	Quantitative data	Numerical numbers	with point	who point
Who used the term ANOVA for the first time?	RA Fisher	Sne décor	Cohen	Kothari	RA Fisher
refers to the process of assigning	Coding	Editing	Classification	tabulation	Coding
numerals or symbols to answers of response	G 1	a tri	M K L .	G : 1	M IC 1
The analysis, which studies the joint variation of two or more variables	Casual	Correlation	Multiple regression	Canonical	Multiple regression
is the most commonly or frequently	Median	Mean	Mode	standard	Mean
occurring value in a series in Research statistic				deviation	
The deviation, which is used mostly in	Mean deviation	Standard deviation	Skewness	Mode	Standard deviation
research studies and is regarded as a satisfaction measure of dispersion in a series					
substaction measure of dispersion in a series					
	Karl Pearson's test	t- test	F-test	Chi square-test	t - test
	1				
difference between the means of two samples					
difference between the means of two samples are		C I	TT 1 1 C	F ² 1 1 1 1 1	C I
difference between the means of two samples are	Graphing	Coding	Tabulation	Figural depiction	Coding
difference between the means of two samples are Data are converted into symbols at what stage?				- · ·	Ŭ
difference between the means of two samples are Data are converted into symbols at what stage? What is to be conducted to test a	Graphing Pilot survey	Coding Experiment	Tabulation Pretest	Figural depiction	Coding Pretest
difference between the means of two samples are Data are converted into symbols at what stage? What is to be conducted to test a questionnaire?				- · ·	
What is to be conducted to test a questionnaire? The research study, which is based on describing the characteristic of a particular	Pilot survey	Experiment	Pretest	Interview	Pretest
difference between the means of two samples are Data are converted into symbols at what stage? What is to be conducted to test a questionnaire? The research study, which is based on	Pilot survey	Experiment	Pretest	Interview	Pretest

method are used to find out the	consensus approach	arbitrary approach	item analysis	factor approach	item analysis
individual items			approach		approach
It is used to deduct errors and omissions	coding	editing	classification	tabulation	editing
consists in the review of the reporting	field editing	central editing	classification	coding	field editing
forms by the investigator					
can be done by hand or by mechanical or	coding	editing	classification	tabulation	tabulation
electronical devices					
or a hypothesized relationship is to be tested by scientific method	Orders	Values	Prediction	Thoughts	Prediction
is an underlying dimension that account	factor	sign test	multivariate	correlation	factor
of factor analysis		e	techniques		
is not a method of factor analysis	centroid method	principal components	maximum liklihood	minimum	minimum liklihood
		method	method	liklihood method	method
The term path analysis is first introduced by	sewall wright	kothari	gilbreth	poission	sewall wright
analysis consists methods of					
classifying variables	Cluster	factor	structure	MDS	Cluster
test is based on plus or minus signs	MDS	Cluster	sign test	MDS	sign test
is considered as a principle	Hypothesis	sample	Research	Design	Hypothesis
instrument in research	51	1			51
is a mere assumption	Hypothesis	sample	Research	Design	Hypothesis
is a predective statement	Hypothesis	sample	Research	Design	Hypothesis
Hypothesis can be classified into	4	5	3	2	2
is an important test among the test	Mean deviation	Mode	Median	Chi-square test	Chi-square test
of significance				1	1
value is used to test the significance	Mean deviation	Mode	Median	Chi-square test	Chi-square test
of population variance				1	1
is a non parametric test	Mean deviation	Mode	Median	Chi-square test	Chi-square test
is also called as goodness of fitness	Mean deviation	Mode	Median	Chi-square test	Chi-square test
is used when multiple case	ANOVA	Mode	Median	Chi-square test	ANOVA
samples are involved				1	
technique is applied when only	One way ANOVA	Mode	Median	Range	One way ANOVA
one factor is involved					
technique is applied when two	Two way ANOVA	Mode	Median	Range	Two way ANOVA
factor are involved				0	-
refers to a relationship between	Correlation analysis	Mode	Median	Chi-square test	Correlation analysis
two or more variables				1	,
refers to a average relationship	Regression analysis	Mode	Median	Chi-square test	Regression analysis
between two or more variables				1	
between two or more variables				-	1
	ANOVA	Mode	Median	Chi-square test	ANOVA
The basic principles of is to test the difference among the means of the population	ANOVA	Mode	Median	Chi-square test	ANOVA

Class: II B.COM. UNIT V

Course Code: 18CMU401

Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch

Unit –V

Report Writing: Types of Research Reports – Layout of the Report – Steps in Writing the Report – Contents of Research Reports

* * * *

REPORT WRITING

Research report is considered a major component of the research study for the research task remains incomplete till the report has been presented and/or written. As a matter of fact even the most brilliant hypothesis, highly well designed and conducted research study, and the most striking generalizations and findings are of little value unless they are effectively communicated to others. The purpose of research is not well served unless the findings are made known to others. Research results must invariably enter the general store of knowledge. All this explains the significance of writing research report. There are people who do not consider writing of report as an integral part of the research results or the writing of report as part and parcel of the research project. Writing of report is the last step in a research study and requires a set of skills somewhat different from those called for in respect of the earlier stages of research. This task should be accomplished by the researcher with utmost care; he may seek the assistance and guidance of experts for the purpose.

TYPES OF REPORTS

- Research reports vary greatly in length and type. In each individual case, both the length and the form are largely dictated (determined / ordered) by the problems at hand
- 2. For instance, business firms prefer reports in the letter form, just one or two pages in length.
- Banks, Insurance organizations and financial institutions are generally fond of (having a liking for) the short balance-sheet type of tabulation for their annual reports to their customers and shareholders

Class: II B.COM. UNIT V

Course Code: 18CMU401

Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch

- Mathematicians prefer to write the results of their investigations in the form of algebraic (numerical) notations (Symbols + / -)
- Chemists (Scientist trained in Chemistry) report their results in symbols and formulae (method)
- 6. Students of literature usually write long reports presenting the critical analysis of some writer or period or the like with a liberal use of quotations from the works of the author under discussion
- 7. In the field of education and psychology, the favorite form in the report on the results of experimentation accompanied by the detailed statistical tabulations
- 8. Clinical psychologists and social pathologists (diagnosis of disease) frequently find it necessary to make use of the case-history (all the relevant information previous gatherer) form
- 9. News items in the daily papers are also forms of report writing. They represent firsthand on-the-scene accounts of the events described or compilation (collection) of interviews with persons who were on the scene (area). In such report the first paragraph usually contains the important information in detail and the succeeding paragraphs contain material which is progressively less and less important
- 10. Book reviews which analyze the content of the book and report on the author's intentions, his success or failure in achieving his aims, his language, his style, scholarship (learning / research / study), bias or his point of view, such reviews also happen to be a kind of short report
- 11. The reports prepared by governmental bureaus (agency) special commissions, and similar other organizations are generally very comprehensive (full / complete) reports on the issues involved. Such reports are usually considered as important research products
- 12. Similarly, Ph.D.theses and dissertation are also a form of report-writing, usually completed by students in academic institutions
- 13. The above narration throws light on the fact that the results of a research investigation

Class: II B.COM. UNIT V

Course Code: 18CMU401

Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch

can be presented in a number of ways viz., a technical report, popular report,

- 14. Which method of presentation to be used in a particular study depends on the circumstances under which the study arose (take place) and the nature of the results
- 15. A technical report is used whenever a full written report of the study is required whether for record-keeping or for public dissimilation

16. A popular report is used if the research results have policy implications.

A) TECHNICAL REPORT

In technical report the main emphasis is on (i) the methods employed

(ii) assumptions made in the course of the study (iii) the detailed presentation of the findings including their limitations and supporting data

1) Summary of Results

A brief review of the main findings just in two or three pages

2) Nature of the Study

Description of the general objectives of study, formulation of the problem in operational terms, the working hypothesis, the type of analysis and data required

3) Methods Employed

Specific methods used in the study and their limitations. For instance, in sampling studies we should give details of sample design viz. sample size, sample selection etc.,

4) Data

Discussion of data collected, their sources, characteristics and limitations. If secondary data are used, their suitability of the problem at hand be fully assessed.

5) Analysis of Data and Presentation of Findings

The analysis of data and presentation of the findings of the study with supporting data in the form of tables and charts be fully narrated (explained). This, in fact, happens to be the main body of the report usually extending over several chapters

Class: II B.COM. UNIT V

Course Code: 18CMU401

Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch

6) Conclusions

A detailed summary of the findings and the policy implications drawn from the results be explained

7) Bibliography

Bibliography of various sources consulted be prepared and attached

8) Technical Appendices

Appendices be given for all technical matters relating to questionnaire, mathematical derivations, elaboration on particular technique of analysis and the like ones

9) Index

Index must be prepared and be given invariably in the report at the end. Even in technical report, simple presentation and ready availability of the findings remain an important consideration and as such the liberal use of charts and diagrams is considered desirable

B) POPULAR REPORT

The popular report is one which emphasis on simplicity and attractiveness. The simplification should be sought (required) through clear writing, minimization of technical, particularly mathematical, details and liberal use of charts and diagrams. Attractive layout along with large print, many subheadings, even an occasional cartoon now and then is another characteristic feature of the popular report

1) Findings and their Implications

Emphasis (importance) in the report is given on the findings of most practical interest and on the implication of these findings

2) Recommendation for Action

Recommendations for action on the basis of the findings of the study is made in this

Class: II B.COM. UNIT V

Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch

Course Code: 18CMU401

section of the report

3) Objectives of the Study

A general review of how the problem arise is presented along with the specific objectives of the project under study

4) Methods Employed

A brief and non-technical description of the methods and techniques used, including a short review of the data on which the study is based, is given in this part of the report

5) Results

This section constitutes the main body of the report wherein the results of the study are presented in clear and non-technical terms with the liberal use of all sorts of illustrations such as charts, diagrams and the like ones

6) Technical Appendices

More detailed information on methods used, forms etc, is presented in the form of appendices. But the appendices are often not detailed if the report is entirely meant for general public

LAYOUT OF THE RESEARCH REPORT

Anybody, who is reading the research report, must necessarily be conveyed enough about the study so that he can place it in its general scientific context (background), judge the adequacy of its methods and thus form an opinion of how seriously the findings are to be taken. For this purpose there is the need for proper layout of the report. The layout of the report means as to what the research report should contain. A comprehensive (complete) layout of the research report should comprise (a) Preliminary Pages (b) The Main Text and (c) The end matter

1) Preliminary Pages

In its preliminary pages the report should carry a title and date, followed by

Class: II B.COM.	UNIT V	Course Name: RESEARCH					
		METHO	DOLOGY				
Course Code: 18CM	J 401	Semester: IV	II Year: 2018Batch				

acknowledgements in the form of 'preface' or 'foreword'. Then there should be a table of contents followed by list of tables and illustrations so that the decision-maker or anybody interested in reading the report can easily locate the required information in the report

2) Main Text

The main text provides the complete outline of the research report along with all details. Title of the research study is repeated at the top of the first page of the main text and then follows the other details on pages numbered consecutively, beginning with the second page. Each main section of the report should begin on a new page. The main text of the report should have the following sections:

i) Introduction

The purpose of introduction is to introduce the research project to the readers. It should contain a clear statement of the objectives of research i.e. enough background should be give to make clear to the reader why the problem was considered worth investigating. A brief summary of other relevant research may also be stated so that the present study can be seen in that context. The hypotheses of the study, if any, and the definitions of the major concepts employed in the study should be explicitly stated in the introduction of the report

The methodology adopted in conducting the study must be fully explained. The scientific reader would like to know in detail about thing: How was the study carried out? What was its basic design? If the study was an experimental one, then what were the experimental manipulations? If the data were collected by means of questionnaires or interviews, then exactly what questions were asked? If measurements were based on observation, then what instructions were given to the observers? Regarding the sample used in the study the reader should told: Who were the subject (Respondents)? How many were there? How were they selected? All these questions are crucial for estimating the probable limits of generalizability of the findings. The statistical analysis adopted must also be clearly stated. In addition to all this, the scope of the study should be stated the boundary

Class: II B.COM. UNIT V

Course Code: 18CMU401

Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch

lines be demarcated. The various limitations, under which the research project was completed, must also be narrated

ii) Statement of Findings and Recommendations

After introduction, the research report must contain a statement of findings and recommendations in non-technical language so that it can be easily understood by all concerned. If the findings happen to be extensive, at this point they should be put in the summarized form

iii) Results

A detailed presentation of the findings of the study, with supporting data in the form of tables and charts together with a validation of results, is the next step in writing the main text of the report. This generally comprises the main body of the report, extending over several chapters. The result section of the report should contain statistical summaries and reductions of the data rather than the raw data. All the results should be presented in logical sequence and splitted into readily identifiable sections. All relevant results must find a place in the report. But how one is to decide about what is relevant is the basic question. Quite often guidance comes primarily from the research problem and from the hypotheses, if any, with which the study was concerned. But ultimately the researcher must rely on his own judgement in deciding the outline of his report. "Nevertheless", it is still necessary that he states clearly the problem with which he was concerned, the procedure by which he worked on the problem, the conclusions at which he arrived, and the bases for his conclusions

iv) Implications of the Results

Toward the end of the main text, the researcher should again put down the results of his research clearly and precisely. He should, state the implications that flow from the results of the study, for the general reader is interested in the implications for understanding the human behaviour.

a. A statement of the inferences drawn from the present study which may be

Class: II B.COM. UNIT V

Course Code: 18CMU401

Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch

expected to apply in similar circumstances

- b. The conditions of the present study which may limit the extent of legitimate (lawful / rightful) generalizations of the inferences drawn from the study
- c. The relevant questions that still remain unanswered or new questions raised by the study along with suggestions for the kind of research that would provide answers for them

It is considered a good practice to finish the report with a short conclusion which summarizes and recapitulates (sum up) the main points of the study. The conclusion drawn from the study should be clearly related to the hypotheses that were stated in the introductory section. At the same time, a forecast of the probable future of the subject and an indication of the kind of research which needs to be done in that particular filed is useful and desirable

v) Summary

It has become customary (Usual) to conclude the research report with a very brief summary (abstract / synopsis), resting in brief the research problem, the methodology, the major findings and the major conclusions drawn from the research results.

3) End Matter

At the end of the report, appendices should be enlisted (join up) in respect of all technical data such as questionnaires, sample information, mathematical derivation and the like ones. Bibliography of sources consulted should also be given. Index should invariably be given at the end of the report. The value of index lies in the fact that it works as a guide to the reader for the contents in the report

STEPS IN WRITING REPORTS

Research reports are the product of slow, painstaking (careful / meticulous), accurate inductive (logical / reasonable) work

1) Logical Analysis of the Subject Matter

Class: II B.COM.	UNIT V	Course Name: RESEARCH					
		METHODOLOGY					
Course Code: 18CM	J 401	Semester: IV	II Year: 2018Batch				

It is the first step which is primarily concerned with the development of a subject. There are two ways in which to develop a subject – (a) logically and (b) Chronologically (arranging data as per time of occurrence). The logical development is made on the basis of mental connections and associations between the one thing and another by means of analysis. Logical treatment often consists in developing the material from the simple possible to the most complex structures. Chronological development is based on a connection or sequence in time or occurrence. The directions for doing or making something usually follow the chronological order

2) Preparation of the Final Outline

It is the next step in writing the research report. Outlines (hints) are the framework upon which long written works are constructed. They are in aid (help) to the logical organization of the material and a reminder of the points to be stressed in the report.

3) Preparation of the Rough Draft

This follows the logical analysis of the subject and the preparation of the final outline. Such a step is of utmost importance for the researcher now sits to write down what he has done in the context of his research study. He will write down the procedure adopted by him in collecting the material for his study along with various limitations faced by him, the technique of analysis for adopted by him, the broad findings and generalizations and the various suggestions he wants to offer regarding the problem concerned

4) Rewriting and Polishing of the Rough Draft

This step happens to be most difficult part of all formal writing. Usually this step requires more time than the writing of the rough report. The careful revision makes the difference between a mediocre (ordinary) and a good piece of writing. While rewriting and polishing, one should check the report for weaknesses in logical development or presentation. The researcher should also 'see whether or not the material, as it is

Class: II B.COM.	UNIT V	Course Name: RESEARCH					
		METHODOLOGY					
Course Code: 18CM	J 401	Semester: IV	II Year: 2018Batch				

presented, has unity and cohesion (organization); does the report stand upright and firm and exhibit a definite pattern, like a marble arch? Or does it resemble an old wall of moldering cement and loose bricks. In addition, the researcher should give due attention to the fact that in his rough draft he has been consistent (reliably / steady) or not. He should check the mechanics of writing – grammar, spelling and usage

5) Preparation of the Final Bibliography

Next in order comes the task of the preparation of the final bibliography. The bibliography, which is generally appended (add on) to the research report, is a list of books in some way pertinent to the research which has been done. It should contain all those works which the researcher has consulted. The bibliography should be arranged alphabetically and may be divided into two parts; the first part may contain the names of books and pamphlets, and the second part may contain the name of magazines and newspaper articles. Generally, this pattern of bibliography is considered convenient and satisfactory from the point of view of reader, thought it is not the only way of presenting bibliography

6) Writing the Final Draft

This consists the last step. The final draft should be written in a concise (brief) and objective style and in simple language, avoiding vague expressions such as "it seems". While writing the final draft, the researcher must avoid abstract (theoretical) terminology and technical jargon. Illustrations and examples based on common experiences must be incorporated in the final draft as they happen to most effective in communicating the research findings to others. A research report should not be dull (boring), but must enthuse (motivate) people and maintain interest and must show originality. It must be remembered that every report should be an attempt to solve some intellectual problem and must contribute to the solution of a problem and must add to the knowledge of both the researcher and the reader.

Class: II B.COM. UNIT V

Course Code: 18CMU401

Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch

CONTENTS OF REPORTS

- The format is divided into three broad categories namely (1) Preliminary Section (2) Main body of the text (3) Reference Section
- 2. The preliminary section will vary according to the type of research one has undertaken. The headings below this section are meant as a guide and one may decide to omit some of them or to amalgamate when this seems appropriate
- 3. The main body of the report is divided into five sub-sections, namely introduction, review of the literature, design of the study, presentation and analysis of data, summary and conclusions. Introduction is the starting point. In introduction the researcher should say why he / she undertook the research what the problem is and why it is important. Depending on the particular piece of research, the review of the literature is introduced. This division will show what is known already and how our research will fill a gap in knowledge or replicate earlier work.
- 4. The description of the design of our research will depend on the particular project the researcher has undertaken. The section presentation and analysis of data will interpret the results of the research. Tables, figures will substantiate the analysis. The summary division will organize the results and point out the implications of the findings for policy or for other researchers and show what further research needs to be done.
- 5. The last category namely the references section should include bibliography, appendices and index in a proper form.

* * * * *

KARPAGAM ACADEMY OF HIGHER EDUCATION, COIMBATORE DEPARTMENT OF COMMERCE II BCOM PA - RESEARCH METHODOLOGY (18PAU401) Unit V

I

		Unit V			
QUESTIONS	OPTION 1	OPTION 2	OPTION 3	OPTION 4	ANSWER
A simple table represent	only one factor or variable	always two factor or variable	two or more number of factors or variable	multiple variable	multiple variable
A complex table represent	only one factor variable	always two factor variable	two or more factor or	multiple variable	two or more factor or
The headings of the rows given in the first	stub	captions	variables. titles	prefatory notes.	variables. stub
column of a table are called as The column headings of a table are known as	sub-title	stub	reference notes	caption	caption
A frequency distribution can be	discrete	continuous	compound	discrete and continuous	discrete and
Frequency of a variable is always represented	percentage	fraction	integer	point	continuous integer
in The data given as, 5,12,16,24,35,44 will be	continuous series	discrete series	individual series	time series	individual series
called as Charts and graphs are the presentation of	points and lines	area and other geometrical	symbols	points lines symbols	points lines symbols
numerical facts by means of Graphs and charts facilitate	comparison of values	forms to know the trend	to know relationship	to know the objective	comparison of values
The purpose served by diagrams and chart is	simple presentation of data	to avoid tabulation	to avoid textual form	to avoid chart	simple presentation of data
Choice of a particular chart depends on	the purpose of study	the nature of data	the type of audience	the source of data	the nature of data
Which of the following is one-dimensional diagram?	Bar- diagram	Pie-diagram	cylinder	a graph	Bar- diagram
Which of the following is not a two- dimensional diagram?	square diagram	multiple bar diagram	rectangular diagram	pie-chart.	pie-chart.
Non-dimensional diagrams are also known as	cubes	spheres	pictograms	charts	pictograms
An alternative chart to pie-chart is	step bar diagram	Rctangular chart	Sphere	charts	Rctangular chart
Pie-chart represents the components of a factory by	percentage	angles	sectors	circles	angles
Histogram is suitable for the data presented as	continuous grouped frequency distribution	discrete grouped frequency distribution	individual series	multiple series	continuous grouped frequency distribution
Which one is considered as a major component of the research study?	interpretation	research report	finding	draft	research report
Research task remains incomplete till the has been presented	report	objective	finding	suggestions	report
The purpose of the research is not well served unless the are made known to others	interpretation	research report	findings	draft	findings
What is the last step in a research study?	writing report	writing finding	writing limitations	writing suggestions	writing report
Which report are the product of slow, painstaking, accurate inductive work?	interpretation	research report	finding	draft	research report
What is the first step in report writing?	logical analysis of the subject matters	objective	interpretation	findings	logical analysis of the subject matters
is the finial step in report writing	writing report	writing finding	writing draft	writing suggestions	writing draft
The two ways in which to develop a subject in	logically	chronologically	simple	logical and	logical and
logical analysis of subject matter are What are the frame work upon which long	outline	draft	finding	chronological interpretation	chronological outline
written works are constructed?	outime	uran	miding	interpretation	outime
is usually appended to the research work	editing	coding	bibliography	tabulation	bibliography
Which one follows the logical analysis of the subject and the preparation of the final out line?	rough draft	bibliography	main draft	content page	rough draft
page carry title, acknowledgements, preface or forward, table of contents, list of	introduction	preliminary	finding	objective	preliminary
contests, illustrations etc					
The provides the complete outline of the research report along with all details	preliminary text	finding text	main text	conclusion pages.	main text
Which one is the detailed presentation of the findings of the study?	rough draft	bibliography	result	main draft	result
Which contains appendices in respect of all technical data such as questionnaires, sample	end matter	finding text	main draft	bibliography	end matter
information, mathematical derivations etc In a technical report must be inversible given at the and of the report	interpretation	index	finding	result.	index
invariably given at the end of the report The is one which gives emphasis	article report	research report	popular report	technical report	popular report
on simplicity and attractiveness Which one of the results of the study is	oral presentations	writing presentations	verbal presentations	writing limitations	oral presentations
considered effective especially in the cases where policy recommendations are indicated by project results?					
Oral presentations is effective when supplemented by various	logical devices	visual devices	coding devices	ending devices	visual devices
supplemented by various	abstract terminology	technical jargon	abstract terminology and technical jargon	footnotes	abstract terminology and technical jargon
should show originality and should necessarily be on attempt tosolve some intellectual problem	interpretation	research report	finding	draft	research report
is one of a fundamental component of	interpretation	research report	draft	finding	interpretation
research process refers to the task of drawing	interpretation	research report	finding	draft	interpretation
inferences to collected facts					

	specifying	interpreting	beginning	findings	beginning
Objectives, nature of problem, methods employed and the analysis technique adopted	speerlying	interpreting	beginning	mungs	beginning
must be clearly stated at the of the					
report					
Usefulness and utility of research finding lie in	interpretation	research report	finding	analysis	interpretation
proper					
requires great skill and dexterity	analysis	interpretation	research report	finding	interpretation
on the part of researcher					
The researcher must remain caution about the	analysis	error	findings	conclusions	error
that can possibly arise in the					
process of interpreting results					
should be considered while	validity	reliability	practicality	accessability	reliability
interpreting a given data					
The main text provides the complete	analysis	text	outline	structure	outline
is the last step of research report	writing main draft	writing final draft	writing suggesstions	writing introduction	writing final draft
comsidered as major component of					
research study at final	research report	research hypothesis	research design	research structure	research report
Which one is not the steps in writing research	logical analysis of subject				
report?	matter	preparation of final outline	preparation of rough draft	formulating hypothesis	formulating hypothesis
is appended in the research report	bibiliography	hypothesis	design	sources	bibiliography
report shuold give simplicity and					
attractiveness	popular report	technical jargon	technical report	short report	popular report
which one is not the type of research report?	technical report	popular report	short report	hypothesis report	short report
The bibiliography should be placed at the		beginning og the research	middle of the research	side of the research	end of the research
	end of the research report	report	report	report	report
Surveys are conducted in studies	descriptive	experimental	quantitative	qualitative	descriptive
which of the following is not the essential					
element of report writing?	research methods	research methodology	reference notes	conclusion	research methodology
Testing hypothesis is a	inferential statistics	descriptive statistics	data preparation	data analysis	inferential statistics
There are steps in interpretation	4	3	2	1	4
There are steps in writing report	4	3	6	7	6
There are types of report	4	3	6	2	2
report emphasis on the methods					
employed	technical report	popular report	short report	hypothesis report	technical report

[15MBAP206]

KARPAGAM UNIVERSITY

Karpagam Academy of Higher Education (Established Under Section 3 of UGC Act 1956) COIMBATORE - 641 021 (For the candidates admitted from 2015 onwards)

MBA DEGREE EXAMINATION, APRIL 2016 Second Semester

BUSINESS ADMINISTRATION

RESEARCH METHODS FOR MANAGEMENT

The: 3 hours

Maximum : 60 marks

PART – A (20 x 1 = 20 Marks) (30 Minutes) (Question Nos. 1 to 20 Online Examinations)

(Part - B & C 2 ½ Hours)

PART B (5 x 6 = 30 Marks) **Answer ALL the Questions**

1. a. Enumerate the various approaches to research.

Or

- b. "Research in India in particular creates so many problems for the researchers". State the problems that are usually faced by researchers.
- 22. a. Explain the meaning and significance of a research design.

 - b. What are the steps to be taken to make the sample useful and reliable?
- 23, a. What are the sources of secondary data collection? Also give precautions to be used while using the secondary data.
 - Or
 - b. Discuss the process of editing and coding of research data.
- 24. a. Discuss the general steps in testing hypothesis.
 - . Or
 - b. Explain the meaning of analysis of variance. Describe briefly the technique of analysis of variance for one-way and two-way classifications.

25, a. "It is only through interpretations the researcher can expose the relations and processes that underlie her findings". Explain

Or

b. Discuss the various types of charts.

PART C (1 x 10 \neq 10 Marks) (Compulsory)

26. You are the administrative assistant a Division of Chief in a large holding company that owns several hotels and theme park. Yourself and the Division Chief have just come from the CEO'S office, where you were informed that the guest complaints relating to housekeeping and employee attitude which are increasingly bad. Your onsite managers have mentioned some tensions among the workers but have not considered it unusual. The CEO and your Division Chief instruct you to investigate. Suggest at least three different types of research that may be appropriate in this situation.

2

[12MBAP206]

KARPAGAM UNIVERSITY

(Under Section 3 of UGC Act 1956) COIMBATORE - 641 021 (For the candidates admitted from 2012 onwards)

MBA DEGREE EXAMINATION, APRIL 2013 Second Semester

MASTER OF BUSINESS ADMINISTRATION

RESEARCH METHODS FOR MANAGEMENT

Time: 3 hours

27

(-, t)

. ج د ج

1

Maximum: 100 marks

PART A (15 X 2= 30 Marks) Answer ALL the Questions

1. Define Research.

- 2. Mention the types of research.
- 3. Bring out the objectives of research?
- 4. List the various types of scale?
- 5. What are the errors in measurement?
- 6. How will you formulate research hypothesis?
- 7. What do you mean by deliberate sampling?
- 8. Mention the different types of questions?
- 9. Define random sampling.
- 10. List the tools used to test one samples.
- 11. What is parametric test?
- 12. What do you mean by Null Hypothesis?
- 13. Why review of literature is necessary for a research?
- 14. Give any two differences between Practical Reports and General Reports.
- 15. Mention the uses of Chi Square test.

PART B (5 x 14 = 70 Marks) Answer ALL the Questions

16. a. Mention the different types of research and explain them in detail.

Or

Or

- b. Enumerate the steps to be followed in Research Process?
- 17. a. Explain the scale construction techniques with examples.

b. Describe the steps involved while doing Research Design.

18. a. Explain the different types of data sources.

1

b. How will you design the questionnaire? - Explain it.

19. a. Explain the different types of Reports with examples.

- Or
- b. A population is divided into 3 strata N1= 10,000, N2= 4,000 & N3= 6,000 respectively SD are σ 1=30, σ 2= 36, σ 3=10. How sample size n=168 to be allotted in 3 strata if optimum allocation the using disproportionate sample design?
- 20. Case Study (Compulsory)

Keep your city Clean: Environmental Concerns

Over the last decade, recycling of household waste has become an extremely important behavior across the nations. However, in Asian countries this fluctuates from one country to the other. China is the leader amongst waste management while India, an equally large country, still has a long way to go. Though these are essentially policy driven or community driven initiatives, there are a number of attitudinal and motivational barriers to recycling, acting at an individual level.

Punitha, a business studies graduate with a keen interest in environmental issues, read about this in a special report in the newspaper. She recognized a potential business opportunity. It seemed obvious to her that there was scope for a potentially profitable business related to some aspect of household recycling. All she had to do was work out some way of alleviating the inconvenience people associated with recycling.

Punitha decided that a door-to-door recycling service may be a profitable way to get people to recycle. She believed that households would be willing to pay a small fee to have their waste collected on a weekly basis, from outside their home. Punitha discussed this idea with a few friends, who were very receptive reinforcing Punitha's views that this was indeed a good business opportunity. However, before she developed a detailed business plan, she decided it was a necessary to confirm her thoughts and suspicions regarding the consumer's view about the recycling. In particular, she needed to check that her ideas, about convenience and recycling, were on the right track. To do this, she decided to conduct some research into attitude towards household recycling.

Questions:

i. What is the kind or research design you would advocate here?
ii. Identify your variables and the population under study.
iii. Can you suggest any alternative design? Why? / Why not?

[12MBAP206]

KARPAGAM UNIVERSITY

(Under Section 3 of UGC Act 1956) COMBATORE - 641 021 (For the candidates admitted from 2012 onwards)

MBA DEGREE EXAMINATION, APRIL 2014

Second Semester

BUSINESS ADMINISTRATION

RESEARCH METHODS FOR MANAGEMENT

Time: 3 hours

Maximum 100 marks

PART A (15 X 2= 30 Marks)

Answer ALL the Questions

- 1. What are the scope and significance of Research?
- 2. Write down the difference between Exploratory and Conclusive research.
- 3. Mention the Characteristics of Hypothesis?
- 4. How the Research Design has to be?
- 5. List out the factors affecting the size of the sample?
- 6. How Lottery method sampling differs from Equal Probability sampling?
- 7. Give any two characteristics of Sample Design?
- 8. What is a sample test?
- 9. Define KS TEST.
- 10. How is a random sample selected?
- 11. What do you mean by test of sound measurement?
- 12. Mention the uses of Semantic differential scale?
- 13. Write down the difference between Technical Report and Detailed Report.
- 14. Define Interpretation
- 15. What is the purpose of Research Report?
 - PART B (5 x 14 = 70 Marks) Answer ALL the Ouestions 11 S. 19 . 31

16. (a) Explain the different sources of secondary data and the precautions in using

1

secondary data

(b) What is a non-garametric test? How are they different from parametric test? Explain the auvantages and disadvantages of the non- parametric test.

1

17. (a) How would you define a Research Design? What are the significant elements of a research design? Illustrate with examples.

Or

Or

(b) Distinguish between the qualitative and the quantitative sources of data collection. Can qualitative methods be used for a conclusive research study? Justify your answer with suitable illustrations.

- 18. (a) What is the need of sampling? Discuss various probability sample techniques by giving their merits and demerits.
 - (b) The table below represents the number of bounced cheques in two banks-Bank A and Bank-B- on randomly chosen 12 days for Bank A and 15 days for Bank B. Use a Mann- Whitney U test to examine at a 5% level of significance whether Bank A has more bounced cheques as compared to Bank B.

Bank A	42	65	38	55	71	60	47	59	68	57	76	42	20	45	50	
Bank A Bank B	22	17	35	19	8	24	42	14	28	17	10	15	20		50	ļ

- 19. (a) Explain the various scaling techniques in measuring the variables.
 - Or (b) Discuss in detail the steps that a researcher needs to follow to formulate a good research report. Do the criteria become different for different kinds of reports? Explain with examples.

20. Case Study (Compulsory)

There is an increase in absenteeism and low productivity in your organization. Your HR manager proposes a job satisfaction study is required at all levels in the company. How do you comment this as a research question? Do you think such a study would help the manager in resolving his dilemma? Explain

2

114MBAP2061

KARPAGAM UNIVERSITY

(Under Section 3 of UGC Act 1956) COIMBATORE - 641 021 (For the candidates admitted from 2014 onwards)

MBA DEGREE EXAMINATION, APRIL 2015 Second Semester

BUSINESS ADMINISTRATION

RESEARCH METHODS FOR MANAGEMENT

---- Indurs

Maximum : 60 marks

PART A $(5 \times 3 = 15 \text{ Marks})$ Answer any FIVE Questions

Research.

stitle objectives of research. what do you mean by deliberate sampling? the various types of scales. wittion the different methods of primary data collection. will you formulate research hypothesis? Nive any two differences between Practical Reports and General Reports.

> PART B (5 x 7 = 35 Marks) Answer ALL the Questions

Give a detailed view of research process. Or 6. Discuss the different types of research.

R a Briefly explain the different types of non-probability sampling. Or

b. Describe the steps involved while doing Research Design.

10. a. A survey is planned to analyze the perception of people towards their own religious practices. Population consists of various religious, vise, Hindu, Muslim, Christian, Sikh, Jain assume total population is 1000. Hindu, Muslim, Christian, Sikh, and Jains consists of 6000, 2000, 1000, 500 & 500 respectively. Determine the sample size of each stratum by applying proportionate stratified sampling. If the sample size required is 200.

Or

b. How will you design a questionnaire? Explain.

11. a. Write a detailed note on cluster analysis.

b. Discuss the assumptions of parametric and non-parametric tests.

12. a. Explain the different types of Reports with examples.

b. "Interpretation is an art of drawing inferences depending upon the skill of the researcher". Elucidate.

PART C (1 x 10 = 10 Marks) Case Study (Compulsory)

13. Over the last decade, recycling of household waste has become an extremely important behavior across the nations. However, in Asian countries this fluctuates from one country to the other. China is the leader amongst waste management while India, an equally large country, still has a long way to go. Though these are essentially policy driven or community driven initiatives, there are a number of attitudinal and motivational barriers to recycling, acting at an individual level.

Punitha, a business studies graduate with a keen interest in environmental issues, read about this in a special report in the newspaper. She recognized a potential business opportunity. It seemed obvious to her that there was scope for a potentially profitable business related to some aspect of household recycling. All she had to do was work out some way of alleviating the inconvenience people associated with recycling.

Punitha decided that a door-to-door recycling service may be a profitable way to get people to recycle. She believed that households would be willing to pay a small fee to have their waste collected on a weekly basis, from outside their home. Punitha discussed this idea with a few friends, who were very receptive reinforcing Punitha's views that this was indeed a good business opportunity. However, before she developed a detailed business plan, she decided it was a necessary to confirm her thoughts and suspicions regarding the consumer's view about the recycling. In particular, she needed to check that her ideas, about convenience and recycling, were on the right track. To do this, she decided to conduct some research into attitude towards household recycling.

Ouestions:

i. What is the kind or research design you would advocate here?

- ii. Identify your variables and the population under study.
- iii. Can you suggest any alternative design? Why? / Why not?

2

Reg. No.....

[16MBAP206]

KARPAGAM UNIVERSITY

Karpagam Academy of Higher Education (Established Under Section 3 of UGC Act 1956) COIMBATORE - 641 021 (For the candidates admitted from 2016 onwards)

MA DEGREE EXAMINATION, APRIL 2017 Second Semester

BUSINESS ADMINISTRATION

RESEARCH METHODOLOGY FOR MANAGEMENT

Maximum : 60 marks

PART – A (20 x 1 = 20 Marks) (30 Minutes) (Question Nos. 1 to 20 Online Examinations)

PART B (5 x 2 = 10 Marks) (2½ Hours) Answer ALL the Questions

What is the visition types of research. What is visition by sampling? What is visition by the sampling? What is the visit hypothesis?

Thee: 3 hours

PART C (4 x 5 = 20 Marks) Answer ALL the Questions

16. a explain the problems encountered by researchers in India.

b provide the characteristics of good research.

Or Example and contrast exploratory and descriptive research design. Or b Entimerate the non probability sampling methods.

28. n. Discuss the guidelines to be followed while framing questionnaire. Or But ist and explain the important types of scales used in management research.

1

29. a. A random sample of 8 households is selected from a village and their daily expense on milk was 11, 15, 17, 19, 25, 27, 31 and 33. Another sample of 9 households is selected from village B, whose daily expense on milk was 12, 16, 20, 22, 28, 30, 36, 38 and 42. Test whether the households of the two villages are same on spending daily milk expenses using run test.

b. List and explain the steps in report writing.

PART D (1 x 10 = 10 Marks) CASE STUDY- COMPULSORY

30. The footfall in a shopping mall located in a metropolitan city has started to decline due to competition from a couple of shopping malls located in the vicinity. The management of the shopping mall wants to study the reasons for decline in the footfall. Developed a research plan for the management of the shopping mall to gather information about consumer preference towards various shopping malls.

2

[18PAU401/18BPU401] KARPAGAM ACADEMY OF HIGHER EDUCATION (Deemed to be University) (Established Under Sec.3 of UGC Act, 1956) Coimbatore – 641021 (For candidates admitted from 2018 onwards) CONTINUOUS INTERNAL ASSESSMENT – I – DECEMBER 2019 B.COM (PROFESSIONAL ACCOUNTING)/ B. COM (BUSINESS PROCESS SERVICES) FOUTH SEMESTER RESEARCH METHODOLOGY

Time: 2 Hours Date: 18.12.2019

(c) Descriptive

Maximum: 50 Marks Session : FN

Register No.:....

PART – A (20X1=20) Answer All the Questions

1is an endeavor to discove (a) Hypothesis (c) Character	er develop and verify knowledge. (b) Research (d) Sample
2 study may be simple or comp	blex.
(a) Descriptive	(b) Analytical
(c) Applied	(d) Fundamental
3 research aims at finding	a solution for an immediate problem.
(c) Longitudinal	(d) Case Study
4 research is an important	type of qualitative research.
(a) Basic	(b) Motivation
(c) Pure	(d) Decision Oriented
5 research is carried on ove	r several time-periods
(a) One time	(b) Longitudinal
(c) Descriptive	(d) Analytical
6 research is carried, who	en the reason for a problem is not clear
(a) Exploratory	
(c) Historical	(d) Decision Oriented
7 research is done on the basis	s of one's own judgment, interest and
capacity (a) Descriptive	(b) Applytical
	(b) Analytical (d) Individual
(c) Group	(u) mulvidual
8 research has been done for	solving problems by using scientific
methods and quantitative techniques (a) Quantitative	(b) Applied
(a) Quantitative	(b) Applied

(d) Operations

9 is nothing but an assumption	
(a) Research	(b) Hypothesis (d) Transcription
(c) Editing	(d) Transcription
10 is the process of induction carrying out research	n and deductions are of great value in
(a) Systematic	(b) Logical
(c) Empirical	(d) Replicable
11 should be confined to those	
limited to those for which the data provi	
(a) Introduction (c) Conclusion	(b) Review of Literature
(c) Conclusion	(d) Analysis and Interpretation
12 is to provide for the collect expenditure of effort, time and money	tion of relevant evidence with minimal
	(b) Research Process
(a) Hypothesis(c) Objectives of the Study	(d) Research Design
13 research discovers or tests	s whether certain variables are associated
(a) Historical	(b) One time
(c) Conceptual	(d) Descriptive
14 is a very important step in	the research process
(a) Review of Literature	(b) Data Collection (d) Execution of the Project
(c) Analysis work	(d) Execution of the Project
15. The process of may quite of	often trigger off new questions which in
turn may lead to further researches.	
(a) Generalization	(b) Interpretation
(c) Hypothesis Testing	(d) Analysis of Data
16 begins after a research desig (a) Analysis	n chalked out
(a) Analysis	(b) Interpretation
(c) Report Writing	(d) Data Collection
17. Data that have been compiled by some a data	agency other than the user is known as
(a) Territorial	(b) Regional
(c) Secondary	(d) Primary
18 method is the most common relating to behavioral sciences	only used method specially in studies
(a) Observation	(b) Questionnaire
(c) Interview	(d) Secondary data
19. $data are those which are col$	

(a) Secondary (c) Territorial

(b) Primary (d) Regional

20. research are based on the measurements of quantity or amounts (a) Qualitative (b) Conceptual (c) Empirical (d) Quantitative

PART – B (3X2=6Marks) Answer All the Questions

- 21. Define the term research
- 22. State the difference between research methods and research methodology
- 23. Write a short note on review of literature?

PART – C(3X8=24Marks) Answer All the Questions

24. a. Analyze the various types of research with examples?

(OR)

- b. Describe the criteria of good research and good researcher.
- 25.a. Discuss the importance of research in modern times?

(OR)

- b. Illustrate the process of research with diagrams.
- 26.a. Discuss the various tools used to collect the data?

(**OR**)

b. Explain the various types of probability and non probability sample designs?

18PAU401

RESEARCH METHODOLOGY

6H

Instruction Hours / week L:6 T:0 P:0

Marks: Internal: 40 External: 60

Total: 100 End Semester Exam: 3 Hours

Semester - IV

- 5C

COURSE OBJECTIVES:

To make the students

- To understand the concept of research, Research Process, research design, sampling techniques, hypothesis writing and report writing.
- 2. To analyze the research problem and design the blue print to capture data and analyze the same using appropriate statistical techniques and apply the learning lifelong.
- To Critically formulate the research design and sampling design suitable for the problem.
- To communicate orally and written form the research <u>problem research</u> design, sampling techniques.
- To design a report to communicate the findings and suggestion to make business decision.

COURSE OUTCOMES:

Learners should be able to

- Comprehend the meaning of research, theory of induction, deduction, research process, research design, sampling techniques, hypothesis writing and report writing
- 2. Analyze the research problem and design the blue print to capture data and analyze the same using appropriate statistical techniques and apply the learning lifelong.
- Critically formulate the research design and sampling design suitable for the problem.
- 4. Communicate orally and written for the research problem, research design, sampling techniques.
- Design a report to communicate the findings and suggestion to make business decision

UNIT I RESEARCH AND RESEARCH PROCESS

Meaning of research; Scope of Research in Business; Purpose of Research; Types of Research, Problem identification, Review of Literature, Concept of theory - deductive and inductive theory -Concept, Construct, Definition, Variables - Research Process

UNIT II RESEARCH DESIGN AND SAMPLING DESIGN

Research Design: Concept and Importance in Research - Features of a good research design -Exploratory Research Design - concept, types and uses, Descriptive Research Designs - concept, types and uses. Experimental Design.

Data Sources - Primary and Secondary Data.

Sampling: Concepts of Statistical Population, Sample, Sampling Frame, Sampling Error, Sample Size, Non-Response, Characteristics of a good sample. Probability Sample - Simple Random Sample, Systematic Sample, Stratified Random Sample & Multi-stage sampling. Non Probability Sampling - Convenience, Quota, Judgmental, snowball sampling.

UNIT III MEASUREMENT AND SCALING

Concept of measurement- what is measured? Problems in measurement in research - Validity and Reliability. Levels of measurement - Nominal, Ordinal, Interval, Ratio.

Concept of Scaling, Ratings and Ranking Scale, Thurstone, Likert and Semantic Differential scaling, Paired Comparison.

Preparing questionnaire – Quality of a good questionnaire.

UNIT IV HYPOTHESIS TESTING

Hypothesis – Qualities of a good Hypothesis –Null Hypothesis & Alternative Hypothesis. Hypothesis Testing –Tests concerning means and proportions; ANOVA, Chi-square test and other Nonparametric tests, correlation and Regression

UNIT V REPORT PREPARATION

Meaning, types and layout of research report; Steps in report writing; Citations, Bibliography and Annexure in report.

Note: Distribution of marks - 90% theory and 10% problems

SUGGESTED READINGS:

- C.R. <u>Kothari</u>, Gaurav Garg (2018), Research Methodology, Fourth Edition, New Age International Publishers, New Delhi.
- Uma Sekaran, Roger Bougie (2018), Research Methods for Business: A Skill-Building Approach, 7th edition, Wiley, New Delhi.
- Donald Cooper and Pamela Schindler (2017), Business Research Methods, 11th edition, McGraw Hill education, New Delhi.
- 4. Zikmund William G. et.al (2016), Business Research Methods, Cengage India, New Delhi.
- Mark N.K. Saunders, Philip Lewis, Adrian Thornhill (2015), Research Methods for Business Students, 7th edition, Pearson Education, New Delhi.



KARPAGAM ACADEMY OF HIGHER EDUCATION

(Deemed to be University) (Established under section 3 of UGC Act 1956) Coimbatore-641021 **DEPARTMENT OF COMMERCE**

Name: Mr. P. Easwaran Department: Commerce B. Com (PA) & B. Com (BPS) Subject Code: 18PAU401 & 18BPU401 Semester: IV Subject: Research Methodology - Lesson Plan

Year: 2018-21 Batch

UNIT – 1			
S. No	Lecture Hours	Contents	References
1	1	Meaning of research	T1: P2
2	1	Scope of Research in Business	T1: P2
3	1	Purpose of Research	T1: P2
4	1	Types of Research	T1: P2
5	1	Problem identification	T1: P5
6	1	Review of Literature	W1
7	1	Concept of theory	W2
8	1	Deductive and inductive theory – Concept	W3
9	1	Construct	W3
10	1	Deductive and inductive theory –Definition, Variables	W3
11	1	Research Process	T1: P10
12	1	Recapitulation and Discussion of Important Question	
		Total no. of Hours planned for Unit 1	12
		UNIT – 2	
1	1	Research Design: Concept and Importance in Research–Features of a good research design – Exploratory Research Design	T1: P31
2	1	Exploratory Research Design – concept, types and uses	T1: P31
3	1	Descriptive Research Designs – concept, types and uses. Experimental Design	T1: P35
4	1	Data Sources – Primary and Secondary Data	T1: P95
5	1	Sampling: Concepts of Statistical Population	T1: P55
6	1	Sample, Sampling Frame, Sampling Error, Sample Size, Non- Response	T1: P56
7	1	Characteristics of a good sample	T1: P58
8	1	Probability Sample – Simple Random Sample, Systematic Sample	T1: P58
9	1	Stratified Random Sample & Multi-stage sampling	T1: P58
10	1	Non Probability Sampling – Convenience	T1: P58
11	1	Quota, Judgmental, snowball sampling	T1: P58
12	1	Recapitulation and Discussion of Important Question	
		Total no. of Hours planned for Unit 2	12

Lesson Plan 2018-21 Batch

		UNIT – 3	
1	1	Concept of measurement– what is measured?	T1: P69
2	1	Problems in measurement in research	T1: P69
3	1	Validity and Reliability	T1: P71
4	1	Levels of measurement – Nominal, Ordinal, Interval, Ratio	T1: P71
5	1	Concept of Scaling	T1: P76
6	1	Ratings and Ranking Scale	T1: P79
7	1	Thurstone	T1: P83
8	1	Likert and Semantic Differential scaling	T1: P84
9	1	Paired Comparison	T1: P86
10	1	Preparing questionnaire	W4
11	1	Quality of a good questionnaire	W4
12	1	Recapitulation and Discussion of Important Question	
		Total number of hours planned for Unit 3	12
		<u>UNIT – 4</u>	
1	1	Introduction to Hypothesis Testing	T1: P184
2	1	Qualities of a good Hypothesis	W5
3	1	Null Hypothesis & Alternative Hypothesis	T1: P195
4	1	Hypothesis Testing	T1: P195
5	1	Tests concerning means and proportions	T1: P218
6	1	Tests concerning means and proportions	T1: P218
7	1	Anova	T1: P256
8	1	Chi- Square Test	T1: P233
9	1	Non Parametric Test	T1: P238
10	1	Correlation	T1: P302
11	1	Regression	T1: P141
12	1	Recapitulation and Discussion of Important Question	
		Total no. of Hours planned for Unit 4	12
		<u>UNIT – 5</u>	
1	1	Report Preparation - Meaning	T1: P346
2	1	Report Types	T1: P351
3	1	Report Types	T1: P351
4	1	layout of research report	T1: P348
5	1	layout of research report	T1: P348
6	1	Steps in report writing	T1: P347
7	1	Steps in report writing	T1: P347
8	1	Citations	W6
9	1	Citations	W6
10	1	Bibliography	W7
11	1	Annexure in report	W8
12	1	Annexure in report	W8
		Total no. of Hours planned for Unit 5	12
13	1	Recapitulation and Discussion of Important Question	
14	1	Discussion of Previous ESE Question Paper	

15	1	Discussion of Previous ESE Question Paper	
16	1	Discussion of Previous ESE Question Paper	

Suggested Readings:

Text Books:

T1. C.R. Kothari , Gaurav Garg (2018), Research Methodology, Fourth Edition, New Age International Publishers, New Delhi

Websites:

W1. www.researh-methodology.net

W2. www.course.lumenlearning.com

W3. www.deborahgabriel.com

W4. www.researchgate.net

W5. www.studylecturenotes.com

W6. www.libguides.usc.edu

W7. www.thoughtco.com

W8. www.dissertationindia.com

Class: II B.COM.	Course Name: RESEARCH	H METHODOLOGY
Course Code: 18CMU401	Semester: IV	II Year: 2018Batch

UNIT I RESEARCH AND RESEARCH PROCESS

Meaning of research; Scope of Research in Business; Purpose of Research; Types of Research, Problem identification, Review of Literature, Concept of theory - deductive and inductive theory - Concept, Construct, Definition, Variables - Research Process

* * * * *

MEANING OF RESEARCH

Research is an endeavour to discover, develop and verify knowledge. It is an intellectual act that begins with the asking of questions and progressiveness through the critical examination of evidence that is both relevant and reliable to the revelation of truth. Research can be defined as the search for knowledge, or as any systematic investigation, with an open mind, to establish novel facts, solve new or existing problems, prove new ideas, or develop new theories, usually using a scientific method. The primary purpose of research is discovering, interpreting, and the development of methods and systems for the advancement of human knowledge on a wide variety of scientific matters of our world and the universe.

DEFINITIONS OF RESEARCH

Webster's New International Dictionary: "Research is careful critical enquiry or examination in seeking facts or principles, diligent investigation in order to ascertain something.

John W. Best: Research may be defined as the systematic and objective analysis and recording to controlled observations that may lead to the development of generalization, principles of theories resulting in prediction and possible ultimate control of events

Robert Ross: Research is essentially an investigation, a recording and an analysis of evidence too the purpose of gaining knowledge

Class: IIB.COM.		Course Name: RESEARCH METHODOLOGY		HODOLOGY
Course Code: 18CMU4	01	Semeste	r: IV II	Year: 2018Batch
Clifford Wood	y: Research com	prises of defining	and redefining	problems,

formulating hypothesis or suggested solutions, collecting, organizing and evaluating data making deduction and reaching conclusion and at last carefully testing conclusions to determine whether they fit in formulating hypothesis.

John Dewey: Research is considered to be the formal, systematic, intensive process of carrying on the scientific method of analysis. It involves a more systematic structure of investigation, usually in some sort of formal record of procedures and a report of result or conclusions.

Fred Kerlinger: Research is an organized enquiry designed and carried out to provide information for solving a problem.

Redman and Mory: Systematized effort to gain new knowledge

PURPOSE OF RESEARCH

The purpose of research is to discover answers to questions through the application of scientific procedures. The main aim of research is to find out the truth which is hidden and which has not been discovered as yet.

- 1. To gain familiarity with a phenomenon or to achieve new insights into it (studies with this object in view are termed as *exploratory* or *formulative* research studies);
- 2. To portray accurately the characteristics of a particular individual, situation or a group (studies with this object in view are known as *descriptive* research studies);
- To determine the frequency with which something occurs or with which it is associated with something else (studies with this object in view are known as *diagnostic* research studies);
- 4. To test a hypothesis of a causal relationship between variables (such studies are known as *hypothesis-testing* research studies).

TYPES OF RESEARCH

Class: IIB.COM.	Course Name: RESEARCH M	ETH	ODOLOGY
Course Code: 18CMU401	Semester: IV	Π	Year: 2018Batch
1) Descriptive Research			

A descriptive study may be simple or complex. It determines who, what, where and how of a topic. It is concerned with describing the characteristics (e.g., the extent to which libraries are used) estimating the proportion of the people in a specified population who hold certain views or attitudes (e.g., how many favour the abolition of capital punishment?) predicting specifically (e.g., how may will cash their government bonds during a given period?) and discovering or testing whether certain variables are associated (e.g., people who spend a good deal of time for reading, go to movies often with each other)

Descriptive study may employ any of or all the methods of data collection such as interview, questionnaire, observation, tests and cumulative record cards. In the descriptive study the researcher must be careful to make a note of the bias and extravagance that may creep in at every stage of the study – formulating the objectives of the study; designing the methods of data collection; selecting the sample; collecting, processing and analyzing the data; and reporting the findings.

2) Analytical Research

Analytical study makes use of available information by analyzing and doing critical evaluation. Analytical study makes use of higher level statistical tools which are not commonly used.

3) Applied Research

Applied research aims at finding a solution for an immediate problem faced by any business organization. This research deals with real life situations. Example: "Why have sales decreased during the last quarter"? Market research is an example of applied research. Applied research has a practical problem-solving emphasis. It brings out many new facts.

Examples:

Class: IIB.COM.	Course Name: RESEARCH M	ETH	ODOLOGY
Course Code: 18CMU401	Semester: IV	II	Year: 2018Batch

1. Use of fibre glass body for cars instead of metal.

2. To develop a new market for the product.

4) Fundamental Research

This is otherwise known as basic research or fundamental research. Gathering knowledge for knowledge's sake is known as fundamental research. It does not have any commercial potential. It is not connected to any practical problem. e.g. Theory of Relativity. It is only for the enrichment of the knowledge.

5) Quantitative Research

Quantitative researches are based on the measurements of quantity or amounts. It means that these type of researches deals with items which are expressed in numbers.

6) Qualitative Research

Qualitative researches deals with the qualitative phenomena. i.e. anything which cannot be expressed in numerical terms. Motivation research is an example of qualitative research.

7) Conceptual Research

Conceptual research is that related to some abstract idea(s) or theory. It is generally used by philosophers and thinkers to develop new concepts or to reinterpret existing ones.

8) Empirical Research

Empirical research relies on experience or observation alone, often without due regard for system and theory. It is data-based research, coming up with conclusions which are capable of being verified by observation or experiment. We can also call it as experimental type of research. In such a research it is necessary to get at facts firsthand, at their source, and actively to go about doing certain things to stimulate the production

Class: IIB.COM.Course Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IVII Year: 2018Batch

of desired information. In such a research, the researcher must first provide himself with a working hypothesis or guess as to the probable results. He then works to get enough facts (data) to prove or disprove his hypothesis. He then sets up experimental designs which he thinks will manipulate the persons or the materials concerned so as to bring forth the desired information. Such research is thus characterized by the experimenter's control over the variables under study and his deliberate manipulation of one of them to study its effects. Empirical research is appropriate when proof is sought that certain variables affect other variables in some way. Evidence gathered through experiments or empirical studies is today considered to be the most powerful support possible for a given hypothesis.

9) One-time research or Longitudinal Research

In the former case the research is confined to a single time-period, whereas in the latter case the research is carried on over several time-periods.

10) Field Method

Field study is a scientific enquiry aimed at discovering the relations and interactions among sociological, physiological and educational variables in real social structures and life situations like communities, schools, factories, organizations and institutions. Hence, it is called field study.

11) Exploratory Research

Explanatory research is carried, when the reason for a problem is not clear. In exploratory research, all possible reasons which are very obvious are eliminated, thereby directing the research to proceed further with limited options.

Example for Exploratory Research

Sales decline in a company may be due to:

Inefficient service

Class: IIB.COM. Course Code: 18CMU401

Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch

- > Improper price
- Inefficient sales force
- Ineffective promotion
- Improper quality

12) Formalized Research

Formalized research studies are those with substantial structure and with specific hypotheses to be tested.

13) Historical Research

This research is the induction of principles through research into the past and social forces which have shaped the present. Its aim is to apply reflective thinking to unsolved social problems by discovering past trends of events, facts and attitudes, and by tracing lines of development in human thought and action.

14) Decision Oriented Research

Decision-oriented research is always for the need of a decision maker and the researcher in this case is not free to embark upon research according to his own inclination.

15) Individual and Group Research

The research undertaken by an individual is called individual research. The bulk of research activities in universities, and colleges are made by the individual. The individual research is done on the basis of one's own judgement, interest and capacity.

Group research is undertaken by several researchers. Their activities are coordinated by a director, Research conducted by a firm, trade association and

Class: IIB.COM.	Course Name: RESEARCH METHODOLOGY				
Course Code: 18CMU401	Semester: IV	II	Year: 2018Batch		
government agency is performed by a team of researchers under a project director.					
Research in colleges and universities financed by grants is done on a group basis.					

16) Operations Research

This method of research has been done for solving problems by using scientific methods and quantitative techniques. While the researchers care to study the development of methods, the industrial operations researcher evinces interest in the applications of methods to solve the pressing or critical problems of their firm.

Research can also be classified as conclusion-oriented and decision-oriented. While doing conclusion-oriented research a researcher is free to pick up a problem, redesign the enquiry and is free to conceptualize as he wishes. Decision-oriented research always implies taking a rational decision. Operational research is an example of decision-oriented research.

SIGNIFICANCE OF RESEARCH

"All progress is born of inquiry. Doubt is often better than overconfidence, for it leads to inquiry, and inquiry leads to invention" is a famous Hudson Maxim in context of which the significance of research can well be understood. Increased amounts of research make progress possible. Research inculcates scientific and inductive thinking and it promotes the development of logical habits of thinking and organisation.

The role of research in several fields of applied economics, whether related to business or to the economy as a whole, has greatly increased in modern times. The increasingly complex nature of business and government has focused attention on the use of research in solving operational problems. Research, as an aid to economic policy, has gained added importance, both for government and business.

1) Research provides the basis for nearly all Government Policies in our Economic System

Class: IIB.COM.	Course Name: RESEARCH	METHODOLOGY
Course Code: 18CMU401	Semester: IV	II Year: 2018Batch

For instance, government's budgets rest in part on an analysis of the needs and desires of the people and on the availability of revenues to meet these needs. The cost of needs has to be equated to probable revenues and this is a field where research is most needed. Through research we can devise alternative policies and can as well examine the consequences of each of these alternatives. Decision-making may not be a part of research, but research certainly facilitates the decisions of the policy maker. Government has also to chalk out programmes for dealing with all facets of the country's existence and most of these will be related directly or indirectly to economic conditions. The plight of cultivators, the problems of big and small business and industry, working conditions, trade union activities, the problems of distribution, even the size and nature of defense services are matters requiring research. Thus, research is considered necessary with regard to the allocation of nation's resources. Another area in government, where research is necessary, is collecting information on the economic and social structure of the nation. Such information indicates what is happening in the economy and what changes are taking place. Collecting such statistical information is by no means a routine task, but it involves a variety of research problems. These days nearly all governments maintain large staff of research technicians or experts to carry on this work. Thus, in the context of government, research as a tool to economic policy has three distinct phases of operation, viz., (i) investigation of economic structure through continual compilation of facts; (ii) diagnosis of events that are taking place and the analysis of the forces underlying them; and (iii) the prognosis, i.e., the prediction of future developments.

2) Research has its Special Significance in Solving various Operational and Planning Problems of Business and Industry

Operations research and market research, along with motivational research, are considered crucial and their results assist, in more than one way, in taking business decisions. Market research is the investigation of the structure and development of a market for the purpose of formulating efficient policies for purchasing, production and sales. Operations research refers to the application of mathematical, logical and analytical

Class: IIB.COM. Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch

techniques to the solution of business problems of cost minimization or of profit maximization or what can be termed as optimization problems. Motivational research of determining why people behave as they do is mainly concerned with market characteristics. In other words, it is concerned with the determination of motivations underlying the consumer (market) behaviour. All these are of great help to people in business and industry who are responsible for taking business decisions. Research with regard to demand and market factors has great utility in business. Given knowledge of future demand, it is generally not difficult for a firm, or for an industry to adjust its supply schedule within the limits of its projected capacity. Market analysis has become an integral tool of business policy these days. Business budgeting, which ultimately results in a projected profit and loss account, is based mainly on sales estimates which in turn depend on business research. Once sales forecasting is done, efficient production and investment programmes can be set up around which are grouped the purchasing and financing plans. Research, thus, replaces intuitive business decisions by more logical and scientific decisions.

3) Research is equally important for social scientists in studying social relationships and in seeking answers to various social problems.

It provides the intellectual satisfaction of knowing a few things just for the sake of knowledge and also has practical utility for the social scientist to know for the sake of being able to do something better or in a more efficient manner. Research in social sciences is concerned both with knowledge for its own sake and with knowledge for what it can contribute to practical concerns. "This double emphasis is perhaps especially appropriate in the case of social science. On the one hand, its responsibility as a science is to develop a body of principles that make possible the understanding and prediction of the whole range of human interactions. On the other hand, because of its social orientation, it is increasingly being looked to for practical guidance

Class: IIB.COM.	Course Name: RESEARCH N	<i>METH</i>	ODOLOGY
Course Code: 18CMU401	Semester: IV	II	Year: 2018Batch

In addition to what has been stated above, the significance of research can also be understood keeping in view the following points:

- a) To those students who are to write a master's or Ph.D. thesis, research may mean careerism or a way to attain a high position in the social structure;
- b) To professionals in research methodology, research may mean a source of livelihood;
- c) To philosophers and thinkers, research may mean the outlet for new ideas and insights;
- d) To literary men and women, research may mean the development of new styles and creative work;
- e) To analysts and intellectuals, research may mean the generalizations of new theories.

Thus, research is the fountain of knowledge for the sake of knowledge and an important source of providing guidelines for solving different business, governmental and social problems. It is a sort of formal training which enables one to understand the new developments in one's field in a better way.

QUALITIES OF GOOD RESEARCH

1) Good research is Systematic

It means that research is structured with specified steps to be taken in a specified sequence in accordance with the well defined set of rules. Systematic characteristic of the research does not rule out creative thinking but it certainly does reject the use of guessing and intuition in arriving at conclusions.

2) Good research is Logical

Class: IIB.COM.	Course Name: RESEAR	CH METHODOLOGY
Course Code: 18CMU401	Semester: IV	II Year: 2018Batch

This implies that research is guided by the rules of logical reasoning and the logical process of induction and deduction are of great value in carrying out research. Induction is the process of reasoning from a part to the whole whereas deduction is the process of reasoning from some premise to a conclusion which follows from that very premise.

3) Good research is Empirical

It implies that research is related basically to one or more aspects of a real situation and deals with concrete data that provides a basis for external validity to research results.

4) Good research is Replicable

This characteristic allows research results to be verified by replicating the study and thereby building a sound basis for decisions.

QUALITIES OF A GOOD RESEARCHER

A) General Qualities

1) Scientific Attitude

The first essential Quality of a successful research worker is that he must possess a scientific (systematic) frame (structure) of mind. He must have the determination (willpower / strength of mind) and ability to get the naked (hidden) facts and not to be influenced by one's own wishes.

As human beings he has certain praises (admiration) and prejudices (bias). He has also certain precarceived notions (ideas) about the problems being researched. He should keep all these things with him.

2) Imagination and Insight

Researcher must possess high degree of imagination. He should be able to go deeper and deeper into the realm (area) of abstract social phenomena (fact / event) and visualize the intangible aspects (features) of the society

3) Perseverance

Class: IIB.COM.	Course Name: RESEARCH N	<i>METHODOLOGY</i>
Course Code: 18CMU401	Semester: IV	II Year: 2018Batch
Work of scientific research require	s steady of mind. Researcher	should not get
easily discouraged. It is equally possible th	at he might subsequently feel	that the choice
of the problem was wrong. Inspite of all	this he must have more cour	age to face the
difficulties and work patiently and continuo	usly over long periods	

4) Quick Grasping Power

The researcher should possess the power to grasp the significance of things quickly

5) Clarity of Thinking

A good researcher should have clear idea about the terminology that he is going to use.

B) Specific Qualities

1) Knowledge of the Subject

The researcher should be enough knowledge in his area of research. Such knowledge helps him in preparing questionnaire and schedule to get proper information. He can enter into face to face discussion and remove any doubts arising the minds of the people regarding the study

2) Knowledge of the technique of Research

Researcher should have basic idea on tools used in his research

3) Personal Taste in the Study

A personal taste in the study will inspire him and keep his morale (confidence) in times of difficulties. A forced work is often monotonous and very tiresome

4) Familiarity about the Information

Class: IIB.COM.	Course Name: RESEARCH M	ethoi	DOLOGY
Course Code: 18CMU401	Semester: IV	II	Year:
		201	8Ratch

The researcher should be familiar with the people whom he is studying. Familiarity will help him to get intimate (close) information

5) Unbiased Attitude

The researcher should have no preconceptions (idea / bias) about the subject under study. He should go to his research with absolutely a clean state. He should maintain an open mind and look for data which would substantiate (validate / verify) and give his theory a new meaning

STEPS IN RESEARCH PROCESS

Research process consists of series of actions or steps necessary to effectively carry out research and the desired sequencing of these steps.

- 1. Formulating the Research Problem;
- 2. Extensive literature survey;
- 3. Developing the Hypothesis;
- 4. Preparing the Research Design;
- 5. Determining Sample Design;
- 6. Collecting the Data;
- 7. Execution of the Project;
- 8. Analysis of Data;
- 9. Hypothesis testing;
- 10. Generalizations and Interpretation, and
- 11. Preparation of the Report or Presentation of the Results

1) Formulating the Research Problem

There are two types of research problems, viz., those which relate to states of nature and those which relate to relationships between variables. At the very outset the researcher must single out the problem he wants to study, i.e., he must decide the general

Class: IIB.COM.Course Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IVII Year: 2018Batch

area of interest or aspect of a subject-matter that he would like to inquire into. Initially the problem may be stated in a broad general way and then the ambiguities, if any, relating to the problem be resolved. Then, the feasibility of a particular solution has to be considered before a working formulation of the problem can be set up. The formulation of a general topic into a specific research problem, thus, constitutes the first step in a scientific enquiry. Essentially two steps are involved in formulating the research problem, viz., understanding the problem thoroughly, and rephrasing the same into meaningful terms from an analytical point of view.

The best way of understanding the problem is to discuss it with one's own colleagues or with those having some expertise in the matter. In an academic institution the researcher can seek the help from a guide who is usually an experienced man and has several research problems in mind. Often, the guide puts forth the problem in general terms and it is up to the researcher to narrow it down and phrase the problem in operational terms. In private business units or in governmental organisations, the problem is usually earmarked by the administrative agencies with whom the researcher can discuss as to how the problem originally came about and what considerations are involved in its possible solutions.

The researcher must at the same time examine all available literature to get himself acquainted with the selected problem. He may review two types of literature the conceptual literature concerning the concepts and theories, and the empirical literature consisting of studies made earlier which are similar to the one proposed. The basic outcome of this review will be the knowledge as to what data and other materials are available for operational purposes which will enable the researcher to specify his own research problem in a meaningful context. After this the researcher rephrases the problem into analytical or operational terms i.e., to put the problem in as specific terms as possible. This task of formulating, or defining, a research problem is a step of greatest importance in the entire research process. The problem to be investigated must be defined

Class: IIB.COM.Course Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IVII Year: 2018Batch

unambiguously for that will help discriminating relevant data from irrelevant ones. Care must, however, be taken to verify the objectivity and validity of the background facts concerning the problem. Professor W.A. Neiswanger correctly states that the statement of the objective is of basic importance because it determines the data which are to be collected, the characteristics of the data which are relevant, relations which are to be explored, the choice of techniques to be used in these explorations and the form of the final report. If there are certain pertinent terms, the same should be clearly defined along with the task of formulating the problem. In fact, formulation of the problem often follows a sequential pattern where a number of formulations are set up, each formulation more specific than the preceding one, each one phrased in more analytical terms, and each more realistic in terms of the available data and resources.

2) Extensive Literature Survey

Once the problem is formulated, a brief summary of it should be written down. It is compulsory for a research worker writing a thesis for a Ph.D. degree to write a synopsis of the topic and submit it to the necessary Committee or the Research Board for approval. At this juncture the researcher should undertake extensive literature survey connected with the problem. For this purpose, the abstracting and indexing journals and published or unpublished bibliographies are the first place to go to. Academic journals, conference proceedings, government reports, books etc., must be tapped depending on the nature of the problem. In this process, it should be remembered that one source will lead to another. The earlier studies, if any, which are similar to the study in hand should be carefully studied. A good library will be a great help to the researcher at this stage.

3) Developing the Hypothesis

After extensive literature survey, researcher should state in clear terms the working hypothesis or hypotheses. Working hypothesis is tentative assumption made in order to draw out and test its logical or empirical consequences. As such the manner in

Class: IIB.COM.Course Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IVII Year: 2018Batch

which research hypotheses are developed is particularly important since they provide the focal point for research. They also affect the manner in which tests must be conducted in the analysis of data and indirectly the quality of data which is required for the analysis. In most types of research, the development of working hypothesis plays an important role. Hypothesis should be very specific and limited to the piece of research in hand because it has to be tested. The role of the hypothesis is to guide the researcher by delimiting the area of research and to keep him on the right track. It sharpens his thinking and focuses attention on the more important facets of the problem. It also indicates the type of data required and the type of methods of data analysis to be used.

How does one go about developing working hypotheses? The answer is by using the following approach:

- a) Discussions with colleagues and experts about the problem, its origin and the objectives in seeking a solution;
- b) Examination of data and records, if available, concerning the problem for possible trends, peculiarities and other clues;
- c) Review of similar studies in the area or of the studies on similar problems; and
- d) Exploratory personal investigation which involves original field interviews on a limited scale with interested parties and individuals with a view to secure greater insight into the practical aspects of the problem.

Thus, working hypotheses arise as a result of a-priori thinking about the subject, examination of the available data and material including related studies and the counsel of experts and interested parties. Working hypotheses are more useful when stated in precise and clearly defined terms. It may as well be remembered that occasionally we may encounter a problem where we do not need working hypotheses, specially in the case of exploratory or formulative researches which do not aim at testing the hypothesis. But as a general rule, specification of working hypotheses in another basic step of the research process in most research problems.

Class: IIB.COM.	Course Name: RESEARCH N	1ETH	ODOLOGY
Course Code: 18CMU401	Semester: IV	II	Year: 2018Batch

4) Preparing the Research Design

The research problem having been formulated in clear cut terms, the researcher will be required to prepare a research design, i.e., he will have to state the conceptual structure within which research would be conducted. The preparation of such a design facilitates research to be as efficient as possible yielding maximal information. In other words, the function of research design is to provide for the collection of relevant evidence with minimal expenditure of effort, time and money. But how all these can be achieved depends mainly on the research purpose. Research purposes may be grouped into four categories, viz., (i) Exploration, (ii) Description, (iii) Diagnosis, and (iv) Experimentation. A flexible research design which provides opportunity for considering many different aspects of a problem is considered appropriate if the purpose of the research study is that of exploration. But when the purpose happens to be an accurate description of a situation or of an association between variables, the suitable design will be one that minimizes bias and maximizesJ the reliability of the data collected and analysed.

There are several research designs, such as, experimental and non-experimental hypothesis testing. Experimental designs can be either informal designs (such as beforeand-after without control, after-only with control, before-and-after with control) or formal designs (such as completely randomized design, randomized block design, Latin square design, simple and complex factorial designs), out of which the researcher must select one for his own project.

The preparation of the research design, appropriate for a particular research problem, involves usually the consideration of the following:

- a) The means of obtaining the information;
- **b)** The availability and skills of the researcher and his staff (if any);

Class: IIB.COM.	Course Name: RESEARCH M	ETH	ODOLOGY
Course Code: 18CMU401	Semester: IV	II	Year: 2018Batch

c) Explanation of the way in which selected means of obtaining information will be organized and the reasoning leading to the selection;

- d) The time available for research; and
- e) The cost factor relating to research, i.e., the finance available for the purpose.

5) Determining Sample Design

All the items under consideration in any field of inquiry constitute a 'universe' or 'population'. A complete enumeration of all the items in the 'population' is known as a census inquiry. It can be presumed that in such an inquiry when all the items are covered no element of chance is left and highest accuracy is obtained. But in practice this may not be true. Even the slightest element of bias in such an inquiry will get larger and larger as the number of observations increases. Moreover, there is no way of checking the element of bias or its extent except through a resurvey or use of sample checks. Besides, this type of inquiry involves a great deal of time, money and energy. Not only this, census inquiry is not possible in practice under many circumstances. For instance, blood testing is done only on sample basis. Hence, quite often we select only a few items from the universe for our study purposes. The items so selected constitute what is technically called a sample.

The researcher must decide the way of selecting a sample or what is popularly known as the sample design. In other words, a sample design is a definite plan determined before any data are actually collected for obtaining a sample from a given population. Thus, the plan to select 12 of a city's 200 drugstores in a certain way constitutes a sample design. Samples can be either probability samples or non-probability samples. With probability samples each element has a known probability of being included in the sample but the non-probability samples do not allow the researcher to determine this probability. Probability samples are those based on simple random sampling, systematic sampling, stratified sampling, cluster/area sampling whereas non-probability samples are those based on convenience sampling, judgement sampling and

Class: IIB.COM.Course Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IVIIquota sampling techniques. A brief mention of the important sample designs is as

follows:

a) Deliberate Sampling

Deliberate sampling is also known as purposive or non-probability sampling. This sampling method involves purposive or deliberate selection of particular units of the universe for constituting a sample which represents the universe. When population elements are selected for inclusion in the sample based on the ease of access, it can be called convenience sampling. If a researcher wishes to secure data from, say, gasoline buyers, he may select a fixed number of petrol stations and may conduct interviews at these stations. This would be an example of convenience sample of gasoline buyers. At times such a procedure may give very biased results particularly when the population is not homogeneous. On the other hand, in judgement sampling the researcher's judgement is used for selecting items which he considers as representative of the population. For example, a judgement sample of college students might be taken to secure reactions to a new method of teaching. Judgement sampling is used quite frequently in qualitative research where the desire happens to be to develop hypotheses rather than to generalise to larger populations.

b) Simple Random Sampling

This type of sampling is also known as chance sampling or probability sampling where each and every item in the population has an equal chance of inclusion in the sample and each one of the possible samples, in case of finite universe, has the same probability of being selected. For example, if we have to select a sample of 300 items from a universe of 15,000 items, then we can put the names or numbers of all the 15,000 items on slips of paper and conduct a lottery. Using the random number tables is another method of random sampling. To select the sample, each item is assigned a number from 1 to 15,000. Then, 300 five digit random numbers are selected from the table. To do this we

Class: IIB.COM.Course Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IVII Year: 2018Batch

select some random starting point and then a systematic pattern is used in proceeding through the table. We might start in the 4th row, second column and proceed down the column to the bottom of the table and then move to the top of the next column to the right. When a number exceeds the limit of the numbers in the frame, in our case over 15,000, it is simply passed over and the next number selected that does fall within the relevant range. Since the numbers were placed in the table in a completely random fashion, the resulting sample is random. This procedure gives each item an equal probability of being selected. In case of infinite population, the selection of each item in a random sample is controlled by the same probability and that successive selections are independent of one another.

c) Systematic Sampling

In some instances the most practical way of sampling is to select every 15th name on a list, every 10th house on one side of a street and so on. Sampling of this type is known as systematic sampling. An element of randomness is usually introduced into this kind of sampling by using random numbers to pick up the unit with which to start. This procedure is useful when sampling frame is available in the form of a list. In such a design the selection process starts by picking some random point in the list and then every nth element is selected until the desired number is secured.

d) Stratified Sampling

If the population from which a sample is to be drawn does not constitute a homogeneous group, then stratified sampling technique is applied so as to obtain a representative sample. In this technique, the population is stratified into a number of nonoverlapping subpopulations or strata and sample items are selected from each stratum. If the items selected from each stratum is based on simple random sampling the entire procedure, first stratification and then simple random sampling, is known as stratified random sampling.

Class: IIB.COM.	Course Name: RESEARCH N	<i>AETH</i>	ODOLOGY
Course Code: 18CMU401	Semester: IV	II	Year: 2018Batch
e) Quota Sampling			

In stratified sampling the cost of taking random samples from individual strata is often so expensive that interviewers are simply given quota to be filled from different strata, the actual selection of items for sample being left to the interviewer's judgement. This is called quota sampling. The size of the quota for each stratum is generally proportionate to the size of that stratum in the population. Quota sampling is thus an important form of non-probability sampling. Quota samples generally happen to be judgement samples rather than random samples.

f) Cluster Sampling and Area Sampling

Cluster sampling involves grouping the population and then selecting the groups or the clusters rather than individual elements for inclusion in the sample. Suppose some departmental store wishes to sample its credit card holders. It has issued its cards to 15,000 customers. The sample size is to be kept say 450. For cluster sampling this list of 15,000 card holders could be formed into 100 clusters of 150 card holders each. Three clusters might then be selected for the sample randomly. The sample size must often be larger than the simple random sample to ensure the same level of accuracy because is cluster sampling procedural potential for order bias and other sources of error is usually accentuated. The clustering approach can, however, make the sampling procedure relatively easier and increase the efficiency of field work, specially in the case of personal interviews.

Area sampling is quite close to cluster sampling and is often talked about when the total geographical area of interest happens to be big one. Under area sampling we first divide the total area into a number of smaller non-overlapping areas, generally called geographical clusters, then a number of these smaller areas are randomly selected, and all units in these small areas are included in the sample. Area sampling is specially helpful

Class: IIB.COM.	Course Name: RESEARCH M	ETH	ODOLOGY	
Course Code: 18CMU401	Semester: IV	II	Year: 2018Batch	
where we do not have the list of the population concerned. It also makes the field				
interviewing more efficient since interviewer can do many interviews at each location.				

g) Multi-stage Sampling

This is a further development of the idea of cluster sampling. This technique is meant for big inquiries extending to a considerably large geographical area like an entire country. Under multi-stage sampling the first stage may be to select large primary sampling units such as states, then districts, then towns and finally certain families within towns. If the technique of random-sampling is applied at all stages, the sampling procedure is described as multi-stage random sampling.

h) Sequential Sampling

This is somewhat a complex sample design where the ultimate size of the sample is not fixed in advance but is determined according to mathematical decisions on the basis of information yielded as survey progresses. This design is usually adopted under acceptance sampling plan in the context of statistical quality control.

In practice, several of the methods of sampling described above may well be used in the same study in which case it can be called mixed sampling. It may be pointed out here that normally one should resort to random sampling so that bias can be eliminated and sampling error can be estimated. But purposive sampling is considered desirable when the universe happens to be small and a known characteristic of it is to be studied intensively. Also, there are conditions under which sample designs other than random sampling may be considered better for reasons like convenience and low costs. The sample design to be used must be decided by the researcher taking into consideration the nature of the inquiry and other related factors.

6) Collecting the Data

Class: IIB.COM.	Course Name: RESEARCH	H METHODOLOGY
Course Code: 18CMU401	Semester: IV	II Year: 2018Batch
In dealing with any real l	ife problem it is often found that	data at hand are

inadequate, and hence, it becomes necessary to collect data that are appropriate. There are several ways of collecting the appropriate data which differ considerably in context of money costs, time and other resources at the disposal of the researcher.

Primary data can be collected either through experiment or through survey. If the researcher conducts an experiment, he observes some quantitative measurements, or the data, with the help of which he examines the truth contained in his hypothesis. But in the case of a survey, data can be collected by any one or more of the following ways:

a) By Observation

This method implies the collection of information by way of investigator's own observation, without interviewing the respondents. The information obtained relates to what is currently happening and is not complicated by either the past behaviour or future intentions or attitudes of respondents. This method is no doubt an expensive method and the information provided by this method is also very limited. As such this method is not suitable in inquiries where large samples are concerned.

b) Through Personal Interview

The investigator follows a rigid procedure and seeks answers to a set of preconceived questions through personal interviews. This method of collecting data is usually carried out in a structured way where output depends upon the ability of the interviewer to a large extent.

c) Through Telephone Interview

This method of collecting information involves contacting the respondents on telephone itself. This is not a very widely used method but it plays an important role in industrial surveys in developed regions, particularly, when the survey has to be accomplished in a very limited time.

Class: IIB.COM.	Course Name: RESEARCH M	ETH	ODOLOGY
Course Code: 18CMU401	Semester: IV	II	Year: 2018Batch

d) By Mailing of Questionnaire

The researcher and the respondents do come in contact with each other if this method of survey is adopted. Questionnaires are mailed to the respondents with a request to return after completing the same. It is the most extensively used method in various economic and business surveys. Before applying this method, usually a Pilot Study for testing the questionnaire is conduced which reveals the weaknesses, if any, of the questionnaire. Questionnaire to be used must be prepared very carefully so that it may prove to be effective in collecting the relevant information.

e) Through Schedules

Under this method the enumerators are appointed and given training. They are provided with schedules containing relevant questions. These enumerators go to respondents with these schedules. Data are collected by filling up the schedules by enumerators on the basis of replies given by respondents. Much depends upon the capability of enumerators so far as this method is concerned. Some occasional field checks on the work of the enumerators may ensure sincere work.

The researcher should select one of these methods of collecting the data taking into consideration the nature of investigation, objective and scope of the inquiry, financial resources, available time and the desired degree of accuracy. Though he should pay attention to all these factors but much depends upon the ability and experience of the researcher. In this context Dr A.L Bowley very aptly remarks that in collection of statistical data commonsense is the chief requisite and experience the chief teacher.

7) Execution of the Project

Execution of the project is a very important step in the research process. If the execution of the project proceeds on correct lines, the data to be collected would be adequate and dependable. The researcher should see that the project is executed in a

Class: IIB.COM. Course Code: 18CMU401

Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch

systematic manner and in time. If the survey is to be conducted by means of structured questionnaires, data can be readily machine-processed. In such a situation, questions as well as the possible answers may be coded. If the data are to be collected through interviewers, arrangements should be made for proper selection and training of the interviewers. The training may be given with the help of instruction manuals which explain clearly the job of the interviewers at each step. Occasional field checks should be made to ensure that the interviewers are doing their assigned job sincerely and efficiently. A careful watch should be kept for unanticipated factors in order to keep the survey as much realistic as possible. This, in other words, means that steps should be taken to ensure that the pre-defined standard of accuracy. If some of the respondents do not cooperate, some suitable methods should be designed to tackle this problem. One method of dealing with the non-response problem is to make a list of the non-respondents and take a small sub-sample of them, and then with the help of experts vigorous efforts can be made for securing response.

8) Analysis of Data

After the data have been collected, the researcher turns to the task of analyzing them. The analysis of data requires a number of closely related operations such as establishment of categories, the application of these categories to raw data through coding, tabulation and then drawing statistical inferences. The unwieldy data should necessarily be condensed into a few manageable groups and tables for further analysis. Thus, researcher should classify the raw data into some purposeful and usable categories. Coding operation is usually done at this stage through which the categories of data are transformed into symbols that may be tabulated and counted. Editing is the procedure that improves the quality of the data for coding. With coding the stage is ready for tabulation. Tabulation is a part of the technical procedure wherein the classified data are put in the form of tables. The mechanical devices can be made use of at this juncture. A great deal

 Class: IIB.COM.
 Course Name: RESEARCH METHODOLOGY

 <u>Course Code: 18CMU401</u>
 Semester: IV
 II Year: 2018Batch

 of data, specially in large inquiries, is tabulated by computers. Computers not only save
 time but also make it possible to study large number of variables affecting a problem

 simultaneously.
 Simultaneously.
 Semester: IV
 II Year: 2018Batch

Analysis work after tabulation is generally based on the computation of various percentages, coefficients, etc., by applying various well defined statistical formulae. In the process of analysis, relationships or differences supporting or conflicting with original or new hypotheses should be subjected to tests of significance to determine with what validity data can be said to indicate any conclusion(s). For instance, if there are two samples of weekly wages, each sample being drawn from factories in different parts of the same city, giving two different mean values, then our problem may be whether the two mean values are significantly different or the difference is just a matter of chance. Through the use of statistical tests we can establish whether such a difference is a real one or is the result of random fluctuations. If the difference happens to be real, the inference will be that the two samples come from different universes and if the difference is due to chance, the conclusion would be that the two samples belong to the same universe. Similarly, the technique of analysis of variance can help us in analysing whether three or more varieties of seeds grown on certain fields yield significantly different results or not. In brief, the researcher can analyse the collected data with the help of various statistical measures.

9) Hypothesis Testing

After analysing the data as stated above, the researcher is in a position to test the hypotheses, if any, he had formulated earlier. Do the facts support the hypotheses or they happen to be contrary? This is the usual question which should be answered while testing hypotheses. Various tests, such as Chi square test, t-test, F-test, have been developed by statisticians for the purpose. The hypotheses may be tested through the use of one or more of such tests, depending upon the nature and object of research inquiry. Hypothesis-testing will result in either accepting the hypothesis or in rejecting it. If the researcher had

Class: IIB.COM.	Course Name: RESEARCH M	ETH	ODOLOGY
Course Code: 18CMU401	Semester: IV	Π	Year: 2018Batch
no hypotheses to start with, generalisations established on the basis of data may be stated			
as hypotheses to be tested by subsequent res	searches in times to come.		

10) Generalizations and Interpretation

If a hypothesis is tested and upheld several times, it may be possible for the researcher to arrive at generalisation, i.e., to build a theory. As a matter of fact, the real value of research lies in its ability to arrive at certain generalisations. If the researcher had no hypothesis to start with, he might seek to explain his findings on the basis of some theory. It is known as interpretation. The process of interpretation may quite often trigger off new questions which in turn may lead to further researches.

11) Preparation of the Report or Presentation of the Results

Finally, the researcher has to prepare the report of what has been done by him. Writing of report must be done with great care keeping in view the following:

1) The layout of the report should be as follows: (i) the preliminary pages; (ii) the main text, and (iii) the end matter.

In its preliminary pages the report should carry title and date followed by acknowledgements and foreword. Then there should be a table of contents followed by a list of tables and list of graphs and charts, if any, given in the report.

The main text of the report should have the following parts:

 a) Introduction: It should contain a clear statement of the objective of the research and an explanation of the methodology adopted in accomplishing the research. The scope of the study along with various limitations should as well be stated in this part.

Class: IIB.COM.	Course Name: RESEARCH M	ETHODOLOGY
Course Code: 18CMU401	Semester: IV	II Year: 2018Batch

- b) Summary of Findings: After introduction there would appear a statement of findings and recommendations in non-technical language. If the findings are extensive, they should be summarised.
- c) **Main Report**: The main body of the report should be presented in logical sequence and broken-down into readily identifiable sections.
- d) **Conclusion**: Towards the end of the main text, researcher should again put down the results of his research clearly and precisely. In fact, it is the final summing up.

At the end of the report, appendices should be enlisted in respect of all technical data. Bibliography, i.e., list of books, journals, reports, etc., consulted, should also be given in the end. Index should also be given specially in a published research report.

2) Report should be written in a concise and objective style in simple language avoiding vague expressions such as 'it seems,' 'there may be', and the like.

3) Charts and illustrations in the main report should be used only if they present the information more clearly and forcibly.

4) Calculated 'confidence limits' must be mentioned and the various constraints experienced in conducting research operations may as well be stated.

KARPAGAM ACADEMY OF HIGHER EDUCATION, COIMBATORE DEPARTMENT OF COMMERCE II BCOM PA & BPS - RESEARCH METHODOLOGY (18PAU401 & 18BPU401)

Unit I

	Unit I				
QUESTIONS	OPTION 1	OPTION 2	OPTION 3	OPTION 4	ANSWER
A study to gain familiarity with a phenomenon to achieve new insights is	Exploratory research	Descriptive Research	Diagnostic Research	Hypothesis testing Research	Exploratory research
A Study to determine the frequency with which something occurs will be called as	Diagnostic Research	Descriptive Research	Exploratory research	Hypothesis testing Research	Diagnostic Research
A Study to portray accurately characteristics of a particular individual, situation or a group is called as	Exploratory research	Descriptive Research	Diagnostic Research	Hypothesis testing Research	Descriptive Research
n social science and business research we often use the term	Ex post facto research	Hypothesis testing Research	Diagnostic Research	Exploratory research	Ex post facto research
f the researcher has no control over the variables it is termed as	Exploratory research	Ex post facto research	Diagnostic Research	Hypothesis testing Research	Ex post facto research
means a critical evaluation made by the researcher with the facts and information already vailable	Exploratory research	Analytical Research	Diagnostic Research	Hypothesis testing Research	Analytical Research
Gathering knowledge for knowledge sake is termed as	Exploratory research	Pure Research	Diagnostic Research	Hypothesis testing Research	Pure Research
Research aiming to find an solution for an immediate problem is known as	Applied Research	Exploratory research	Diagnostic Research	Hypothesis testing Research	Applied Research
Research to find reason, why people think or do certain things is an example of	Qualitative research	Quantitative Research	Applied Research	Fundamental research	Qualitative research
Data based research coming up with conclusions which are capable of being verified by observation or experiment is known as	Empirical Research	Pure Research	Conceptual Research	Basic Research	Empirical Research
To develop new concepts or to reinterpret existing ones, philosophers and thinkers use	Empirical Research	Conceptual Research	Pure Research	Basic Research	Conceptual Research
A researcher is free to pick up a problem in	Conclusion -oriented Research	Decision - oriented Research	Historical Research	Diagnostic Research	Conclusion - oriented Research
A researcher will not be free to embark upon research according to his own inclination in	Historical Research	Decision- oriented Research	Conclusion- oriented Research	Diagnostic Research	Decision-oriented Research
Decision-oriented Research is always for the need of the	Researcher	Society	Decision maker	Others	Decision maker

Research carried out on over several time periods are called as	One-time Research	Longitudinal Research	Field setting Research	Clinical Research	Longitudinal Research
Research studies with substantial structure and specific hypothesis to be tested is called as	Formalized Research	Empirical Research	Historical Research	One-time Research	Formalized Research
Characteristics of research that allows research results to be verified by replicating the study is called as	Logical	Empirical	Historical	Replicable	Replicable
The methods or techniques used by researchers in performing research operations is called as	Research Methods	Research techniques	Research Methodology	Research process	Research Methods
The way to systematically solve the research problem is called as	Research Methods	Research techniques	Research process	Research Methodology	Research Methodolog
Conceptual Literature comprises of	Concepts and Theories	Earlier studies	Scientific enquiry	Specific Details	Concepts and Theories
Empirical literature comprises of	Concepts and Theories	Earlier studies	Scientific enquiry	Specific Details	Earlier studies
If we want to identify the reason for human behavior, we can apply	Qualitative research	Quantitative research	Fundamental research	Analytical research.	Qualitative research
Attitude or opinion research is known as	Qualitative research	quantitative research	conceptual research	fundamental research.	Qualitative research
Reseach is a for finding a solution to a immmediate problem	Investigation	Inquiry	knowledge	Investigation or Inquiry	Investigation or Inquiry
Research means	find out new things	find out old things	find out methods	find out techniques	find out new things
Research in common paralance refers to	Search for knowledge	find out old things	find out methods	find out techniques	Search for knowledge
is a voyage of discovery	Research design	Research techniques	Research methods	Research	Research
Over Rapporting	to collect the data	for good interaction	should be avoided	should be used	should be avoided
is an academic activity	Research design	Research techniques	Research methods	Research	Research
Good research must be	Progressive	Systematic	Informative	non informative	Systematic

Failure to set out clearly the objectives of research are bound to lead to confusion and waste of resource is	Partly true	partly false	false	true	true
Applied research is also called as	Diagnostic Research	Action Research	· ·	Hypothesis testing Research	Action Research
Fundamental research is also called as	Basic Research	Action Research	· ·	Hypothesis testing Research	Basic Research
Fundamental research is also called as	Pure Research	Action Research		Hypothesis testing Research	Pure Research
consists of series of actions or steps	Research Methods	Research techniques	Research process	Research Methodology	Research process
Which one of the following is not the source of research problem?	Specialization	Observation	Consultations	Resource development	Resource development
The formal, systematic and intensive process of carrying on a scientific method of analysis is known as	Research Design	Research	Interpretation		Research
The research, which has the purpose of improving a product or a process testing of theoretical concepts in actual problem situations is a	Statistical research	Applied research	Domestic research	Research analysis Biological research	Applied research
The research that describes what was in the past is	Statistical research	Applied research	Historical research	Biological research	Historical researc
There are steps in research process	2	3	4	11	11
The device which would retain the actual wording of the respondents is	Recording	Writing	Copying	Editing	Recording
refers to the relationship between facts or to them in some meaningful way	Science	Fact	Theory	Economics	Theory
What is regarded as an empirically verifiable observation?	Science	Research	Theory	Social Sciences	Research
is a tentative statement about something validity of which is usually unknown	Null hypothesis	Hypothesis	Research hypothesis	Statistical hypothesis	Hypothesis
Formulative research studies emphasise on	Bibliographical survey	Discovery of insights	Sample representatives	Specific prediction.	Discovery of insi
Research depends upon	random method	systematic method	horizontal method	vertical method	systematic metho

Which of the following method of sampling belongs to the category of probability sampling?	Judgement sampling	Quota sampling	Convenience sampling	Stratified sampling	Convenience sampling
is a basic principle of an experimental design	Duplication	Replication	Simplification	Multiplication	Replication
The content of a structured interview is	Statement based on experience	Controlled observation	Predetermined questions	Feelings and beliefs	Predetermined questions
is a social microsope	Statistical data	Interview	Observation	Case study method	Case study method
is a first step in research process	Formulating the research problem	Report writing	Research design	Sample desigh	Formulating the research problem
A Standard test must have the quality	Objectivity	Length	Interest	Nonverbal content	Objectivity
constitutes the blue print collection measurement and analysis of data	Applied thinking	Operational research	Subjective assessment	Research design	Research design
is a last step in research process	Formulating the research problem	Report writing	Research design	Sample desigh	Report writing
research is based on the measurement of quantity or amount	Quantitiative	Qualititative	experimental	non experimental	Quantitiative
research is concerned with qualitative phenomena	Quantitative	Qualitative	non experimental	experimental	Qualitative
research is related to some abstract idea or theory	Conceptual	Empirical	Conceptual & Empirical	applied	Conceptual
research relies on experience or observation alone	Conceptual	Empirical	Field setting	Historical	Empirical
research, which utilizes historical sources like documents, records, etc.,	Field setting	Conceptual	Empirical	Historical	Historical
refers to the some difficulties were the researcher experience in his life	Research Design	Research problem	Interpretation	Research analysis	Research problem

Class:II B.COM Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch

UNIT II RESEARCH DESIGN AND SAMPLING DESIGN

Research Design: Concept and Importance in Research – Features of a good research design – Exploratory Research Design – concept, types and uses, Descriptive Research Designs – concept, types and uses. Experimental Design. Data Sources – Primary and Secondary Data.

Sampling: Concepts of Statistical Population, Sample, Sampling Frame, Sampling Error, Sample Size, Non-Response, Characteristics of a good sample. Probability Sample – Simple Random Sample, Systematic Sample, Stratified Random Sample & Multi-stage sampling. Non Probability Sampling – Convenience, Quota, Judgmental, snowball sampling.

RESEARCH DESIGN

he formidable problem that follows the task of defining the research problem is the preparation of the design of the research project, popularly known as the "research design". Decisions regarding what, where, when, how much, by what means concerning an inquiry or a research study constitute a research design. "A research design is the arrangement of conditions for collection and analysis of data in a manner that aims to combine relevance to the research purpose with economy in procedure."1 In fact, the research design is the conceptual structure within which research is conducted; it

 Class: IIB.COM.
 Course Name: RESEARCH METHODOLOGY

 <u>Course Code: 18CMU401</u>
 Semester: IV II Year: 2018Batch

 constitutes the blueprint for the collection, measurement and analysis of data. As such the
 design includes an outline of what the researcher will do from writing the hypothesis and

 its operational implications to the final analysis of data. More explicitly, the desing
 decisions happen to be in respect of:

- 1. What is the study about?
- 2. Why is the study being made?
- 3. Where will the study be carried out?
- 4. What type of data is required?
- 5. Where can the required data be found?
- 6. What periods of time will the study include?
- 7. What will be the sample design?
- 8. What techniques of data collection will be used?
- 9. How will the data be analyzed?
- 10. In what style will the report be prepared?

Keeping in view the above stated design decisions, one may split the overall research design into the following parts:

- a) the sampling design which deals with the method of selecting items to be observed for the given study;
- b) the observational design which relates to the conditions under which the observations are to be made;
- c) the statistical design which concerns with the question of how many items are to be observed and how the information and data gathered are to be analysed; and
- d) the operational design which deals with the techniques by which the procedures specified in the sampling, statistical and observational designs can be carried out.

From what has been stated above, we can state the important features of a research design as under:

Class: IIB.COM.	Course Name: RESEARCH METHODOLOGY
Course Code: 18CMU401	Semester: IV II Year: 2018Batch

- i) It is a plan that specifies the sources and types of information relevant to the research problem.
- ii) It is a strategy specifying which approach will be used for gathering and analysing the data.
- iii) It also includes the time and cost budgets since most studies are done under these two constraints.

In brief, research design must, at least, contain—(a) a clear statement of the research problem; (b) procedures and techniques to be used for gathering information; (c) the population to be studied; and (d) methods to be used in processing and analyzing data.

COMPONENTS OF RESEARCH DESIGN

1) Title of the Study

Enough information should be given in the title, to identify the study. The researcher should consider the following while selecting a title

- > The title should be specific to the area of the study
- > The title should indicate the topic of the study
- The language of the title should be professional in nature but not pedantic (dull)
- > The title should be as brief as possible

2) Introduction

Under this heading a brief explanation of the genesis of the problem should be given.

Class: IIB.COM.	Course Name: RESEARCH	H METHODOLOGY
Course Code: 18CMU401	Semester: IV II	Year: 2018Batch

3) Statement of the Problem

After a brief introduction explaining the genesis of the problem, the researcher should state the problem. While stating the problem use of clear, simple and concise statement is preferable

4) Review of Previous Studies

Under this head the researcher presents what is so far known about the problem under consideration. All related studies need not be discussed. The researcher may describe the most important ones. A review of the previous studies enables the researcher to know the different areas covered by various studies, to concentrate on the areas where little research has been carried out, to look into various merits and shortcomings of certain studies already completed and to verify the present findings with that of the previous ones

5) Scope of the Study

This heading gives an idea about the extend of the study. The scope of the study is dependent on several factors such as the time and money available with the investigator, availability of the sample, co-operation of the respondents and the like

6) Objectives of the Study

The task of the researcher is to lay down the objectives precisely. The objectives enlighten the researcher's own mind and lead to more efficient enquiry. Once the objectives are selected, the study can be undertaken with required accuracy and within the given resources. The objectives mentioned should be well within the scope of the study

Class: IIB.COM.	Course Name: RESEARCH METHODOLOGY
Course Code: 18CMU401	Semester: IV II Year: 2018Batch

7) Hypothesis to be Tested

Hypothesis is a proposition, condition or principle which is assumed, perhaps without belief in order to draw logical conclusions. Hypotheses are formulated to explain observed facts, conditions, or behaviours and to serve as a guide in the research process. Each hypothesis is individually tested to determine whether it is tenable (reasonable) or not. Hypothesis should be stated in clear, concise and understandable language

8) Operational Definition of Concepts

All terms that might be ambiguous should be clarified. A clear understanding of the terms used in the study is important. It is necessary to identify and label the variables. The variables can be labeled as independent variable and dependent variable. An independent variable is the factor which is measured, manipulated or selected by the experiments. A dependent variable is that factor which is measured to determine the effect of independent variable

9) Geographical Area to be Covered

Under this head the area to be covered by the study is mentioned

10) Reference Period

The period of study can be mentioned under this heading

11) Methodology

The researcher should first determine the kind of information needed to answer the research questions. Secondly he must know the sources of data and finally he must know the means by which he will gather information which is known as methodology

12) Sampling

Class: IIB.COM.	Course Name: RESEARCH METHODOLOGY
Course Code: 18CMU401	Semester: IV II Year: 2018Batch

Sampling involves taking a portion of population, making observation on this smaller group and then generalizing the findings to be applied to a large population. The small group that is observed is called the sample and the large group is called population. The sample is the portion of the population and it must be representative of the population. If the sample is biased, the findings of the study cannot be generalized

13) Tools for Collection of Data

The choice of method for collecting the data is governed by the subject matter, the unit of enquiry and the scale of the study. A study of the behavior of a group would call for observational techniques, for a simple enquiry among the cross section of population, a questionnaire is adequate. A survey of general population entailing many complicated questions would call for personal interviewing

14) Plan of Analysis

Once the data have been collected, they must be reduced to meaningful results by statistical analysis so that the conclusions for generalization can be drawn from them. The researcher should describe how he plans to organize the data. He should decide the statistical treatment. The appropriateness of the technique should be discussed. He must discuss the procedure for treating the data

15) Research Report

The results should be communicated. The format consists of three parts

- Part I Preliminary Pages, which contain title page, approval sheet, preface (if any), table of contents, list of tables (if any) and list of figures (if any)
- ✤ Part II Body of the report, which covers content chapters
- Part III Supplementary pages which included bibliography appendix (if any) and index (if any)

Class: IIB.COM.	Course Name: RESEARCH METHODOLOGY
Course Code: 18CMU401	Semester: IV II Year: 2018Batch
16) Time Schedule	

The researcher has to work out a time schedule for his research work. The time required includes the following:

- > Time to be used for preparing the theoretical background
- Time to be used for preparing the data gathering devices such as questionnaire, interview schedule, record sheet, interviewer's manual and time and expenses sheets
- Time to be used for data collection
- Time to be used for processing the data
- > Time to be used for writing the report
- Time to be used for submitting the thesis

17) Financial Budget

It is desirable to work out the budget which gives an idea about the money needed to complete the project. The cost estimates of the project will include stationery, printing, sample selection, field work, mailing, processing, tabulating, preparation of report and overheads.

The research design will differ depending on the research purpose. The research purposes may purport to gain familiarity with a phenomenon, portray accurately the characteristics of a particular individual, situation or group, determine the frequency with which something occurs and test a hypothesis of casual relationship between variables. In practice, these different types of studies are not always sharply distinguishable. The research design will be more or less the same for any type of study

METHODS OF RESEARCH DESIGN

Different research designs can be conveniently described if we categorize them as: (1) research design in case of exploratory research studies; (2) research design in case

Class: IIB.COM.	Course Name: RESEARCH	H METHODOLOGY
Course Code: 18CMU401	Semester: IV II	Year: 2018Batch
of descriptive and diagnostic research studie	es, and (3) research design in	n case of
hypothesis-testing research studies.		

1) Research design in case of exploratory research studies

Exploratory research studies are also termed as formulative research studies. The main purpose of such studies is that of formulating a problem for more precise (accurate) investigation or of developing the working hypotheses from an operational point of view. The major emphasis in such studies is on the discovery of ideas and insights. As such the research design appropriate for such studies must be flexible enough to provide opportunity for considering different aspects of a problem under study. Inbuilt flexibility in research design is needed because the research problem, broadly defined initially, is transformed into one with more precise meaning in exploratory studies, which fact may necessitate changes in the research procedure for gathering relevant data. Generally, the following three methods in the context of research design for such studies are talked about: (a) the survey of concerning literature; (b) the experience survey and (c) the analysis of 'insight-stimulating' examples.

The survey of concerning literature happens to be the most simple and fruitful method of formulating precisely the research problem or developing hypothesis. Hypotheses stated by earlier workers may be reviewed and their usefulness be evaluated as a basis for further research. It may also be considered whether the already stated hypotheses suggest new hypothesis. In this way the researcher should review and build upon the work already done by others, but in cases where hypotheses have not yet been formulated, his task is to review the available material for deriving the relevant hypotheses from it.

Besides, the bibliographical survey of studies, already made in one's area of interest may as well as made by the researcher for precisely formulating the problem. He should also make an attempt to apply concepts and theories developed in different research contexts to the area in which he is himself working. Sometimes the works of creative writers also

 Class: IIB.COM.
 Course Name: RESEARCH METHODOLOGY

 Course Code: 18CMU401
 Semester: IV II
 Year: 2018Batch

 provide a fertile ground for hypothesis-formulation and as such may be looked into by the researcher.
 researcher.

Experience survey means the survey of people who have had practical experience with the problem to be studied. The object of such a survey is to obtain insight into the relationships between variables and new ideas relating to the research problem. For such a survey people who are competent and can contribute new ideas may be carefully selected as respondents to ensure a representation of different types of experience. The respondents so selected may then be interviewed by the investigator. The researcher must prepare an interview schedule for the systematic questioning of informants. But the interview must ensure flexibility in the sense that the respondents should be allowed to raise issues and questions which the investigator has not previously considered. Generally, the experience-collecting interview is likely to be long and may last for few hours. Hence, it is often considered desirable to send a copy of the questions to be discussed to the respondents well in advance. This will also give an opportunity to the respondents for doing some advance thinking over the various issues involved so that, at the time of interview, they may be able to contribute effectively. Thus, an experience survey may enable the researcher to define the problem more concisely (briefly) and help in the formulation of the research hypothesis. This survey may as well provide information about the practical possibilities for doing different types of research.

Analysis of 'insight-stimulating' examples is also a fruitful method for suggesting hypotheses for research. It is particularly suitable in areas where there is little experience to serve as a guide. This method consists of the intensive study of selected instances of the phenomenon in which one is interested. For this purpose the existing records, if any, may be examined, the unstructured interviewing may take place, or some other approach may be adopted. Attitude of the investigator, the intensity of the study and the ability of the researcher to draw together diverse information into a unified interpretation are the main features which make this method an appropriate procedure for evoking insights.

Class: IIB.COM.	Course Name: RESEARCH METHODOLOGY
Course Code: 18CMU401	Semester: IV II Year: 2018Batch

Now, what sort of examples is to be selected and studied? There is no clear cut answer to it. Experience indicates that for particular problems certain types of instances are more appropriate than others. One can mention few examples of 'insight-stimulating' cases such as the reactions of strangers, the reactions of marginal individuals, the study of individuals who are in transition from one stage to another, the reactions of individuals from different social strata and the like. In general, cases that provide sharp contrasts or have striking features are considered relatively more useful while adopting this method of hypotheses formulation.

Thus, in an exploratory of formulative research study which merely leads to insights or hypotheses, whatever method or research design outlined above is adopted, the only thing essential is that it must continue to remain flexible so that many different facets of a problem may be considered as and when they arise and come to the notice of the researcher.

2) Research design in case of descriptive and diagnostic research studies

Descriptive research studies are those studies, which are concerned with describing the characteristics of a particular individual, or of a group, whereas diagnostic research studies determine the frequency with which something occurs or its association with something else. The studies concerning whether certain variables are associated are examples of diagnostic research studies. As against this, studies concerned with specific predictions, with narration of facts and characteristics concerning individual, group or situation are all examples of descriptive research studies. Most of the social research comes under this category. From the point of view of the research design, the descriptive as well as diagnostic studies share common requirements and as such we may group together these two types of research studies. In descriptive as well as in diagnostic studies, the researcher must be able to define clearly, what he wants to measure and must find adequate methods for measuring it along with a clear cut definition of 'population'

 Class: IIB.COM.
 Course Name: RESEARCH METHODOLOGY

 <u>Course Code: 18CMU401</u>
 Semester: IV II Year: 2018Batch

 he wants to study. Since the aim is to obtain complete and accurate information in the said studies, the procedure to be used must be carefully planned. The research design must make enough provision for protection against bias and must maximize reliability, with due concern for the economical completion of the research study. The design in such studies must be rigid and not flexible and must focus attention on the following:

- a. Formulating the objective of the study (what the study is about and why is it being made?)
- b. Designing the methods of data collection (what techniques of gathering data will be adopted?)
- c. Selecting the sample (how much material will be needed?)
- d. Collecting the data (where can the required data be found and with what time period should the data be related?)
- e. Processing and analyzing the data.
- f. Reporting the findings.

In a descriptive/diagnostic study the first step is to specify the objectives with sufficient precision (accuracy) to ensure that the data collected are relevant. If this is not done carefully, the study may not provide the desired information.

Then comes the question of selecting the methods by which the data are to be obtained. In other words, techniques for collecting the information must be devised. Several methods (viz., observation, questionnaires, interviewing, examination of records, etc.), with their merits and limitations, are available for the purpose and the researcher may user one or more of these methods which have been discussed in detail in later chapters. While designing data-collection procedure, adequate safeguards against bias and unreliability must be ensured. Whichever method is selected, questions must be well examined and be made unambiguous; interviewers must be instructed not to express their own opinion; observers must be trained so that they uniformly record a given item of behaviour. It is always desirable to pretest the data collection instruments before they are

Class: IIB.COM.	Course Name: RESEARCH METHODOLOGY
Course Code: 18CMU401	Semester: IV II Year: 2018Batch
finally used for the study purposes. In other	words, we can say that "structured
instruments" are used in such studies.	

In most of the descriptive/diagnostic studies the researcher takes out sample(s) and then wishes to make statements about the population on the basis of the sample analysis or analyses. More often than not, sample has to be designed. Here we may only mention that the problem of designing samples should be tackled in such a fashion that the samples may yield accurate information with a minimum amount of research effort. Usually one or more forms of probability sampling, or what is often described as random sampling, are used.

To obtain data free from errors introduced by those responsible for collecting them, it is necessary to supervise closely the staff of field workers as they collect and record information. Checks may be set up to ensure that the data collecting staff perform their duty honestly and without prejudice. "As data are collected, they should be examined for completeness, comprehensibility, consistency and reliability."

The data collected must be processed and analysed. This includes steps like coding the interview replies, observations, etc.; tabulating the data; and performing several statistical computations. To the extent possible, the processing and analysing procedure should be planned in detail before actual work is started. This will prove economical in the sense that the researcher may avoid unnecessary labour such as preparing tables for which he later finds he has no use or on the other hand, re-doing some tables because he failed to include relevant data. Coding should be done carefully to avoid error in coding and for this purpose the reliability of coders needs to be checked. Similarly, the accuracy of tabulation may be checked by having a sample of the tables re-done. In case of mechanical tabulation the material (i.e., the collected data or information) must be entered on appropriate cards, which is usually done by punching holes corresponding to a given code. The accuracy of punching is to be checked and ensured. Finally, statistical computations are needed and as such

Class: IIB.COM.Course Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IV II Year: 2018Batch

averages, percentages and various coefficients must be worked out. Probability and sampling analysis may as well be used. The appropriate statistical operations, along with the use of appropriate tests of significance should be carried out to safeguard the drawing of conclusions concerning the study.

Last of all comes the question of reporting the findings. This is the task of communicating the findings to others and the researcher must do it in an efficient manner. The layout of the report needs to be well planned so that all things relating to the research study may be well presented in simple and effective style.

Thus, the research design in case of descriptive/diagnostic studies is a comparative design throwing light on all points narrated above and must be prepared keeping in view the objective(s) of the study and the resources available. However, it must ensure the minimisation of bias and maximisation of reliability of the evidence collected. The said design can be appropriately referred to as a *survey design* since it takes into account all the steps involved in a survey concerning a phenomenon to be studied.

3) Research design in case of hypothesis-testing research studies

Hypothesis-testing research studies (generally known as experimental studies) are those where the researcher tests the hypotheses of causal relationships between variables. Such studies require procedures that will not only reduce bias and increase reliability, but will permit drawing inferences about causality. Usually experiments meet this requirement. Hence, when we talk of research design in such studies, we often mean the design of experiments.

Professor R.A. Fisher's name is associated with experimental designs. Beginning of such designs was made by him when he was working at Rothamsted Experimental Station (Centre for Agricultural Research in England). As such the study of experimental designs has its origin in agricultural research. Professor Fisher found that by dividing agricultural fields or plots into different blocks and then by conducting experiments in

Class: IIB.COM.Course Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IV II Year: 2018Batch

each of these blocks, whatever information is collected and inferences drawn from them, happens to be more reliable. This fact inspired him to develop certain experimental designs for testing hypotheses concerning scientific investigations. Today, the experimental designs are being used in researches relating to phenomena of several disciplines. Since experimental designs originated in the context of agricultural operations, we still use, though in a technical sense, several terms of agriculture (such as treatment, yield, plot, block etc.) in experimental designs.

CENSUS

All items in any field of inquiry constitute a 'Universe' or 'Population.' A complete enumeration of all items in the 'population' is known as a census inquiry. It can be presumed that in such an inquiry, when all items are covered, no element of chance is left and highest accuracy is obtained. But in practice this may not be true. Even the slightest element of bias in such an inquiry will get larger and larger as the number of observation increases. Moreover, there is no way of checking the element of bias or its extent except through a resurvey or use of sample checks. Besides, this type of inquiry involves a great deal of time, money and energy. Therefore, when the field of inquiry is large, this method becomes difficult to adopt because of the resources involved. At times, this method is practically beyond the reach of ordinary researchers. Perhaps, government is the only institution which can get the complete enumeration carried out. Even the government adopts this in very rare cases such as population census conducted once in a decade. Further, many a time it is not possible to examine every item in the population, and sometimes it is possible to obtain sufficiently accurate results by studying only a part of total population. In such cases there is no utility of census surveys. Then, the researcher may make use of Sampling.

SAMPLING

Sampling is nothing but a proportion of Population. However, it needs to be emphasised that when the universe is a small one, it is no use resorting to a sample survey. When field studies are undertaken in practical life, considerations of time and

Class: II MCOM.CA Course Code: 18CMU401 Course Code: 18CMU401 Cost almost invariably lead to a selection of respondents i.e., selection of only a few items. The respondents selected should be as representative of the total population as possible in order to produce a miniature cross-section. The selected respondents constitute what is technically called a 'sample' and the selection process is called 'sampling technique.' The survey so conducted is known as 'sample survey'. Algebraically, let the population size be N and if a part of size n (which is < N) of this population is selected according to some rule for studying some characteristic of the population, the group consisting of these n units is known as 'sample'. Researcher must prepare a sample design for his study i.e., he must plan how a sample should be selected and of what size such a sample would be.

CHARACTERISTICS OF A GOOD SAMPLE PLAN

- 1. Sample design must result in a truly representative sample.
- 2. Sample design must be such which results in a small sampling error.
- 3. Sample design must be viable in the context of funds available for the research study.
- 4. Sample design must be such so that systematic bias can be controlled in a better way.
- 5. Sample should be such that the results of the sample study can be applied, in general, for the universe with a reasonable level of confidence.

STEPS IN SAMPLING

1) Type of Universe

The first step in developing any sample design is to clearly define the set of objects, technically called the universe, to be studied. The universe can be finite or infinite. In finite universe the number of items is certain, but in case of an infinite universe the number of items is infinite, i.e. we cannot have any idea about the total number of items. The population of a city, the number of workers in a factory and the like are examples of finite universes, whereas the number of stars in the sky, listeners of a specific radio programme, throwing a dice etc. are examples of infinite universes.

Class: II MCOM.CA Course Code: 18CMU401

Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch

2) Sampling Unit

A decision has to be taken concerning a sampling unit before selecting sample. Sampling unit may be a geographical one such as state, district, village, etc., or a construction unit such as a house, flat, etc., or it may be a social unit such as family, club, school, etc., or it may be an individual. The researcher will have to decide one or more of such units that he has to select for his study.

3) Source List

It is also known as 'sampling frame' from which sample is to be drawn. It contains the names of all items of universe. If source list is not available, researcher has to prepare it. Such a list should be comprehensive, correct, reliable and appropriate. It is extremely important for the source list to be as representative of the population as possible.

4) Size of Sample

This refers to the number of items to be selected from the universe to constitute a sample. This is a major problem before a researcher. The size of sample should neither be excessively large, nor too small. It should be optimum. An optimum sample is one which fulfills the requirements of efficiency, representativeness, reliability and flexibility. While deciding the size of sample, researcher must determine the desired precision as also an acceptable confidence level for the estimate. The size of population variance needs to be considered as in case of larger variance usually a bigger sample is needed. The size of population must be kept in view for this also limits the sample size. The parameters of interest in a research study must be kept in view, while deciding the size of sample. Costs too dictate the size of sample that we can draw. As such, budgetary constraint must invariably be taken into consideration when we decide the sample size.

5) Parameters of Interest

In determining the sample design, one must consider the question of the specific population parameters which are of interest. For instance, we may be interested in

Class: II MCOM.CA Course Code: 18CMU401 Course Code: 18CMU401 Course Code: 18CMU401 Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch may be interested in knowing some average or the other measure concerning the population. There may be important sub-groups in the population about whom we would like to make estimates. All this has a strong impact upon the sample design we would accept.

6) Budgetary Constraint

Cost considerations, from practical point of view, have a major impact upon decisions relating to not only the size of the sample but also to the type of sample. This fact can even lead to the use of a non-probability sample.

7) Sampling Procedure

Finally, the researcher must decide the type of sample he will use i.e. he must decide about the technique to be used in selecting the items for the sample. In fact, this technique or procedure stands for the sample design itself. There are several sample designs out of which the researcher must choose one for his study. Obviously, he must select that design which, for a given sample size and for a given cost, has a smaller sampling error.

RANDOM SAMPLING PROCEDURES

The importance of randomness in sampling needs no emphasis, It is a means for securing a representative sample. How can a random sample be drawn? The layman tends to think that random sampling means picking out units "at random", i.e., in a haphazard or hit-and-miss way. Experience shows that the human being is an extremely poor instrument for the conduct of a random selection. To ensure true randomness the method of selection must be independent of human judgement. There are basic procedures.

1) Lottery Method

This is the simplest and most familiar procedure of random sampling. If a sample of 10 students is to be drawn out of a list of 50 students in a section, take 50 equal size

Class: II MCOM.CA Course Code: 18CMU401 Chips or slips of paper; number them from 1 to 50 each bearing only one number. Roll each slip. Put the rolled slips in a global container and thoroughly shuffle or mix them. Take 10 chips from the container one after another. Each time before drawing a chip, mix the chips in the container thoroughly. The units bearing the numbers of chips drawn constitute the random sample.

(i) Sampling with Replacement

After a number is selected by draw, it may be replaced and consequently it has a chance of being selected again. Such method is known as sampling with replacement. This is usually referred to as unrestricted random sampling.

(ii) Sampling without Replacement

Selected numbers is set aside, and so in subsequent draws, it does not get a chance of being selected again. This type of sampling is known as sampling without replacement. This is a form of restricted sampling.

2) Use of Table o Random Numbers

This is a less cumbersome, but equally valid procedure of sample selection. Tables of random numbers have been developed by Kendall and Smith (1939), Fisher and Yates (1963) and Tippett (1927). To select a random sample out of a given frame, one should simply start to read numbers from a Table of Random Numbers at any randomly selected point and pick out numbers within the range of the frame. Let us suppose that random sample of 50 is to be selected from a College populations of 500 Commerce Students. We can use any table of random numbers.

10	09	73	25	33	76	52	01
37	54	20	48	05	64	89	47

KARPAGAM ACADEMY OF HIGHER EDUCATION, COIMBATORE							
Class: II MCOM.CA							HODOLOGY
Course Code: 18CMU401				Semester: IV II Year: 2018Batch			
08	42	26	89	53	19	64	50
09	01	90	25	29	09	37	67
12	80	79	99	70	80	15	73
66	06	57	47	17	34	07	27
31	06	01	08	05	45	57	18
85	26	97	76	02	02	05	16
63	57	33	21	35	05	32	54
73	79	64	57	53	03	52	96

Let us suppose, we start at the top of the left hand second column. As the population consists of a three-digit figure, read three-digit columns, i.e., read 097, 542, 422, 019 and so on. All the numbers within the range of 1 to 500 may be picked out. Then the sample will consist of:

097, 422, 019, 065. 060, 269 and so on. In the above reading, 542, 807, 573, etc., are rejected because they are over 500.

When the researcher reaches the bottom of a column, he can simply move one digit to the right and start at the top of the column again, and read numbers in three-digits: 973, 420, 226, 190, 079 and so on.

The main advantage of the use of a Table of Random Numbers are:

Easy to use and ready accessibility

The Table of Random numbers is ideal for obtaining a random sample from relatively small populations. When populations are quite large say lakhs or crores, drawing numbers from the table becomes tedious.

3) Use of Computer

Class: II MCOM.CACourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IV II Year: 2018Batch

If the population is very large and if computer facilities are available, a computer may be used for drawing a random sample. The computer can be programmed to print out a series of random numbers as the researcher desires.

TYPES OF SAMPLING

1) Probability Sampling

In probability sample, every unit in the population has equal chances for being selected as a sample unit.

2) Non-probability Sampling

In non probability sampling, units in the population has unequal or zero chances for being selected as a sample unit.

A) Probability Sampling

1) Simple Random Sampling

This sampling technique gives each element an equal and independent chance of being selected. An equal chance means equal probability of selection, e.g., in a population of 300, each element theoretically has 1/300th chance of being selected. In a population of 1000, each element has 1/1000th chance of being selected. Equal probability selection method is described as Epsem sampling. An independent choice means that the draw of one element will not affect the chances of other elements being selected.

Where some elements are purposely excluded from the sample, the resulting sample is not a random one, Hence, all elements should be included in the sample frame to draw a random sample.

Merits

1. All elements in the population have an equal chance of being selected

Class: II MCOM.CA Course Code: 18CMU401

Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch

- 2. Of all the probability sampling techniques, simple random sampling is the easiest to apply
- 3. It is the most simple type of probability sampling to understand
- 4. It does not required a prior knowledge of the true composition of the population
- 5. The amount of sampling error associated with any sample drawn can easily be computed

Demerits

- It is often impractical, because of non-availability of population list, or of difficulty in enumerating the population. For example, it is difficult to get a current accurate list of households in a city of a list of landless rural agricultural labourers who migrate from area to area in search of employment or a list of households of a nomadic tribe
- 2. The use of simple random sampling may be wasteful because we fail to use all of the known information about the population
- 3. This technique does not ensure proportionate representation to various groups constituting the population
- 4. The sampling error in this sampling is greater than that in other probability samples of the same size, because it is less precise than other methods
- 5. The size of the sample required to ensure its representativeness is equally larger under this type of sampling than under other random sampling techniques
- 6. A simple random design may be expensive in time and money

2) Stratified Random Sampling

This is an improved type of random sampling. In this method, the population is subdivided into homogenous groups or strata, and from each stratum, random sample is drawn. For example university students may be divided on the basis of discipline, and each discipline group may again be divided into juniors and seniors; and the employees of a business undertaking may be divided into managers and non-managers and each of those two groups may be sub-divided into salary-grade wise strata.

Class: II MCOM.CA Course Code: 18CMU401

Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch

a) Proportionate Stratified Sampling

This sampling involves drawing a sample from each stratum in proportion to the latter's share in the total population.

Specialization	No. of Students	Proportion of Each Stream	
Production	40	0.4	
Finance	20	0.2	
Marketing	30	0.3	
Rural Development	10	0.1	
Total	100	1.0	

Merits

- 1. It enhances the representativeness of the sample by giving proper representation to all sub-groups in the population
- 2. It gives higher statistical efficiency that the given by simple random sampling for a given sample size
- 3. It is easy to carry out this sample method
- 4. This method gives a self-weighing sample, the population mean can be estimated simply by calculating the sample mean

Demerits

- 1. A prior knowledge of the composition of the population and the distribution of the population characteristics are required to adopt this method
- 2. This method is very expensive in time and money. Of course its greater efficiency may offset the additional cost
- 3. The identification of the strata might lead to classification errors. Some elements maybe included into the wrong strata. This may vitiate the interpretation of survey results.

b) Disproportionate Stratified Sampling

Class: II MCOM.CACourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IV II Year: 2018Batch

This method does not give proportionate representation to strata (group). It necessarily involves giving over representation to some strata and under representation to others. There may be several disproportionate schemes. All strata may be given equal weight, even though their shares in the total population vary. Alternatively some substrata may be given greater weight and others lesser weight. When is such disproportionate weighing preferable? **Example :** Drawing one per cent as sample irrespective on the numbers of members in the sample

Merits

- 1. It is less time consuming compared with proportionate sampling, because the researcher is not necessarily concerned about the proportionate representativeness of his resulting sample as in the latter method
- 2. It facilitates giving appropriate weighting to particular groups, which are small but more important

Demerits

- 1. This method does not give each stratum proportionate representation. Hence, the resulting sample may be less representative
- 2. This method requires a prior knowledge of the composition of the population, which is not always possible
- 3. This method is also subject to classification errors. It is possible that the researcher may misclassify certain elements
- 4. Though disproportionate sampling is a means for developing an optimal stratification scheme, its practical feasibility is doubtful because one generally does not know the relative variability in the strata nor the relative costs

3) Systematic Sampling

This method of sampling is an alternative to random sampling. It consists of taking every Kth item in the population after a random start with an item form 1 to K. For **example**, suppose it is desired to select a sample of 20 students, from a list of 300 students,

Class: II MCOM.CA
Course Code: 18CMU401Course Name: RESEARCH METHODOLOGY
Semester: IV II Year: 2018Batchdivide the population total of 300 by 20, the quotient is 15. Select a number at random
between 1 and 15, using lottery method or a table of random numbers. Suppose the selected
number is 9. Then the students numbered 9, 24, 39 are selected as the sample.

As the interval between sample units is fixed, this method is also known as fixed interval method.

Merits

- 1. It is much simpler than random sampling. It is easy to use
- 2. It is easy to instruct to field investigators to use this method
- 3. This method may require less time. A researcher operating on a limited time schedule will prefer this method
- 4. This method is cheaper than simple random sampling
- 5. It is easier to check whether every 'k'th has been included in the sample
- 6. Sample is spread evenly over the population
- 7. It is statistically more efficient than a simple random sample when population elements are ordered chronologically, by size, class, etc., Then systematic sampling gives a better representative sample

Demerits

- This method ignores all elements between two 'k'th elements selected. Further, except the first element, other selected elements are not chosen at random. Hence, this sampling cannot be considered to be a probably sampling in the strict sense of the term
- As each element does not have an equal chance of being selected, the resulting sample is not a random one. For studies aiming at estimation or generalizations, this disadvantage would be serious one
- This method may sometimes give a biased sample. If by chance, several 'k' th elements chosen represent a particular group, that group would be over-represented in the sample

Class: II MCOM.CA Course Code: 18CMU401

Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch

4) Cluster Sampling

Where the population elements are scattered over a wider area and a list of population elements is not readily available, the use of simple or stratified random sampling method would be too expensive and time consuming. In such cases cluster sampling is usually adopted.

Cluster sampling means random selection of sampling units consisting of population elements. Each such sampling unit is a cluster of population elements. Then from each selected sampling unit, a sample of population elements is drawn by either simple random selection or stratified random selection.

Example: Suppose a researcher wants to select a random sample of 1000 households out of 40000 estimated households in a city for a survey. A direct sample of individual households would be difficult to select, because a list of households does not exist and would be too costly to prepare. Instead, he can select a random sample of a few blocks / wards. The number of blocks to be selected depends upon the average number of estimated households per block. Suppose the average number of households per block is 200, then 5 blocks comprise the sample. Since the number of households per block varies, the actual sample size depends on the block which happen to be selected. Alternatively, he can draw a sample of more blocks and from each blocks a certain number of households may be selected by systematic sampling.

Merits

- This method is much easier and more convenient to apply when large populations are studied or large geographical areas are covered. Even a ready list of population elements is not necessary. A researcher can simply draw a random sample of geographical sections and adopt single or multistage sampling depending on the vastness of the area covered by the study
- 2. The cost of this method is much less when compared with other sampling methods

Class: II MCOM.CA Course Code: 18CMU401

Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch

- 3. This method promotes the convenience of field work at it could be done in compact places
- 4. Sampling under this method does not require more time
- 5. Units of study can be readily substituted for other units within the same random section
- 6. This method is flexible. Where it involves multistage sampling, it is possible to employ different types of sampling in successive stages

Demerits

- The cluster size may vary and this variation could increase the bias of the resulting sample. For example, if the researcher were to interview all adults in households in each selected street the number of adults would vary from house to house. There would be certain bias resulting from the large coverage of big families
- 2. The sampling error in this method of sampling is greater. Thus, this method is statistically less efficient than other probability sampling methods
- 3. Adjacent units of study (e.g. households) tend to have more similar characteristics than do units distantly apart. This affects the 'representativeness' of the sample and this effect is reflected in a greater sampling error.

5) Area Sampling

This is an important form of cluster sampling. In larger field surveys, clusters consisting of specific geographical areas like districts, taluks, villages or blocks in a city are randomly drawn. As the geographical areas are selected as sampling units in such cases, their sampling is called area sampling. It is not a separate method of sampling, but forms a part of cluster sampling.

Class: II MCOM.CA	Course Name: RESEAR	CH METHODOLOGY
Course Code: 18CMU401	Semester: IV II	Year: 2018Batch

In a country like India where a state (previously known as province) is divided into districts, districts into talukas and talukas into towns and villages, area sampling is done on the basis of these administrative units in multi-stages.

6) Multi-stage Sampling

In this method, sampling is carried out in two or more stages. The population is regarded as being composed of a number of first stage sampling units. Each of them is made up of a number of second stage units and so forth. That is, at each stage, a sampling unit is a cluster of the sampling units of the subsequent stage. First, a sample of the first stage sampling units is drawn, then from each of the selected first stage sampling unit, a sample of the second stage sampling units is drawn. The procedure continues down to the final sampling units or population elements. Appropriate random sampling method is adopted at each stage.

Merits

It results in concentration of fieldwork in compact small areas and consequently in a saving of time, labour and money

- 1. It is more convenient, efficient and flexible than single-stage sampling
- 2. It obviates the necessity of having a sampling frame covered the entire population

Demerits

The major disadvantage of the multi-stage sampling is that the procedure of estimating sampling error and cost advantage is complicated. It is difficult for a non-statistician to follow estimation procedure.

B. Non-Probability Sampling

1) Convenience Sampling

This is non-probability sampling. It means selecting sample units in a just 'hit an miss' fashion. E.g. Interviewing people whom we happen to meet. This sampling also means selecting whatever sampling units are conveniently available e.g. a teacher may

Class: II MCOM.CA Course Code: 18CMU401

Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch

select students in his class. This method is also known as accidental sampling because the respondents whom the researcher meets accidentally are included in the sample.

Merits

- 1. Cheapest and simplest
- 2. It does not require a list of population
- 3. It does not require any statistical expertise

Demerits

- 1. Convenience sampling is highly biased, because of the researcher's subjectivity, and so it does not yield a representative sample
- 2. It is the least reliable sampling method. There is no way of estimating the representativeness of the sample
- 3. The findings cannot be generalized

2) Purposed or Judgement Sampling

This method means deliberate selection of sample units that conform to some predetermined criteria. This is known as judgement sampling. This involves selection of cases which we judge as the most appropriate ones for the given study. It is based on the judgement of the researcher or some expert. It does not aim at securing a cross section of a population.

The chance that a particular case be selected for the sample depends on the subjective judgement of the researcher. For example, A researcher may deliberately choose industrial undertakings in which quality circles are believed to be functioning successfully and undertakings in which quality circles are believed to be a total failure

Merits

- 1. It is less costly and more convenient
- 2. It guarantees inclusion of relevant elements in the sample. Probability sampling plans cannot give such guarantee

Class: II MCOM.CA Course Code: 18CMU401

Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch

Demerits

- 1. This does not ensure the representativeness of the sample
- 2. This is less efficient for generalizing when compared with random sampling
- This method requires more prior extensive information about the population one studies. Without such information, it is not possible to adjudge the suitability of the sample items to be selected
- 4. The method does not lend itself for using inferential statistics, because, this sampling does not satisfy the underlying assumption of randomness.

3) Quota Sampling

This is a form of convenient sampling involving selection of quota groups of accessible sampling units by traits such as sex, age, social class etc., when the population is known to consist of various categories by sex, age, religion, social class, etc., in specific proportions, each investigator may be given an assignment of quota groups specified by the pre-determined traits in specific proportions. He can then select accessible persons, belonging to those quota groups in the area assigned to him.

Example

Sex	Numbers	Age		Social Class	5
Male	11	20-40	5	Higher	3
Female	9	41-50	8	Middle	10
	20	51-60	4	Lower	7
		Above 60	3		20
			20		

Merits

- 1. It is considerably less costly than probability sampling
- 2. It takes less time
- 3. There is no need for a list of population. Thus, quota sampling is a suitable method of sampling a population for which no suitable frame is available
- 4. Field work can easily be organized. Strict supervision need not be required

Class: II MCOM.CA Course Code: 18CMU401

Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch

Demerits

- 1. It may not yield a precise representative sample, and it is impossible to estimate sampling error. The findings, therefore, are not generalizable to any significant extent
- 2. Interviewers may tent to choose the most accessible persons; they may ignore slums or areas difficult to reach. Thus, they may fail to secure a representative sample within their quota groups
- 3. Strict control of field work is difficult
- 4. The quota of sampling is subject to higher degree of classification error, because the investigators are likely to base their classification of respondents' social status and economic status mostly on their impressions about them
- 5. It is difficult for sampling on more than three variable dimensions. This is because the number of categories to be selected is a multiplication of the number of values in each variable. For instances, if we want to sample proportionate number of persons by sex, social status and age and these variables consist of two, three and three categories respectively.

4) Snowball Sampling

This is the colourful name for a technique of building up a list or a sample of a special population by using an initial set of its members as informants. For example, if a researcher wants to study the problem faced by Indians through some source like Indian Embassy. Then he can ask each one of them to supply names of other Indians known to them, and continue this procedure until he gets an exhaustive list from which he can draw a sample or make a census survey.

This sampling technique may also be used in socio-metric studies. For example, the members of a social group may be asked to name the persons with whom they have social contacts, each one of the persons so named may also be asked to do so, and so on. The researcher may thus get a constellation of associates and analyse it.

Class: II MCOM.CA Course Code: 18CMU401

Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch

Merits

- 1. It is very useful in studying social groups, informal group in a formal organization, and diffusion of information among professionals of various kinds
- 2. It is useful for smaller populations for which no frames are readily available

Demerits

- The major disadvantages of snowball sampling is that it does not allow the use of probability statistical methods. Elements included are dependent on the subjective choice of the original selected respondents
- 2. It is difficult to apply this method when the population is large
- 3. It does not ensure the inclusion of all elements in the lists

DATA COLLECTION

The task of data collection begins after a research problem has been defined and research design/ plan chalked out. While deciding about the method of data collection to be used for the study, the researcher should keep in mind two types of data viz., primary and secondary. The primary data are those which are collected afresh and for the first time, and thus happen to be original in character. The secondary data, on the other hand, are those which have already been collected by someone else and which have already been passed through the statistical process. The researcher would have to decide which sort of data he would be using (thus collecting) for his study and accordingly he will have to select one or the other method of data collection. The methods of collecting primary and secondary data the nature of data collection work is merely that of compilation.

1) Primary Data

Data directly collected by the researcher, with respect to problem under study, is known as primary data. Primary data is also the first hand data collected by the researcher for the immediate purpose of the study.

Class: II MCOM.CA Course Code: 18CMU401

Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch

2) Secondary Data

Secondary data are statistics that already exists. They have been gathered not for immediate use. This may be described as "Those data that have been compiled by some agency other than the user".

METHODS OF COLLECTING DATA

OBSERVATION

The observation method is the most commonly used method specially in studies relating to behavioural sciences. In a way we all observe things around us, but this sort of observation is not scientific observation. Observation becomes a scientific tool and the method of data collection for the researcher, when it serves a formulated research purpose, is systematically planned and recorded and is subjected to checks and controls on validity and reliability. Under the observation method, the information is sought by way of investigator's own direct observation without asking from the respondent. For instance, in a study relating to consumer behaviour, the investigator instead of asking the brand of wrist watch used by the respondent, may himself look at the watch.

Advantages of Observation

- 1. The main advantage of this method is that subjective bias is eliminated, if observation is done accurately.
- Secondly, the information obtained under this method relates to what is currently happening; it is not complicated by either the past behaviour or future intentions or attitudes.
- 3. Thirdly, this method is independent of respondents' willingness to respond and as such is relatively less demanding of active cooperation on the part of respondents as happens to be the case in the interview or the questionnaire method.

Class: II MCOM.CA Course Code: 18CMU401

Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch

4. This method is particularly suitable in studies which deal with subjects (i.e., respondents) who are not capable of giving verbal reports of their feelings for one reason or the other

Limitations of Observation

- 1. Firstly, it is an expensive method.
- 2. Secondly, the information provided by this method is very limited.
- 3. Thirdly, sometimes unforeseen factors may interfere with the observational task.
- 4. At times, the fact that some people are rarely accessible to direct observation creates obstacle for this method to collect data effectively.

Precautions before Adopting Observation Method of Data Collection

- ♦ While using this method, the researcher should keep in mind things like:
- ➤ What should be observed?
- ➢ How the observations should be recorded? Or
- ➢ How the accuracy of observation can be ensured?

Types of Observation

1) Structured Observation

In case the observation is characterised by a careful definition of the units to be observed, the style of recording the observed information, standardised conditions of observation and the selection of pertinent data of observation, then the observation is called as structured observation. Structured observation is considered appropriate in descriptive studies

2) Unstructured Observation

Class: II MCOM.CA	Course Name: RESEARCH METHODOLOGY
Course Code: 18CMU401	Semester: IV II Year: 2018Batch

But when observation is to take place without these characteristics to be thought of in advance, the same is termed as unstructured observation. Whereas in an exploratory study the observational procedure is most likely to be relatively unstructured.

3) Participant Observation

We often talk about participant and non-participant types of observation in the context of studies, particularly of social sciences. This distinction depends upon the observer's sharing or not sharing the life of the group he is observing. If the observer observes by making himself, more or less, a member of the group he is observing so that he can experience what the members of the group experience, the observation is called as the participant observation.

Merits of Participant Observation

- 1. The researcher is enabled to record the natural behaviour of the group.
- 2. The researcher can even gather information which could not easily be obtained if he observes in a disinterested fashion.
- 3. The researcher can even verify the truth of statements made by informants in the context of a questionnaire or a schedule.

Demerits of Participant Observation

The observer may lose the objectivity to the extent he participates emotionally; the problem of observation-control is not solved; and it may narrow-down the researcher's range of experience.

4) Non-Participant Observation

But when the observer observes as a detached emissary without any attempt on his part to experience through participation what others feel, the observation of this type is often termed as non-participant observation. (When the observer is observing in such a

Class: II MCOM.CACourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IV IImanner that his presence may be unknown to the people he is observing, such anobservation is described as disguised observation.)

5) Uncontrolled Observation

If the observation takes place in the natural setting, it may be termed as uncontrolled observation, In non-controlled observation, no attempt is made to use precision instruments. The major aim of this type of observation is to get a spontaneous picture of life and persons. It has a tendency to supply naturalness and completeness of behaviour, allowing sufficient time for observing it. The main pitfall of non-controlled observation is that of subjective interpretation. There is also the danger of having the feeling that we know more about the observed phenomena than we actually do. Uncontrolled observation is resorted to in case of exploratory researches.

6) Controlled Observation

When observation takes place according to definite pre-arranged plans, involving experimental procedure, the same is then termed controlled observation. But in controlled observation, we use mechanical (or precision) instruments as aids to accuracy and standardisation. Such observation has a tendency to supply formalised data upon which generalisations can be built with some degree of assurance. Generally, controlled observation takes place in various experiments that are carried out in a laboratory or under controlled conditions

INTERVIEW SCHEDULE

The interview method of collecting data involves presentation of oral-verbal stimuli and reply in terms of oral-verbal responses. This method can be used through personal interviews and, if possible, through telephone interviews. Interview is one of the popular methods of data collection. The term interview can be dissected into two terms as, 'inter' and 'view.'. The essence of interview is that one mind tries to read the

Class: II MCOM.CACourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IV IIother. The interviewer tries to assess the interviewed in terms of the aspects studied or

Personal interview method requires a person known as the interviewer asking questions generally in a face-to-face contact to the other person or persons. (At times the interviewee may also ask certain questions and the interviewer responds to these, but usually the interviewer initiates the interview and collects the information.) This sort of interview may be in the form of direct personal investigation or it may be indirect oral investigation. In the case of direct personal investigation the interviewer has to collect the information personally from the sources concerned. He has to be on the spot and has to meet people from whom data have to be collected. This method is particularly suitable for intensive investigations.

But in certain cases it may not be possible or worthwhile to contact directly the persons concerned or on account of the extensive scope of enquiry, the direct personal investigation technique may not be used. In such cases an indirect oral examination can be conducted under which the interviewer has to cross-examine other persons who are supposed to have knowledge about the problem under investigation and the information, obtained is recorded. Most of the commissions and committees appointed by government to carry on investigations make use of this method.

Types of Interview

issues analysed.

1) Structured Interview

The method of collecting information through personal interviews is usually carried out in a structured way. As such we call the interviews as structured interviews. Such interviews involve the use of a set of predetermined questions and of highly standardised techniques of recording. Thus, the interviewer in a structured interview follows a rigid procedure laid down, asking questions in a form and order prescribed. But in case of descriptive studies, we quite often use the technique of structured interview

Class: II MCOM.CACourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IV IIbecause of its being more economical, providing a safe basis for generalisation andrequiring relatively lesser skill on the part of the interviewer.

2) Unstructured Interview

As against it, the unstructured interviews are characterised by a flexibility of approach to questioning. Unstructured interviews do not follow a system of predetermined questions and standardised techniques of recording information. In a nonstructured interview, the interviewer is allowed much greater freedom to ask, in case of need, supplementary questions or at times he may omit certain questions if the situation so requires. He may even change the sequence of questions. He has relatively greater freedom while recording the responses to include some aspects and exclude others. But this sort of flexibility results in lack of comparability of one interview with another and the analysis of unstructured responses becomes much more difficult and time-consuming than that of the structured responses obtained in case of structured interviews. Unstructured interviews also demand deep knowledge and greater skill on the part of the interviewer. Unstructured interview, however, happens to be the central technique of collecting information in case of exploratory or formulative research studies.

3) Focused Interview

Focussed interview is meant to focus attention on the given experience of the respondent and its effects. Under it the interviewer has the freedom to decide the manner and sequence in which the questions would be asked and has also the freedom to explore reasons and motives. The main task of the interviewer in case of a focussed interview is to confine the respondent to a discussion of issues with which he seeks conversance. Such interviews are used generally in the development of hypotheses and constitute a major type of unstructured interviews.

4) Clinical Interview

Class: II MCOM.CA	Course Name: RESEARCH METHODOLOGY
Course Code: 18CMU401	Semester: IV II Year: 2018Batch

The clinical interview is concerned with broad underlying feelings or motivations or with the course of individual's life experience. The method of eliciting information under it is generally left to the interviewer's discretion.

5) Non-directive Interview

In case of non-directive interview, the interviewer's function is simply to encourage the respondent to talk about the given topic with a bare minimum of direct questioning. The interviewer often acts as a catalyst to a comprehensive expression of the respondents' feelings and beliefs and of the frame of reference within which such feelings and beliefs take on personal significance.

Merits of Interview

- 1. More information and that too in greater depth can be obtained.
- Interviewer by his own skill can overcome the resistance, if any, of the respondents; the interview method can be made to yield an almost perfect sample of the general population.
- 3. There is greater flexibility under this method as the opportunity to restructure questions is always there, specially in case of unstructured interviews.
- 4. Observation method can as well be applied to recording verbal answers to various questions.
- 5. Personal information can as well be obtained easily under this method.
- 6. Samples can be controlled more effectively as there arises no difficulty of the missing returns; non-response generally remains very low.
- The interviewer can usually control which person(s) will answer the questions. This is not possible in mailed questionnaire approach. If so desired, group discussions may also be held.
- 8. The interviewer may catch the informant off-guard and thus may secure the most spontaneous reactions than would be the case if mailed questionnaire is used.

Class: II MCOM.CACourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IV II Year: 2018Batch

- 9. The language of the interview can be adopted to the ability or educational level of the person interviewed and as such misinterpretations concerning questions can be avoided.
- 10. The interviewer can collect supplementary information about the respondent's personal characteristics and environment which is often of great value in interpreting results.

Demerits or Weakness of Interview

- 1. It is a very expensive method, specially when large and widely spread geographical sample is taken.
- 2. There remains the possibility of the bias of interviewer as well as that of the respondent; there also remains the headache of supervision and control of interviewers.
- 3. Certain types of respondents such as important officials or executives or people in high income groups may not be easily approachable under this method and to that extent the data may prove inadequate.
- 4. This method is relatively more-time-consuming, specially when the sample is large and recalls upon the respondents are necessary.
- 5. The presence of the interviewer on the spot may over-stimulate the respondent, sometimes even to the extent that he may give imaginary information just to make the interview interesting.
- 6. Under the interview method the organisation required for selecting, training and supervising the field-staff is more complex with formidable problems.
- 7. Interviewing at times may also introduce systematic errors.
- 8. Effective interview presupposes proper rapport with respondents that would facilitate free and frank responses. This is often a very difficult requirement.

Pre-requisites and Basic Tenets of Interviewing

1. For successful implementation of the interview method, interviewers should be carefully selected, trained and briefed.

Class: II MCOM.CACourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IV II Year: 2018Batch

- 2. They should be honest, sincere, hardworking, impartial and must possess the technical competence and necessary practical experience.
- Occasional field checks should be made to ensure that interviewers are neither cheating, nor deviating from instructions given to them for performing their job efficiently.
- 4. In addition, some provision should also be made in advance so that appropriate action may be taken if some of the selected respondents refuse to cooperate or are not available when an interviewer calls upon them.
- 5. In fact, interviewing is an art governed by certain scientific principles. Every effort should be made to create friendly atmosphere of trust and confidence, so that respondents may feel at ease while talking to and discussing with the interviewer.
- 6. The interviewer must ask questions properly and intelligently and must record the responses accurately and completely. At the same time, the interviewer must answer legitimate question(s), if any, asked by the respondent and must clear any doubt that the latter has.
- 7. The interviewers approach must be friendly, courteous, conversational and unbiased.
- 8. The interviewer should not show surprise or disapproval of a respondent's answer but he must keep the direction of interview in his own hand, discouraging irrelevant conversation and must make all possible effort to keep the respondent on the track.

QUESTIONNAIRE

This method of data collection is quite popular, particularly in case of big enquiries. It is being adopted by private individuals, research workers, private and public organisations and even by governments. In this method a questionnaire is sent (usually by post) to the persons concerned with a request to answer the questions and return the questionnaire. A questionnaire consists of a number of questions printed or typed in a definite order on a form or set of forms. The questionnaire is mailed to respondents who are expected to read and understand the questions and write down the reply in the space

Class: II MCOM.CACourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IV IIreant for the purpose in the questionnaire itself. The respondents have to answer the

questions on their own.

The method of collecting data by mailing the questionnaires to respondents is most extensively employed in various economic and business surveys

Merits of Questionnaire

1. There is low cost even when the universe is large and is widely spread geographically.

- 2. It is free from the bias of the interviewer; answers are in respondents' own words.
- 3. Respondents have adequate time to give well thought out answers.
- 4. Respondents, who are not easily approachable, can also be reached conveniently.

5. Large samples can be made use of and thus the results can be made more dependable and reliable.

Demerits of Questionnaire

- 1. Low rate of return of the duly filled in questionnaires; bias due to no-response is often indeterminate.
- 2. It can be used only when respondents are educated and cooperating.
- 3. The control over questionnaire may be lost once it is sent.
- 4. There is inbuilt inflexibility because of the difficulty of amending the approach once questionnaires have been despatched.
- 5. There is also the possibility of ambiguous replies or omission of replies altogether to certain questions; interpretation of omissions is difficult.
- 6. It is difficult to know whether willing respondents are truly representative.
- 7. This method is likely to be the slowest of all.

Before using this method, it is always advisable to conduct 'pilot study' (Pilot Survey) for testing the questionnaires. In a big enquiry the significance of pilot survey is felt very much. Pilot survey is infact the replica and rehearsal of the main survey. Such a survey, being conducted by experts, brings to the light the weaknesses (if any) of the

 Class: II MCOM.CA
 Course Name: RESEARCH METHODOLOGY

 Course Code: 18CMU401
 Semester: IV II
 Year: 2018Batch

 questionnaires and also of the survey techniques. From the experience gained in this way,
 improvement can be effected.

Main Aspects of a Questionnaire

Quite often questionnaire is considered as the heart of a survey operation. Hence it should be very carefully constructed. If it is not properly set up, then the survey is bound to fail. This fact requires us to study the main aspects of a questionnaire viz., the general form, question sequence and question formulation and wording. Researcher should note the following with regard to these three main aspects of a questionnaire:

1) General form

So far as the general form of a questionnaire is concerned, it can either be structured or unstructured questionnaire. Structured questionnaires are those questionnaires in which there are definite, concrete and pre-determined questions. The questions are presented with exactly the same wording and in the same order to all respondents. Resort is taken to this sort of standardisation to ensure that all respondents reply to the same set of questions. The form of the question may be either closed (i.e., of the type 'yes' or 'no') or open (i.e., inviting free response) but should be stated in advance and not constructed during questioning. Structured questionnaires may also have fixed alternative questions in which responses of the informants are limited to the stated alternatives. Thus a highly structured questionnaire is one in which all questions and answers are specified and comments in the respondent's own words are held to the minimum. When these characteristics are not present in a questionnaire, it can be termed as unstructured or non-structured questionnaire. More specifically, we can say that in an unstructured questionnaire, the interviewer is provided with a general guide on the type of information to be obtained, but the exact question formulation is largely his own responsibility and the replies are to be taken down in the respondent's own words to the extent possible; in some situations tape recorders may be used to achieve this goal.

Class: II MCOM.CACourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IV II Year: 2018Batch

Structured questionnaires are simple to administer and relatively inexpensive to analyse. The provision of alternative replies, at times, helps to understand the meaning of the question clearly. But such questionnaires have limitations too. For instance, wide range of data and that too in respondent's own words cannot be obtained with structured questionnaires. They are usually considered inappropriate in investigations where the aim happens to be to probe for attitudes and reasons for certain actions or feelings. They are equally not suitable when a problem is being first explored and working hypotheses sought. In such situations, unstructured questionnaires may be used effectively. Then on the basis of the results obtained in pretest (testing before final use) operations from the use of unstructured questionnaires, one can construct a structured questionnaire for use in the main study.

2) Question Sequence

In order to make the questionnaire effective and to ensure quality to the replies received, a researcher should pay attention to the question-sequence in preparing the questionnaire. A proper sequence of questions reduces considerably the chances of individual questions being misunderstood. The question-sequence must be clear and smoothly-moving, meaning thereby that the relation of one question to another should be readily apparent to the respondent, with questions that are easiest to answer being put in the beginning. The first few questions are particularly important because they are likely to influence the attitude of the respondent and in seeking his desired cooperation. The opening questions should be such as to arouse human interest. The following type of questions should generally be avoided as opening questions in a questionnaire:

- > Questions that put too great a strain on the memory or intellect of the respondent;
- Questions of a personal character
- > Questions related to personal wealth, etc.

Following the opening questions, we should have questions that are really vital to the research problem and a connecting thread should run through successive questions.

Class: II MCOM.CACourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IV II Year: 2018Batch

Ideally, the question-sequence should conform to the respondent's way of thinking. Knowing what information is desired, the researcher can rearrange the order of the questions (this is possible in case of unstructured questionnaire) to fit the discussion in each particular case. But in a structured questionnaire the best that can be done is to determine the question-sequence with the help of a Pilot Survey which is likely to produce good rapport with most respondents. Relatively difficult questions must be relegated (tranfered) towards the end so that even if the respondent decides not to answer such questions, considerable information would have already been obtained. Thus, question-sequence should usually go from the general to the more specific and the researcher must always remember that the answer to a given question is a function not only of the question itself, but of all previous questions as well. For instance, if one question deals with the price usually paid for coffee and the next with reason for preferring that particular brand, the answer to this latter question may be couched (understood) largely in terms of price-differences.

3) Question Formulation and Wording

With regard to this aspect of questionnaire, the researcher should note that each question must be very clear for any sort of misunderstanding can do irreparable harm to a survey. Question should also be impartial in order not to give a biased picture of the true state of affairs. Questions should be constructed with a view to their forming a logical part of a well thought out tabulation plan. In general, all questions should meet the following standards—(a) should be easily understood; (b) should be simple i.e., should convey only one thought at a time; (c) should be concrete and should conform as much as possible to the respondent's way of thinking. (For instance, instead of asking. "How many razor blades do you use annually?" The more realistic question would be to ask, "How many razor blades did you use last week?"

Multiple Choice Question and the Open-End Questions. In the former the respondent selects one of the alternative possible answers put to him, whereas in the latter he has to supply the answer in his own words. The question with only two possible

Class: II MCOM.CACourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IV II Year: 2018Batch

answers (usually 'Yes' or 'No') can be taken as a special case of the multiple choice question, or can be named as a 'closed question.' There are some advantages and disadvantages of each possible form of question. Multiple choice or closed questions have the advantages of easy handling, simple to answer, quick and relatively inexpensive to analyse. They are most amenable to statistical analysis. Sometimes, the provision of alternative replies helps to make clear the meaning of the question. But the main drawback of fixed alternative questions is that of "putting answers in people's mouths" i.e., they may force a statement of opinion on an issue about which the respondent does not infact have any opinion. They are not appropriate when the issue under consideration happens to be a complex one and also when the interest of the researcher is in the exploration of a process. In such situations, open-ended questions which are designed to permit a free response from the respondent rather than one limited to certain stated alternatives are considered appropriate. Such questions give the respondent considerable latitude in phrasing a reply. Getting the replies in respondent's own words is, thus, the major advantage of open-ended questions. But one should not forget that, from an analytical point of view, open-ended questions are more difficult to handle, raising problems of interpretation, comparability and interviewer bias.

In practice, one rarely comes across a case when one questionnaire relies on one form of questions alone. The various forms complement each other. As such questions of different forms are included in one single questionnaire. For instance, multiple-choice questions constitute the basis of a structured questionnaire, particularly in a mail survey. But even there, various open-ended questions are generally inserted to provide a more complete picture of the respondent's feelings and attitudes.

Researcher must pay proper attention to the wordings of questions since reliable and meaningful returns depend on it to a large extent. Since words are likely to affect responses, they should be properly chosen. Simple words, which are familiar to all respondents, should be employed. Words with ambiguous meanings must be avoided. Similarly, danger words, catch-words or words with emotional connotations should be

Class: II MCOM.CA Course Code: 18CMU401 avoided. Caution must also be exercised in the use of phrases which reflect upon the prestige of the respondent. Question wording, in no case, should bias the answer. In fact, question wording and formulation is an art and can only be learnt by practice.

Essentials of Good Questionnaire

- 1. To be successful, questionnaire should be comparatively short and simple i.e., the size of the questionnaire should be kept to the minimum
- Questions should proceed in logical sequence moving from easy to more difficult questions
- 3. Personal and intimate questions should be left to the end
- 4. Technical terms and vague expressions capable of different interpretations should be avoided in a questionnaire
- 5. Questions may be dichotomous (yes or no answers), multiple choice (alternative answers listed) or open-ended. The latter type of questions are often difficult to analyse and hence should be avoided in a questionnaire to the extent possible
- 6. There should be some control questions in the questionnaire which indicate the reliability of the respondent. For instance, a question designed to determine the consumption of particular material may be asked first in terms of financial expenditure and later in terms of weight. The control questions, thus, introduce a cross-check to see whether the information collected is correct or not
- 7. Questions affecting the sentiments of respondents should be avoided
- 8. Adequate space for answers should be provided in the questionnaire to help editing and tabulation
- There should always be provision for indications of uncertainty, e.g., "do not know,"
 "no preference" and so on
- 10. Brief directions with regard to filling up the questionnaire should invariably be given in the questionnaire itself

Class: II MCOM.CA Course Code: 18CMU401

Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch

- 11. Finally, the physical appearance of the questionnaire affects the cooperation the researcher receives from the recipients and as such an attractive looking questionnaire, particularly in mail surveys, is a plus point for enlisting cooperation.
- 12. The quality of the paper, along with its colour, must be good so that it may attract the attention of recipients

Types of Questionnaire

1) Structured non disguised Questionnaire

Here, questions are structured so as to get the facts. The interviewer will ask the questions strictly as per the pre arranged order. Structured, non disguised is widely used in market research. Questions are presented with exactly the same wording and same order to all the respondents. The reason for standardizing question is, to ensure that all respondents reply the same question. The purpose of the question is clear. The researcher wants the respondent to choose one of the five options given above. This type of questionnaire is easy to administer. The respondents have no difficulty in answering. Because it is structured, the frame of reference is obvious. In a non-disguised type, the purpose of the questionnaire is known to the respondent.

2) Structured disguised Questionnaire

This type of questionnaire is least used in Marketing research. This type of Questionnaire is used to find, peoples' attitude, when a direct undisguised question produces a bias. In this type of questionnaire what comes out is "What does the respondent know rather than what he feels". Therefore attempt in this method is to find the respondent's attitude.

3) Non-Structured and disguised Questionnaire

Class: II MCOM.CACourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IV II Year: 2018Batch

The main objective is to conceal the topic of enquiry by using a disguised stimulus. Though the stimulus is standardized by researcher, respondent is allowed to answer in an unstructured manner. The assumption made here is that individuals reaction is an indication of respondent's basic perception. Projective techniques are examples of Non structured disguised technique. The techniques involve the use of a vague stimulus, that an individual is asked to expand or describe or build a story, three common types under this category are (a) Word association (b) Sentence completion (c) Story telling.

4) Non structured - Non disguised Questionnaire

Here the purpose of the study is clear, but the responses to the question is open ended. Example: "How do you feel about the cyber law currently in practice and its need for further modification"? The initial part of the question is constant. After presenting the initial question, the interview becomes very unstructured as the interviewer probes more deeply. Respondents subsequent answer determines the direction the interviewer takes next. The question asked by interviewer varies from person to person. This method is called "Depth interview". The major advantage of this method is freedom permitted to the interviewer. By not restricting the respondents for a set of replies, the experienced interviewers will be above to get the information from the respondent fairly and accurately. The main disadvantage of this method of interviewing is that, it takes time, and respondents may not co-operate. Another disadvantage is that coding of open ended question may pose a challenge. E.g.: When a researcher asked the respondent "Tell me something about your experience in this hospital". The answer may be "Well, the nurses are "slow" to attend and Doctor is "rude". 'Slow' and 'rude' are different qualities needing separate coding. This type of interviewing is extremely helpful in exploratory studies.

SCHEDULES

This method of data collection is very much like the collection of data through questionnaire, with little difference which lies in the fact that schedules (proforma containing a set of questions) are being filled in by the enumerators who are specially

Class: II MCOM.CA
Course Code: 18CMU401Course Name: RESEARCH METHODOLOGY
Semester: IV II Year: 2018Batchappointed for the purpose. These enumerators along with schedules, go to respondents,
put to them the questions from the proforma in the order the questions are listed and
record the replies in the space meant for the same in the proforma.

In certain situations, schedules may be handed over to respondents and enumerators may help them in recording their answers to various questions in the said schedules. Enumerators explain the aims and objects of the investigation and also remove the difficulties which any respondent may feel in understanding the implications of a particular question or the definition or concept of difficult terms. This method requires the selection of enumerators for filling up schedules or assisting respondents to fill up schedules and as such enumerators should be very carefully selected

The enumerators should be trained to perform their job well and the nature and scope of the investigation should be explained to them thoroughly so that they may well understand the implications of different questions put in the schedule. Enumerators should be intelligent and must possess the capacity of cross-examination in order to find out the truth. Above all, they should be honest, sincere, hardworking and should have patience and perseverance. This method of data collection is very useful in extensive enquiries and can lead to fairly reliable results. It is, however, very expensive and is usually adopted in investigations conducted by governmental agencies or by some big organisations. Population census all over the world is conducted through this method.

DIFFERENCE BETWEEN QUESTIONNAIRE AND INTERVIEW SCHEDULE

- The questionnaire is generally sent through mail to informants to be answered as specified in a covering letter, but otherwise without further assistance from the sender. The schedule is generally filled out by the research worker or the enumerator, who can interpret questions when necessary.
- To collect data through questionnaire is relatively cheap and economical since we have to spend money only in preparing the questionnaire and in mailing the same to respondents. Here no field staff required. To collect data through schedules is

Class: II MCOM.CA Course Code: 18CMU401

Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch

relatively more expensive since considerable amount of money has to be spent in appointing enumerators and in importing training to them. Money is also spent in preparing schedules.

- 3. Non-response is usually high in case of questionnaire as many people do not respond and many return the questionnaire without answering all questions. Bias due to nonresponse often remains indeterminate. As against this, non-response is generally very low in case of schedules because these are filled by enumerators who are able to get answers to all questions. But there remains the danger of interviewer bias and cheating.
- 4. In case of questionnaire, it is not always clear as to who replies, but in case of schedule the identity of respondent is known.
- 5. The questionnaire method is likely to be very slow since many respondents do not return the questionnaire in time despite several reminders, but in case of schedules the information is collected well in time as they are filled in by enumerators.
- 6. Personal contact is generally not possible in case of the questionnaire method as questionnaires are sent to respondents by post who also in turn return the same by post. But in case of schedules direct personal contact is established with respondents.
- 7. Questionnaire method can be used only when respondents are literate and cooperative, but in case of schedules the information can be gathered even when the respondents happen to be illiterate.
- 8. Wider and more representative distribution of sample is possible under the questionnaire method, but in respect of schedules there usually remains the difficulty in sending enumerators over a relatively wider area.
- 9. Risk of collecting incomplete and wrong information is relatively more under the questionnaire method, particularly when people are unable to understand questions properly. But in case of schedules, the information collected is generally complete and accurate as enumerators can remove the difficulties, if any, faced by respondents in correctly understanding the questions. As a result, the information collected

Class: II MCOM.CA	Course Name: RESEARCH METHODOLOGY
Course Code: 18CMU401	Semester: IV II Year: 2018Batch
through schedules is relatively	more accurate than that obtained through

through schedules is relatively more accurate than that obtained through questionnaires.

- 10. The success of questionnaire method lies more on the quality of the questionnaire itself, but in the case of schedules much depends upon the honesty and competence of enumerators.
- 11. In order to attract the attention of respondents, the physical appearance of questionnaire must be quite attractive, but this may not be so in case of schedules as they are to be filled in by enumerators and not by respondents.
- 12. Along with schedules, observation method can also be used but such a thing is not possible while collecting data through questionnaires.

SECONDARY DATA

Secondary data means data that are already available i.e., they refer to the data which have already been collected and analysed by someone else. When the researcher utilises secondary data, then he has to look into various sources from where he can obtain them. In this case he is certainly not confronted with the problems that are usually associated with the collection of original data.

Secondary data may either be published data or unpublished data. Usually published data are available in: (a) various publications of the central, state are local governments; (b) various publications of foreign governments or of international bodies and their subsidiary organisations; (c) technical and trade journals; (d) books, magazines and newspapers; (e) reports and publications of various associations connected with business and industry, banks, stock exchanges, etc.; (f) reports prepared by research scholars, universities, economists, etc. in different fields; and (g) public records and statistics, historical documents, and other sources of published information.

The sources of unpublished data are many; they may be found in diaries, letters, unpublished biographies and autobiographies and also may be available with scholars and research workers, trade associations, labour bureaus and other public/ private individuals

Class: II MCOM.CA Course Code: 18CMU401 Course Code: 18CMU401 Course Code: 18CMU401 Course Code: 18CMU401 Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch Method Statistics I He must to study. In this connection Dr. A.L. Bowley very aptly observes that it is never safe to take published statistics at their face value without knowing their meaning and limitations and it is always necessary to criticise arguments that can be based on them.

SOURCES OF SECONDARY DATA

Secondary data are obtained from personal documents and public documents.

1) Personal Documents

These documents are recorded by the individuals. An individual may record his views and thoughts about various problems and without knowing for these documents at a latter data so formed a subject or source of study.

Kinds of Personal Documents: Personal documents may be categorised or divided under the following heads for the convenience of the study; (i) Life History, (ii) Dairy, (iii) Letters, and (iv) Memoirs.

a) Life History

Life history, generally speaking contains all kinds of biographical, material, from the point of view of personal documents only an autobiography which contains description and views about social and personal events is a life history. It may be further classified under the following three sub-heads: Spontaneous Autobiography, Voluntary Autobiography of self record, and Compiled life history.

b) Diaries

Many people keep diaries in which they record the daily events of their life and their feelings and reactions relating to those events. Some of the diaries are also

Class: II MCOM.CACourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IV IIpublished later on. Diaries are the most important source of knowing the life history of aperson. If they have been written continuously over long periods.

c) Letters

Letters also provide useful and reliable material on many social problems. They throw light upon more intimate aspects of an event, and clarity the stand taken by a person regarding it. They are helpful in giving an idea of the attitudes of a person and the trend of his mind. The validity of letters is beyond all doubt and they should be accepted as prima facie proof of the attitude of the writer. In such social problems as love, marriage or divorce the letters can supply much revealing information.

d) Memoirs

Some people write memoirs of their travels, important events of their life and other significant phenomena that they come across. These memoirs provide useful material in the study of many a social phenomena. Memoirs are different from dairies in the sense that they describe only some events and are more elaborate than the dairy. Memoirs of travelers have provided us with useful information regarding the language, social customs, religious faiths, culture and many other social aspects of the people they visited.

2. Public Documents

Public documents are quite different from personal documents. They deal with the matters of different interest. Public' documents may be divided into the following two categories: (i) Unpublished Records, (ii) Published Records.

a) Unpublished Records

Unpublished records give matters of public interest not available to people in published form. Everybody cannot have access to them. Proceedings of the meetings,

 Class: II MCOM.CA
 Course Name: RESEARCH METHODOLOGY

 Course Code: 18CMU401
 Semester: IV II Year: 2018Batch

 noting on the files and memoranda etc., form the category of unpublished records. It is
 said that these records are reliable. Since there is no fear of their being made public the

 writers give out their views clearly.
 writers give out their views clearly.

b) Published Records

Published records are available to people for investigation and perusal. Survey, reports, report of survey enquiries and such other documents fall under this category. The data contained in these documents are considered by some people as quite reliable because the collecting agency knows that it shall be difficult to test, while others are of the view that if the data are to be published the collecting or publishing agency does some window dressing, as a result of which the accuracy is sometimes postulated.

Now most of the information that is available to people and researchers in regard to social problems is to be found in form of reports. The reports published by Government are considered as more dependable. On the other hand some people think that the reports that are published by certain individuals and agencies are more dependable and reliable.

Journals and Magazines: Journals and magazines are important public documents including a wide variety of information which .can be usefully utilised in social research. Most of these information are very much reliable. Letters to the editors published in various magazines and journals are an important source of information.

c) Newspapers

Newspapers publish news, discussion on contemporary issues, reports of meetings and conferences, essays and articles on living controversies and the letters of the readers to the editors. All this is an important source of formation for different kinds of social research.

d) Other Sources

Class: II MCOM.CACourse Name: RESEARCH METHODOLOGYCourse Code: 18CMU401Semester: IV II Year: 2018Batch

Besides the above mentioned public documents, film, television, radio and public speeches etc., are other important sources of information. They supply useful information - about contemporary issues. The investigator, however, should be capable of sorting out the reliable material and distinguishing it from the unreliable material advanced by these sources.

PRECAUTIONS WHILE USING SECONDARY DATA

Since secondary data have already been obtained, it is highly desirable that a proper scrutiny of such data is made before they are used by the investigator. In fact the user has to be extra-cautious while using secondary data. In this context Prof. Bowley rightly points out that "Secondary data should not be accepted at their face value." The reason being that data may be erroneous (mistaken / wrong) in many respects due to bias, inadequate size of the sample, substitution, errors of definition, arithmetical errors etc. Even if there is no error such data may not be suitable and adequate for the purpose of the enquiry.

Prof. Simon Kuznet's view in this regard is also of great importance. According to him, "The degree of reliability of secondary source is to be assessed from the source, the compiler and his capacity to produce correct statistics and the users also, for the most part, tend to accept a series particularly one issued by a government agency at its face value without enquiring its reliability".

Therefore, before using the secondary data the investigators should consider the following factors:

1) Reliability of Data

The reliability can be tested by finding out such things about the said data: (a) Who collected the data? (b) What were the sources of data? (c) Were they collected by using proper methods? (d) At what time were they collected?(e) Was there any bias of the compiler? (f) What level of accuracy was desired? Was it achieved?

Class: II MCOM.CA Course Code: 18CMU401

Course Name: RESEARCH METHODOLOGY Semester: IV II Year: 2018Batch

2) Suitability of Data

The data that are suitable for one enquiry may not necessarily be found suitable in another enquiry. Hence, if the available data are found to be unsuitable, they should not be used by the researcher. In this context, the researcher must very carefully scrutinize the definition of various terms and units of collection used at the time of collecting the data from the primary source originally. Similarly, the object, scope and nature of the original enquiry must also be studied. If the researcher finds differences in these, the data will remain unsuitable for the present enquiry and should not be used

3) Adequacy of Data

If the level of accuracy achieved in data is found inadequate for the purpose of the present enquiry, they will be considered as inadequate and should not be used by the researcher. The data will also be considered inadequate, if they are related to an area which may be either narrower or wider than the area of the present enquiry. It is not enough to have baskets of data in hand. In fact, data in a raw form are nothing but a handful of raw material waiting for proper processing so that they can become useful. Once data have been obtained from primary or secondary source, the next step in a statistical investigation is to edit the data i.e. to scrutinize the same. The chief objective of editing is to detect possible errors and irregularities. The task of editing is a highly specialized one and requires great

* * * * *