

**KARPAGAM ACADEMY OF HIGHER EDUCATION****(Deemed to be University)****(Established Under Section 3 of UGC Act 1956)****Pollachi Main Road, Eachanari (Po),****COIMBATORE – 21****FACULTY OF ENGINEERING****DEPARTMENT OF MECHANICAL ENGINEERING****SUBJECT NAME: PRODUCTION
PLANNING AND CONTROL****SUBJECT CODE : 15BEME8E05**

L	T	P	C
3	0	0	3

OBJECTIVES

1. To understand the various components and functions of production planning and control such as work study, product planning, process planning, production scheduling, Inventory Control.
2. To know the recent trends like manufacturing requirement Planning (MRP II) and Enterprise Resource Planning (ERP).

UNIT I INTRODUCTION**9**

Objectives: and benefits of planning and control–Functions of production control–Types of production–job– batch and continuous–Product development and design–Marketing aspect – Functional aspects–Operational aspect–Durability and dependability aspect–aesthetic aspect. Profit consideration–Standardization, Simplification and specialization–Break even analysis–Economics of a new design.

UNIT II WORK STUDY**9**

Method study, basic procedure–Selection–Recording of process – Critical analysis, Development – Implementation – Micro motion and memo motion study – work measurement – Techniques of work measurement – Time study – Production study – Work sampling – Synthesis from standard data – Predetermined motion time standards.

UNIT III PRODUCT PLANNING AND PROCESS PLANNING**9**

Product planning–Extending the original product information–Value analysis–Problems in lack of product planning–Process planning and routing–Pre requisite information needed for process planning–Steps in process planning–Quantity determination in batch production–Machine capacity, balancing–Analysis of process capabilities in a multi product system.

UNIT IV PRODUCTION SCHEDULING**9**

Production Control Systems–Loading and scheduling–Master Scheduling–Scheduling rules–Gantt charts–Perpetual loading–Basic scheduling problems – Line of balance – Flow production scheduling–Batch production scheduling–Product sequencing – Production Control systems–Periodic batch control–Material requirement planning Kanban – Dispatching–Progress reporting and expediting–Manufacturing lead time–Techniques for aligning completion times and due dates.

UNIT V INVENTORY CONTROL AND RECENT TRENDS IN PPC**9**

Inventory control–Purpose of holding stock–Effect of demand on inventories–Ordering procedures. Two bin system –Ordering cycle system–Determination of Economic order quantity and economic lot size–ABC analysis–Recorder procedure–Introduction to computer integrated production planning systems–elements of JIT Systems–Fundamentals of MRP and ERP.

TOTAL 45 PERIODS**TEXT BOOKS**

S. No.	Author(s) Name	Title of the book	Publisher	Year of Publication
1	Martand Telsang	Industrial Engineering and Production Management	S.Chand and Company, New Delhi	2006

REFERENCES

S. No.	Author(s) Name	Title of the book	Publisher	Year of Publication
1	Samson Eilon	Elements of production planning and control	Macmillan, India	1981

2	Elwood S.Buffa, and Rakesh K.Sarin	Modern Production Operations Management	John Wiley and Sons, New Delhi	2007
3	Jain C.K and Aggarwal L.N	Production Planning Control and Industrial Management	Khanna Publishers, New Delhi	1997

WEB REFERENCES

1. [http:// envfor.nic.in/divisions/iwsu/iwsu.html](http://envfor.nic.in/divisions/iwsu/iwsu.html)
2. <http://src.edu/work-study>
3. <http://thequalityportal.com/articles/value.htm>

**KARPAGAM ACADEMY OF HIGHER EDUCATION****(Deemed to be University)****(Established Under Section 3 of UGC Act 1956)****Pollachi Main Road, Eachanari (Po),****COIMBATORE – 21****FACULTY OF ENGINEERING****DEPARTMENT OF MECHANICAL ENGINEERING****LESSON PLAN**
Subject Name : PRODUCTION PLANNING AND CONTROL Subject Code : 15BEME8E05

Unit	Sl. No.	Description	Required Hours	Required Weeks	Text book/ other Ref. book	Page No.
1.		INTRODUCTION				
	1.	Objectives and benefits of planning and control	1	I	T1	1.1-1.2
	2.	Functions of production control	1		T1	1.2-1.6
	3.	Types of production, job- batch and continuous	1		T1	1.7-1.10
	4.	Product development and design	1	II	T1	1.11-1.17
	5.	Marketing aspect, Functional aspects, Operational aspect	1		T1	1.17-1.18
	6.	Durability and dependability aspect-aesthetic aspect	1		T1	1.19-1.20
	7.	Profit consideration	1	III	T1	1.21
	8.	Standardization, Simplification & specialization	1		T1	1.22-1.25
	9.	Break even analysis-Economics of a new design.	1		T1	1.26-1.44
2.		WORK STUDY				
	1.	Introduction, Method study	1	IV	T1	2.1
	2.	Basic procedure, Selection of Process	1		T1	2.2-2.7
	3.	Recording of process, Critical analysis	1		T1	2.8-2.21
	4.	Development - Implementation	1	V	T1	
	5.	Micro motion and memo motion study	1		T1	2.22-2.23
	6.	Work measurement - Techniques of work measurement	1		T1	2.24-2.28
	7.	Time study - Production study	1	VI	T1	2.29
	8.	Work sampling	1		T1	2.30-2.31
	9.	Synthesis from standard data, Predetermined motion time standards.	1		T1	2.32-2.36
3.		PRODUCT PLANNING AND PROCESS PLANNING				
	1.	Product planning	1	VII	T1	3.1-3.2
	2.	Extending the original product information	1		T1	3.12
	3.	Value analysis-Problems in lack of	1		T1	3.12-3.22

		product planning				
	4.	Process planning and routing	1	VIII	T1	3.23-3.24
	5.	Pre requisite information needed for process planning	1		T1	3.25-3.26
	6.	Steps in process planning	1		T1	3.27-3.29
	7.	Quantity determination in batch production	1	IX	T1	3.44-3.45
	8.	Machine capacity, balancing	1		T1	3.45-3.66
	9.	Analysis of process capabilities in a multi-product system	1		T1	3.66-3.72
4.		PRODUCTION SCHEDULING				
	1.	Production Control Systems-Loading and scheduling	1	X	T1	4.1-4.14
	2.	Master Scheduling-Scheduling rules	1		T1	4.14-4.17, 4.21-4.34
	3.	Gantt charts-Perpetual loading, Basic scheduling problems	1		T1	4.17-4.21
	4.	Line of balance, Flow production scheduling	1	XI	T1	4.38-4.46
	5.	Batch production scheduling-Product sequencing	1		T1	4.46-4.60
	6.	Production Control systems, Periodic batch control	1		T1	4.7-4.10
	7.	Material requirement planning, Kanban	1	XII	T1	5.36-5.39, 4.61-4.69
	8.	Dispatching-Progress reporting and expediting-Manufacturing lead time	1		T1	4.69-4.87
	9.	Techniques for aligning completion times and due dates.	1		T1	4.87-4.89
5.		INVENTORY CONTROL AND RECENT TRENDS IN PPC				
	1.	Inventory control-Purpose of holding stock-Effect of demand on inventories	1	XIII	T1	5.1-5.4
	2.	Ordering procedures	1		T1	5.22-5.24
	3.	Two bin system, Ordering cycle system	1		T1	5.4-5.6
	4.	Determination of Economic order quantity and economic lot size	2	XIV	T1	5.6-5.22
	5.	ABC analysis-Recorder procedure	1		T1	5.24-5.27
	6.	Introduction to computer integrated production planning systems	1	XV	T1	5.27-5.31
	7.	Elements of JUST IN TIME SYSTEMS	1		T1	5.31-5.35
	8.	Fundamentals of MRP II and ERP.	1		T1	5.35-5.46

TEXT BOOK:

1. Dr.R.Kesavan, 2012 “Production Planning and Control”, Anuradha Publications.

REFERENCE BOOK:

1. Martand Telsang, 2006 “Industrial Engineering and Production Management”, S.Chand and Company, New Delhi.

TOTAL NUMBER OF COURSE HOURS : 45 Hrs

PRODUCTION PLANNING AND CONTROL

UNIT-I

INTRODUCTION : Definition – Objectives of production Planning and Control – Functions of production planning and control – Elements of production control – Types of production – Organization of production planning and control department – Internal organization of department – Product design factors – Process Planning sheet.

UNIT-II

FORECASTING – Importance of forecasting – Types of forecasting, their uses – General principles of forecasting – Forecasting techniques – qualitative methods and quantitative methods.

UNIT-III

INVENTORY MANAGEMENT : Functions of inventories – relevant inventory costs – ABC analysis – VED analysis – EOQ model – Inventory control systems – P-Systems and Q-Systems.

Introduction to MRP & ERP, LOB (Line of Balance), JIT inventory, and Japanese concepts, Introduction to supply chain management.

UNIT-IV

ROUTING : Definition – Routing procedure – Route sheets – Bill of material – Factors affecting routing procedure. Scheduling – definition – Difference with loading.

SCHEDULING POLICIES : Techniques, Standard scheduling methods.
Line Balancing, Aggregate planning, Chase planning, Expediting, controlling aspects.

UNIT-V

DISPATCHING : Activities of dispatcher – Dispatching procedure – follow up – definition – Reason for existence of functions – types of follow up, applications of computer in production planning and control.

TEXT BOOKS:

1. Samuel Eilon, “Elements of Production Planning and Control”,
1st Edition, Universal Publishing Corp., 1999.
2. Baffa & Rakesh Sarin, “Modern Production / Operations Management”, 8th Edition, John Wiley & Sons, 2002.

UNIT -I

INTRODUCTION

Production Planning is a managerial function which is mainly concerned with the following important issues:

- What production facilities are required?
- How these production facilities should be laid down in the space available for production? and
- How they should be used to produce the desired products at the desired rate of production?

Broadly speaking, production planning is concerned with two main aspects: (i) routing or planning work tasks (ii) layout or spatial relationship between the resources. Production planning is dynamic in nature and always remains in fluid state as plans may have to be changed according to the changes in circumstances.

Production control is a mechanism to monitor the execution of the plans. It has several important functions:

- Making sure that production operations are started at planned places and planned times.
- Observing progress of the operations and recording it properly.
- Analyzing the recorded data with the plans and measuring the deviations.
- Taking immediate corrective actions to minimize the negative impact of deviations from the plans.
- Feeding back the recorded information to the planning section in order to improve future plans.


OBJECTIVES AND BENEFITS

- • Minimize costs / maximize profits
- • Maximize customer service
- • Minimize inventory investment
- • Minimize changes in production rates
- • Minimize changes in work-force levels
- • Maximize the utilization of plant and equipment

FUNCTIONS OF PRODUCTION CONTROL

- Production function encompasses the activities of procurement, allocation and utilization of resources.
- The main objective of production function is to produce the goods and services demanded by the customers in the most efficient and economical way.
- Therefore efficient management of the production function is of utmost importance in order to achieve this objective.

ORGANISATION CHART FOR P.P.C. DEPARTMENT



An organization chart for production management department.

A block diagram depicting the architecture of a control system is shown in [Figure. _](#)

Figure 1: Architecture of Control System

Important functions covered by production planning and control (PPC) function in any manufacturing system are shown in [Table1](#) along with the issues to be covered.




Table 1: Production Planning and control Functions

Functions	Issues to be covered
Product Design& Development	Customer needs, market needs, availability of similar product, demand-supply gap, functional aspects, operational aspects, environmental aspects etc.
Demand Forecasting	Quantity, Quality, Demand pattern.
Capacity Planning	No. of machines, No. of tooling, workers, No.of flow lines, Quantity, Quality and rate of production, demand pattern.
Equipments Selection & Maintenance	No. of machines, type of M/c, Quality aspects, Quantity aspects, rate of production, Cost of equipments, support from the supplier, maintenance policy, storage of spare parts.
Tooling Selection	Compatibility between w/c steels, No. of tools, their cost, their material etc, storage policy.
Material Selection & Management	Types, specification, quality aspect, quantity aspect, cost, supplies reputation , lot size, inventory levels, setup cost, mode of transportation etc.
Process Planning	Generation of manufacture instruction, selection of M/c, tools, parameters, sequence etc.
Loading	Division of work load, assignment of tasks, uniform loading, matching between capability & capacity with job requirements.
Routing	Path selection for material movement as per the process plan and loading, minimum material handling and waiting time.
Scheduling	Time based loading, start and finish times, due dates, dispatching rules, re-scheduling.
Expediting	Operation Scheduling and order and progress reporting.

Types of Production Systems

A production system can be defined as a transformation system in which a saleable product or service is created by working upon a set of inputs. Inputs are usually in the form of men, machine, money, materials etc. Production systems are usually classified on the basis of the following:

- ☐ Type of product,
- ☐ Type of production line,
- ☐ Rate of production,
- ☐ Equipments used etc.

They are broadly classified into three categories:

- ☐ Job shop production
- ☐ Batch production
- ☐ Mass production

Job shop Production

In this system products are made to satisfy a specific order. However that order may be produced-

- ☐ only once
- ☐ or at irregular time intervals as and when new order arrives
- ☐ or at regular time intervals to satisfy a continuous demand

The following are the important characteristics of job shop type production system:

- ☐ Machines and methods employed should be general purpose as product changes are quite frequent.
- ☐ Planning and control system should be flexible enough to deal with the frequent changes in product requirements.
- ☐ Man power should be skilled enough to deal with changing work conditions.
- ☐ Schedules are actually non existent in this system as no definite data is available on the product.
- ☐ In process inventory will usually be high as accurate plans and schedules do not exist.
- ☐ Product cost is normally high because of high material and labor costs.
- ☐ Grouping of machines is done on functional basis (i.e. as lathe section, milling section etc.)
- ☐ This system is very flexible as management has to manufacture varying product types.
- ☐ Material handling systems are also flexible to meet changing product requirements.

Batch Production

Batch production is the manufacture of a number of identical articles either to meet a specific order or to meet a continuous demand. Batch can be manufactured either-

- ☐ only once
- ☐ or repeatedly at irregular time intervals as and when demand arise
- ☐ or repeatedly at regular time intervals to satisfy a continuous demand

The following are the important characteristics of batch type production system:

- ☐ As final product is somewhat standard and manufactured in batches, economy of scale can be availed to some extent.
- ☐ Machines are grouped on functional basis similar to the job shop manufacturing.
- ☐ Semi automatic, special purpose automatic machines are generally used to take advantage of the similarity among the products.
- ☐ Labor should be skilled enough to work upon different product batches.
- ☐ In process inventory is usually high owing to the type of layout and material handling policies adopted.
- ☐ Semi automatic material handling systems are most appropriate in conjunction with the semi automatic machines.

Mass Production

In mass production, same type of product is manufactured to meet the continuous demand of the product. Usually demand of the product is very high and market is going to sustain same demand for sufficiently long time.

The following are the important characteristics of mass production system:

- ❑ As same product is manufactured for sufficiently long time, machines can be laid down in order of processing sequence. Product type layout is most appropriate for mass production system.
- ❑ Standard methods and machines are used during part manufacture.
- ❑ Most of the equipments are semi automatic or automatic in nature.
- ❑ Material handling is also automatic (such as conveyors).
- ❑ Semi skilled workers are normally employed as most of the facilities are automatic.
- ❑ As product flows along a pre defined line, planning and control of the system is much easier.
- ❑ Cost of production is low owing to the high rate of production.
- ❑ In process inventories are low as production scheduling is simple and can be implemented with ease.

PRODUCT DESIGN

- ❑ Product design is a strategic decision as the image and profit earning capacity of a small firm depends largely on product design. Once the product to be produced is decided by the entrepreneur the next step is to prepare its design. Product design consists of form and function. The form designing includes decisions regarding its shape, size, color and appearance of the product. The functional design involves the working conditions of the product. Once a product is designed, it prevails for a long time therefore various factors are to be considered before designing it. These

factors are listed below: -

- ❑ (a) Standardization
- ❑ (b) Reliability
- ❑ (c) Maintainability
- ❑ (d) Servicing
- ❑ (e) Reproducibility
- ❑ (f) Sustainability
- ❑ (g) Product simplification
- ❑ (h) Quality Commensuration with cost
- ❑ (i) Product value
- ❑ (j) Consumer quality
- ❑ (k) Needs and tastes of consumers.

Above all, the product design should be dictated by the market demand. It is an important decision and therefore the entrepreneur should pay due effort, time, energy and attention in order to get the best results.

TYPES OF PRODUCTION

Broadly one can think of three types of production systems which are mentioned here under: -

- (a) Continuous production
- (b) Job or unit production
- (c) Intermittent production


(a) **Continuous production:** - It refers to the production of standardized products with a standard set of process and operation sequence in anticipation of demand. It is also known as mass flow production or assembly line production. This system ensures less work in process inventory and high product quality but involves large investment in machinery and equipment. The system is suitable in plants involving large volume and small variety of output e.g. oil refineries, cement manufacturing etc.

(b) **Job or Unit production:** - It involves production as per customer's specification. Each batch or order consists of a small lot of identical products and is different from other batches. The system requires comparatively smaller investment in machines and equipment. It is flexible and can be adapted to changes in product design and order size without much inconvenience. This system is most suitable where heterogeneous products are produced against specific orders.

(c) **Intermittent Production:** Under this system the goods are produced partly for inventory and partly for customer's orders. E.g. components are made for inventory but they are combined differently for different customers. Automobile plants, printing presses, electrical goods plant are examples of this type of manufacturing.

Intermittent production

- Under this system the goods are produced partly for inventory and partly for customer's orders.
- E.g. components are made for inventory but they are combined differently for different customers. .
- Automobile plants, printing presses, electrical goods plant



MARKETING ASPECT

- Sales and Marketing is a key function whose participation is often hard to enlist.
- Sales and Marketing are critical functions in this process, since they provide the starting point of the planning and scheduling process -- the forecasts and customer order demands
- They are also vital from the viewpoint of providing the proper customer perspective whenever changes need to be made to plans and schedules based on mismatches of resources to customer demands.
- Only with a proper level of participation in Planning and Scheduling, can Sales and Marketing optimally leverage its performance and create a trusting and consensus based working relationship with Manufacturing, Purchasing, Planning, Engineering and all other functions in the company.

Standardization

- Sizes for screws, nuts bolts and other threaded fasteners were first standardized based on work of by Joseph Whitworth..
- Pipe sizes
- Shoe size standardization
- The screw base size and thread dimensions of electric lamp bulbs was standardized by Thomas Edison.
- Electrical voltage and frequency
- Electrical wiring and device standards

UNIT -II

FORE CASTING

INTRODUCTION

The growing competition, frequent changes in customer's demand and the trend towards automation demand that decisions in business should not be based purely on guesses rather on a careful analysis of data concerning the future course of events. More time and attention should be given to the future than to the past, and the question 'what is likely to happen?' should take precedence over 'what has happened?' though no attempt to answer the first can be made without the facts and figures being available to answer the second. When estimates of future conditions are made on a systematic basis, the process is called forecasting and the figure or statement thus obtained is defined as forecast.

In a world where future is not known with certainty, virtually every business and economic decision rests upon a forecast of future conditions. Forecasting aims at reducing the area of uncertainty that surrounds management decision-making with respect to costs, profit, sales, production, pricing, capital investment, and so forth. If the future were known with certainty, forecasting would be unnecessary. But uncertainty does exist, future outcomes are rarely assured and, therefore, organized system of forecasting is necessary. The following are the main functions of forecasting:

- ☐ The creation of plans of action.
- ☐ The general use of forecasting is to be found in monitoring the continuing progress of plans based on forecasts.
- ☐ The forecast provides a warning system of the critical factors to be monitored regularly because they might drastically affect the performance of the plan.

It is important to note that the objective of business forecasting is not to determine a curve or series of figures that will tell exactly what will happen, say, a year in advance, but it is to make analysis based on definite statistical data, which will enable an executive to take advantage of future conditions to a greater extent than he could do without them. In forecasting one should note that it is impossible to forecast the future precisely and there always must be some range of error allowed for in the **forecast**.

FORECASTING FUNDAMENTALS

Forecast: A prediction, projection, or estimate of some future activity, event, or occurrence.

Types of Forecasts

- Economic forecasts
 - Predict a variety of economic indicators, like money supply, inflation rates, interest rates, etc.
- Technological forecasts
 - Predict rates of technological progress and innovation.
- Demand forecasts
 - Predict the future demand for a company's products or services.


Since virtually all the operations management decisions (in both the strategic category and the tactical category) require as input a good estimate of future demand, this is the type of forecasting that is emphasized in our textbook and in this course.

TYPES OF FORECASTING METHODS

Qualitative methods: These types of forecasting methods are based on judgments, opinions, intuition, emotions, or personal experiences and are subjective in nature. They do not rely on any rigorous mathematical computations

Quantitative methods: These types of forecasting methods are based on mathematical (quantitative) models, and are objective in nature. They rely heavily on mathematical computations.

QUANTITATIVE FORECASTING METHODS



TIME SERIES MODELS

Model	Description
Naïve	Uses last period's actual value as a forecast
Simple Mean (Average)	Uses an average of all past data as a forecast
Simple Moving Average	Uses an average of a specified number of the most recent observations, with each observation receiving the same emphasis (weight)
Weighted Moving Average	Uses an average of a specified number of the most recent observations, with each observation receiving a different emphasis (weight)
Exponential Smoothing	A weighted average procedure with weights declining exponentially as data become older
Trend Projection	Technique that uses the least squares method to fit a straight line to the data
Seasonal Indexes	A mechanism for adjusting the forecast to accommodate any seasonal patterns inherent in the data

DECOMPOSITION OF A TIME SERIES

Patterns that may be present in a time series

Trend: Data exhibit a steady growth or decline over time.

Seasonality: Data exhibit upward and downward swings in a short to intermediate time frame (most notably during a year).

Cycles: Data exhibit upward and downward swings in over a very long time frame.

Random variations: Erratic and unpredictable variation in the data over time with no discernable pattern.

ILLUSTRATION OF TIME SERIES DECOMPOSITION

Hypothetical Pattern of Historical Demand


Dependent versus Independent Demand

Demand of an item is termed as independent when it remains unaffected by the demand for any other item. On the other hand, when the demand of one item is linked to the demand for another item, demand is termed as dependent. It is important to mention that only independent demand needs forecasting. Dependent demand can be derived from the demand of independent item to which it is linked.

Business Time Series

The first step in making a forecast consists of gathering information from the past. One should collect statistical data recorded at successive intervals of time. Such a data is usually referred to as time series. Analysts plot demand data on a time scale, study the plot and look for consistent shapes and patterns. A time series of demand may have constant, trend, or seasonal pattern ([Figure 1](#))

Figure 1: Business Time Series



or some combination of these patterns. The forecaster tries to understand the reasons for such changes, such as,

- Changes that have occurred as a result of general tendency of the data to increase or decrease, known as secular movements.
- Changes that have taken place during a period of 12 months as a result in changes in climate, weather conditions, festivals etc. are called as seasonal changes.
- Changes that have taken place as a result of booms and depressions are called as cyclical variations.
- Changes that have taken place as a result of such forces that could not be predicted (like flood, earthquake etc.) are called as irregular or erratic variations.

Quantitative Approaches of Forecasting

Most of the quantitative techniques calculate demand forecast as an average from the past demand. The following are the important demand forecasting techniques.

- Simple average method: A simple average of demands occurring in all previous time periods is taken as the demand forecast for the next time period in this method. ([Example 1](#))

Example 1

Simple Average :

A XYZ television supplier found a demand of 200 sets in July, 225 sets in August & 245 sets in September. Find the demand forecast for the month of October using simple average method.

The average demand for the month of October is

$$\begin{aligned}
 SA &= \left(\frac{D1+D2+D3}{3} \right) \\
 &= \left(\frac{200+225+245}{3} \right) \\
 &= 223.33 \\
 &\approx 224 \text{ units}
 \end{aligned}$$

- Simple moving average method: In this method, the average of the demands from several of the most recent periods is taken as the demand forecast for the next time period. The number of past periods to be used in calculations is selected in the beginning and is kept constant (such as 3-period moving average). ([Example 2](#))

Simple Moving Average :

A XYZ refrigerator supplier has experienced the following demand for refrigerator during past five months.

Month	Demand
February	20
March	30
April	40
May	60
June	45

Find out the demand forecast for the month of July using five-period moving average & three-period moving average using simple moving average method.

$$\begin{aligned}
 MA_n &= \frac{\sum_{i=1}^n D_i}{n} \\
 \text{For five period average (i.e. } n=5) \\
 MA_5 &= \frac{20+30+40+60+45}{5} \\
 &= 29 \text{ units} \\
 \text{For three period average (i.e. } n=3) \\
 MA_3 &= \frac{40+60+45}{3} \\
 &= 48.33 \\
 &\approx 49 \text{ units}
 \end{aligned}$$

- Weighted moving average method: In this method, unequal weights are assigned to the past demand data while calculating simple moving average as the demand forecast for next time period. Usually most recent data is assigned the highest weight factor. ([Example 3](#))

Example 3

Weighted Moving Average Method :

The manager of a restaurant wants to make decision on inventory and overall cost. He wants to forecast demand for some of the items based on weighted moving average method. For the past three months he experienced a demand for pizzas as follows:

Month	Demand
October	400
November	480
December	550

Find the demand for the month of January by assuming suitable weights to demand data.

$$WMA = \sum_{i=1}^n C_i D_i$$

C_i = Weights for Periods

D_i = Demand for Periods

Let $C_1 = 0.25, C_2 = 0.3, C_3 = 0.5$

$$\therefore WMA = C_1 D_1 + C_2 D_2 + C_3 D_3$$

$$= 0.25 * 400 + 0.3 * 480 + 0.5 * 550$$

$$= 100 + 144 + 275$$

$$= 519 \text{ units}$$

- Exponential smoothing method: In this method, weights are assigned in exponential order. The weights decrease exponentially from most recent demand data to older demand data. ([Example 4](#))

Example 4

Exponential Smoothing :

One of the two wheeler manufacturing company experienced irregular but usually increasing demand for three products. The demand was found to be 420 bikes for June and 440 bikes for July. They use a forecasting method which takes average of past year to forecast future demand. Using the simple average method demand forecast for June is found as 320 bikes (Use a smoothing coefficient 0.7 to weight the recent demand most heavily) and find the demand forecast for August.

$$F_t = \alpha D_{t-1} + (1 - \alpha) F_{t-1}$$

where α = Smoothing Coefficient

D_{t-1} = Actual Demand for Recent Period

F_{t-1} = Demand Forecast for Recent Period

F_t = Forecast of Next Period Demand

for July:

$$= 0.7(420) + (1 - 0.7)320$$

$$= 294 + 96$$

$$= 390 \text{ units}$$

for August:

$$= 0.7(440) + (1 - 0.7)390$$

$$= 308 + 117$$

$$= 425 \text{ units}$$

- Regression analysis method: In this method, past demand data is used to establish a functional relationship between two variables. One variable is known or assumed to be known; and used to forecast the value of other unknown variable (i.e. demand). ([Example 5](#))

Example 5

Regression Analysis :

Farewell Corporation manufactures Integrated Circuit boards(I.C board) for electronics devices. The planning department knows that the sales of their client goods depends on how much they spend on advertising, on account of which they receive in advance of expenditure. The planning department wish to find out the relationship between their clients advertising and sales, so as to find demand for I.C board.

The money spend by the client on advertising and sales (in dollar) is given for different periods in following table :

Period(t)	Advertising (X _t) \$(1,00,000)	Sales (D _t) \$(1,000.000)	D _t ²	X _t ²	X _t D _t
1	20	6	36	400	120
2	25	8	64	625	200
3	15	7	49	225	105
4	18	7	49	324	126
5	22	8	64	484	176
6	25	9	81	625	225
7	27	10	100	729	270
8	23	7	49	529	161
9	16	6	36	256	96
10	20	8	64	400	120
Σ	211	76	592	4597	1599

$$\begin{aligned}b &= \frac{n(\sum X_t D_t) - (\sum X_t)(\sum D_t)}{n(\sum X_t^2) - (\sum X_t)^2} \\&= \frac{10(1599) - (211)(76)}{10(4597) - (211)^2} \\&= \frac{15990 - 16036}{45970 - 44521} \\&= \frac{-46}{1449} = -0.0317 \\a &= \sum D_t - b \sum X_t \\&= \frac{76 - (-0.0317)211}{10} \\&= 8.268\end{aligned}$$

Relationship between future sales F_t and advertising cost X_t is

$$\begin{aligned}F_t &= a + bX_t \\&= 8.268 - 0.0317X_t\end{aligned}$$

Error in Forecasting

Error in forecasting is nothing but the numeric difference in the forecasted demand and actual demand. [MAD](#) (Mean Absolute Deviation) and [Bias](#) are two measures that are used to assess the accuracy of the forecasted demand. It may be noted that MAD expresses the magnitude but not the direction of the error.

$$\text{MAD} = \frac{\text{sum of the absolute value of forecast error for all periods}}{\text{number of periods}}$$

$$= \frac{\sum_{i=1}^n |\text{forecast error}_i|}{n}$$

$$= \frac{\sum_{i=1}^n |(\text{forecasted demand} - \text{actual demand})_i|}{n}$$

where n is the number of periods.

$$\text{Bias} = \frac{\text{sum of all forecast errors for all periods}}{\text{number of periods}}$$

$$= \frac{\sum_{i=1}^n (\text{forecast demand} - \text{actual demand})_i}{n}$$

where n is the number of periods.

UNIT -III

INVENTORY

INTRODUCTION

The amount of material, a company has in stock at a specific time is known as inventory or in terms of money it can be defined as the total capital investment over all the materials stocked in the company at any specific time. Inventory may be in the form of,

- ☐ raw material inventory
- ☐ in process inventory
- ☐ finished goods inventory
- ☐ spare parts inventory
- ☐ office stationary etc.

As a lot of money is engaged in the inventories along with their high carrying costs, companies cannot afford to have any money tied in excess inventories. Any excessive investment in inventories may prove to be a serious drag on the successful working of an organization. Thus there is a need to manage our inventories more effectively to free the excessive amount of capital engaged in the materials.

Why Inventories?

Inventories are needed because demand and supply can not be matched for physical and economical reasons. There are several other reasons for carrying inventories in any organization.

- ☐ To safe guard against the uncertainties in price fluctuations, supply conditions, demand conditions, lead times, transport contingencies etc.
- ☐ To reduce machine idle times by providing enough in-process inventories at appropriate locations.
- ☐ To take advantages of quantity discounts, economy of scale in transportation etc.
- ☐ To decouple operations i.e. to make one operation's supply independent of another's supply. This helps in minimizing the impact of break downs, shortages etc. on the performance of the downstream operations. Moreover operations can be scheduled independent of each other if operations are decoupled.
- ☐ To reduce the material handling cost of semi-finished products by moving them in large quantities between operations.
- ☐ To reduce clerical cost associated with order preparation, order procurement etc.

Inventory Costs

In order to control inventories appropriately, one has to consider all cost elements that are associated with the inventories. There are four such cost elements, which do affect cost of inventory.

- ☐ Unit cost: it is usually the purchase price of the item under consideration. If unit cost is related with the purchase quantity, it is called as discount price.
- ☐ Procurement costs: This includes the cost of order preparation, tender placement, cost of postages, telephone costs, receiving costs, set up cost etc.

- Carrying costs: This represents the cost of maintaining inventories in the plant. It includes the cost of insurance, security, warehouse rent, taxes, interest on capital engaged, spoilage, breakage etc.
- Stockout costs: This represents the cost of loss of demand due to shortage in supplies. This includes cost of loss of profit, loss of customer, loss of goodwill, penalty etc.

If one year planning horizon is used, the total annual cost of inventory can be expressed as:

Total annual inventory cost = Cost of items + Annual procurement cost + Annual carrying cost + Stockout cost

Variables in Inventory Models

D = Total annual demand (in units)

Q = Quantity ordered (in units)

Q* = Optimal order quantity (in units)

R = Reorder point (in units)

R* = Optimal reorder point (in units)

L = Lead time

S = Procurement cost (per order)

C = Cost of the individual item (cost per unit)

I = Carrying cost per unit carried (as a percentage of unit cost C)

K = Stockout cost per unit out of stock

P = Production rate or delivery rate

d_l = Demand per unit time during lead

time D_l = Total demand during lead time

TC = Total annual inventory costs

TC* = Minimum total annual inventory costs

Number of orders per year = $\frac{\text{Annual demand}}{\text{Ordered quantity}} = \frac{D}{Q}$

Total procurement cost per year = $S \cdot D / Q$

Total carrying cost per year = Carrying cost per unit * unit cost * average inventory per cycle

$$= I.C. \left(\frac{0+Q}{2} \right)$$

$$= I.C. \cdot \frac{Q}{2}$$


Cost of items per year = Annual demand * unit cost

$$= D.C$$

Total annual inventory cost (TC) = $D.C + \frac{S.D}{Q} + \frac{I.C.Q}{2}$ (when stockouts are not considered)

The objective of inventory management team is to minimize the total annual inventory cost. A simplified graphical presentation in which cost of items, procurement cost and carrying cost are depicted is shown in [Figure 1](#). It can be seen that large values of order quantity Q result in large carrying cost. Similarly, when order quantity Q is large, fewer orders will be placed and procurement cost will decrease accordingly. The total cost curve indicates that the minimum cost point lies at the intersection of carrying cost and procurement cost curves.

Figure 1 : Inventory Related Costs



Inventory Operating Doctrine

When managing inventories, operations manager has to make two important decisions:

- ☐ When to reorder the stock (i.e. time to reorder or reorder point)
- ☐ How much stock to reorder (i.e. order quantity)

Reorder point is usually a predetermined inventory level, which signals the operations manager to start the procurement process for the next order. Order quantity is the order size.

Inventory Modelling

This is a quantitative approach for deriving the minimum cost model for the inventory problem in hand.

Economic Order Quantity (EOQ) Model

This model is applied when objective is to minimize the total annual cost of inventory in the organization. Economic order quantity is that size of the order which helps in attaining the above set objective. EOQ model is applicable under the following conditions.

- ☐ Demand per year is deterministic in nature
- ☐ Planning period is one year
- ☐ Lead time is zero or constant and deterministic in nature
- ☐ Replenishment of items is instantaneous
- ☐ Demand/consumption rate is uniform and known in advance
- ☐ No stockout condition exist in the organization

The total annual cost of the inventory (TC) is given by the following equation in EOQ model.

$$TC = CD + S \cdot \frac{D}{Q} + I \cdot C \cdot \frac{Q}{2}$$

By taking the first partial derivative of TC w.r.t Q

$$\frac{\partial (TC)}{\partial Q} = 0 + \left(-SD/Q^2 \right) + \left(IC/2 \right)$$


Setting the $\frac{\partial (TC)}{\partial Q} = 0$ and solveing for Q

$$Q^* = \sqrt{\frac{2DS}{IC}}$$

where Q* is the optimal order quantity.

The graphical representation of the EOQ model is shown in [Figure 2](#).

Figure 2: Economic Order Quantity Model (EOQ Model)



A numeric illustration of the EOQ model is given in [example 1](#).

ABC manufacturers produces 1,25,000 oil seals each year to satisfy the requirement of their client. They order the metal for the bushing in lot of 30,000 units. It cost them \$40 to place the order. The unit cost of bushing is \$0.12 and the estimated carrying cost is 25% unit cost. Find out the economic order quantity? What percentage of increases or decrease in order quantity is required so that the ordered quantity is Economic order quantity ?

D = Total Annual Demand

S = Procurement Cost(per order)

I = Carrying Cost per Unit Carried

C = Cost per Unit

Economic order quantity

$$\begin{aligned}
 Q^* &= \sqrt{\frac{2DS}{IC}} \\
 &= \sqrt{\frac{2(125,000)(40)}{(0.25)(0.12)}} \\
 &= 18,257.4 \\
 &\approx 18258
 \end{aligned}$$


Since the order quantity is 30,000 which is more than EOQ; the quantity should be decreased to reach EOQ..

Percentage decrease in order quantity required is

$$\begin{aligned}
 &= \frac{30,000 - 18,258}{30,000} \times 100\% \\
 &= 39.14\%
 \end{aligned}$$

Economic Production Quantity (EPQ) Model

In EOQ model supply was instantaneous, which may not be the case in all industrial applications. If supply of items is gradual to satisfy a continuous demand, then supply line will be depicted by a slanted line ([Figure 3](#)). **Figure 3 : Economic Production Quantity Model (EPQ Model)**



In this situation, when the order is placed, the supplier begins producing the units and supplies them continuously. While new units are added to inventory, other units are being used. Thus, if delivery rate (P) > demand rate (D), the net result will be a net increase in the inventory level. The slope of replenishment line will thus be $(P-D)$. Similarly the slope of demand line will be $(-D)$. The average inventory carried per year is

$$Q_{av} = \frac{\left(\frac{Q(P-D)}{P} \right) + 0}{2} \\ = \frac{Q}{2} \left(\frac{P-D}{P} \right)$$

$$\text{The total annual inventory cost (TC)} = C D + S \cdot \frac{D}{2} + IC \left[\frac{Q}{2} \left(\frac{P-D}{P} \right) \right]$$

By taking the first partial derivative of TC w.r.t Q

$$\frac{\partial (TC)}{\partial Q} = 0 + \left(\frac{-SD}{Q^2} \right) + \left(\frac{P-D}{2P} \right) I.C$$

Setting the $\frac{\partial (TC)}{\partial Q} = 0$ and solveing for Q

$$Q^* = \sqrt{\frac{2DS}{IC} \left(\frac{P}{P-D} \right)}$$

A numeric illstration of the EPQ model is given in

[example 2.](#)

The XYZ Company produces wheat flour as one of their product. The wheat flour is produced in the pack of 1kg. The demand for wheat flour is 40,000 packs/year & the production rate is 50,000 packs/year. Wheat flour 1kg pack cost \$0.50 each to make. The Procurement cost is \$5. The carrying

cost is high because the product gets spoiled in few week times span. It is nearly 50 percent of cost of one pack. Find out the operating doctrine.

$$\begin{aligned}
 Q^* &= \sqrt{\frac{2DS}{IC} \left(\frac{P}{P-D} \right)} \\
 &= \sqrt{\frac{2(40,000)(5)}{(0.5)(0.5)} \left(\frac{50,000}{50,000 - 40,000} \right)} \\
 &= \sqrt{\frac{10(40,000)}{0.25} \left(\frac{50,000}{10,000} \right)} \\
 &= 2828.42 \\
 &\approx 2829
 \end{aligned}$$

MRP

Introduction

It was discussed in demand forecasting that in the dependent demand situation, if the demand for an item is known, the demand for other related items can be deduced. For example, if the demand of an automobile is known, the demand of its sub assemblies and sub components can easily be deduced.

For dependent demand situations, normal reactive inventory control systems (i.e. EOQ etc.) are not suitable because they result in high inventory costs and unreliable delivery schedules. More recently, managers have realized that inventory planning systems (such as materials requirements planning) are better suited for dependent demand items. MRP is a simple system of calculating arithmetically the requirements of the input materials at different points of time based on actual production plan. MRP can also be defined as a planning and scheduling system to meet time-phased materials requirements for production operations. MRP always tries to meet the delivery schedule of end products as specified in the master production schedule.

MRP Objectives


MRP has several objectives, such as:

- ❑ **Reduction in Inventory Cost:** By providing the right quantity of material at right time to meet master production schedule, MRP tries to avoid the cost of excessive inventory.
- ❑ **Meeting Delivery Schedule:** By minimizing the delays in materials procurement, production decision making, MRP helps avoid delays in production thereby meeting delivery schedules more consistently.
- ❑ **Improved Performance:** By stream lining the production operations and minimizing the unplanned interruptions, MRP focuses on having all components available at right place in right quantity at right time.

MRP System

A simple sketch of an MRP system is shown in [figure 1](#). It can be seen from the figure that an MRP system has three major input components:

Figure 1: Material Requirements Planning System Architecture



- ❑ **Master Production Schedule (MPS):** MPS is designed to meet the market demand (both the firm orders and forecasted demand) in future in the taken planning horizon. MPS mainly depicts the detailed delivery schedule of the end products. However, orders for replacement components can also be included in it to make it more comprehensive.
- ❑ **Bill of Materials (BOM) File:** BOM represents the product structure. It encompasses information about all sub components needed, their quantity, and their sequence of buildup in the end product. Information about the work centers performing buildup operations is also included in it.
- ❑ **Inventory Status File:** Inventory status file keeps an up-to-date record of each item in the inventory. Information such as, item identification number, quantity on hand, safety stock level, quantity already allocated and the procurement lead time of each item is recorded in this file.

After getting input from these sources, MRP logic processes the available information and gives information about the following:

- ❑ **Planned Orders Receipts:** This is the order quantity of an item that is planned to be ordered so that it is received at the beginning of the period under consideration to meet the net requirements of that period. This order has not yet been placed and will be placed in future.
- ❑ **Planned Order Release:** This is the order quantity of an item that is planned to be ordered in the planned time period for this order that will ensure that the item is received when needed. Planned order release is determined by offsetting the planned order receipt by procurement lead time of that item.
- ❑ **Order Rescheduling:** This highlight the need of any expediting, de-expediting, and cancellation of open orders etc. in case of unexpected situations.

CPM

Project Management


A project is a well defined task which has a definable beginning and a definable end and requires one or more resources for the completion of its constituent activities, which are interrelated and which must be accomplished to achieve the objectives of the project. Project management is evolved to coordinate and control all project activities in an efficient and cost effective manner. The salient features of a project are:

- ❑ A project has identifiable beginning and end points.
- ❑ Each project can be broken down into a number of identifiable activities which will consume time and other resources during their completion.
- ❑ A project is scheduled to be completed by a target date.
- ❑ A project is usually large and complex and has many interrelated activities.
- ❑ The execution of the project activities is always subjected to some uncertainties and risks.


Network Techniques

The network techniques of project management have developed in an evolutionary way in many years. Up to the end of 18th century, the decision making in general and project management in particular was intuitive and depended primarily on managerial capabilities, experience, judgment and academic background of the managers. It was only in the early of 1900's that the pioneers of scientific management, started developing the scientific management techniques. The forerunner to network techniques, the Gantt chart was developed, during world war I, by Henry L Gantt, for the purpose of production scheduling. An example of Gantt chart is shown in [Figure 1.](#)

Figure1: Gantt Chart




The Gantt chart was later modified to bar chart ([Figure 2](#)), **Figure 2: Bar Chart**



which was used as an important tool in both the project and production scheduling. The bar charts, then developed into milestone charts ([Figure 3](#)), and next into network techniques (such as CPM and PERT).

Figure 3: Mile Stone Chart




Network Construction

A network is the graphical representation of the project activities arranged in a logical sequence and depicting all the interrelationships among them. A network consists of activities and events.


Activity

An activity is a physically identifiable part of a project, which consumes both time and resources.

Activity is represented by an arrow in a network diagram ([Figure 4](#)). **Figure 4: Activity**




The head of an arrow represents the start of activity and the tail of arrow represents its end. Activity description and its estimated completion time are written along the arrow. An activity in the network can be represented by a number of ways: (i) by numbers of its head and tail events (i.e. 10-20 etc.), and (ii) by a letter code (i.e. A, B etc.). All those activities, which must be completed before the start of activity under consideration, are called its predecessor activities. All those activities, which have to follow the activity under consideration, are called its successor activities ([Figure 5](#)). **Figure 5: Activity Precedence**



Activity	Immediate Predecessor
A	–
B	A
C	A
D	B
E	C
Activity	Immediate Successor
A	B,C
B	D
C	E

An activity, which is used to maintain the pre-defined precedence relationship only during the construction of the project network, is called a dummy activity. Dummy activity is represented by a dotted arrow and does not consume any time and resource ([Figure 6](#)).

Figure 6: Dummy Activity



An unbroken chain of activities between any two events is called a path.

Event

An event represents the accomplishment of some task. In a network diagram, beginning and ending of an activity are represented as events. Each event is represented as a node in a network diagram. An event does not consume any time or resource. Each network diagram starts with an initial event and ends at a terminal event. Each node is represented by a circle ([Figure 7](#))

figure 7: Event Representation




and numbered by using the Fulkerson's Rule. Following steps are involved in the numbering of the nodes:

- The initial event, which has all outgoing arrows and no incoming arrow, is numbered as 1.
- Delete all the arrows coming out from the node just numbered (i.e. 1). This step will create some more nodes (at least one) into initial events. Number these events in ascending order (i.e. 2, 3 etc.).
- Continue the process until the final or terminal node which has all arrows coming in, with no arrow going out, is numbered.

An illustration of Fulkerson's Rule of numbering the events is shown in [Figure 8](#).

Figure 8: Fulkerson's Rule




As a recommendation it must be noted that most of the projects are liable for modifications, and hence there should be a scope of adding more events and numbering them without causing any inconsistency in the network. This is achieved by skipping the numbers (i.e. 10, 20, 30...).

Rules for drawing network diagram

Rule 1: Each activity is represented by one and only one arrow in the network.

Rule 2: No two activities can be identified by the same end events ([Figure 9](#)).


Figure 9: Network Preparation



Rule 3: Precedence relationships among all activities must always be maintained.


Rule 4: Dummy activities can be used to maintain precedence relationships only when actually required. Their use should be minimized in the network diagram ([Figure 10](#)).

Figure 10: Use of Dummy Activities



Rule 5: Looping among the activities must be avoided([Figure11](#)).

Figure 11: Looping Problem




CPM and PERT

The CPM (critical path method) system of networking is used, when the activity time estimates are deterministic in nature. For each activity, a single value of time, required for its execution, is estimated. Time estimates can easily be converted into cost data in this technique. CPM is an activity oriented technique.

The PERT (Project Evaluation and Review Technique) technique is used, when activity time estimates are stochastic in nature. For each activity, three values of time (optimistic, most likely, pessimistic) are estimated. Optimistic time (t_o) estimate is the shortest possible time required for the completion of activity. Most likely time (t_m) estimate is the time required for the completion of activity under normal circumstances. Pessimistic time (t_p) estimate is the longest possible time required for the completion of activity. In PERT β -distribution is used to represent these three time estimates ([Figure 12](#)).

Figure 12: Time distribution curve



As PERT activities are full of uncertainties, times estimates can not easily be converted in to cost data. PERT is an event oriented technique. In PERT expected time of an activity is determined by using the below given formula:


$$t_e = \frac{(t_o + 4t_m + t_p)}{6}$$

The variance of an activity can be calculated as:

$$\sigma^2 = \left[\frac{(t_p - t_o)}{6} \right]^2$$

Calculation of Time Estimates in CPM

In the project network given in figure below, activities and their durations are specified at the activities. Find the critical path and the project duration.



Calculations in Network Analysis

The following calculations are required in network analysis in order to prepare a schedule of the project.

- Total completion time of the project
- Earliest time when each activity can start (i.e. earliest start time)
- Earliest time when each activity can finish (i.e. earliest finished time)
- Latest time when each activity can be started without delaying the project (i.e. latest start time)
- Latest time when each activity can be finished without delaying the project (i.e. latest finish time)
- Float on each activity (i.e. time by which the completion of an activity can be delayed without delaying the project)
- Critical activity and critical path

The symbols used in the calculations are shown in table below.

Symbol	Description
E_i	Earliest occurrence time of event i
L_j	Latest allowable occurrence time of event j
$t_{E^{i-j}}$	Estimated completion time of activity (i,j)
$(EST)_{ij}$	Earliest starting time of activity (i,j)

(EFT) _{ij}	Earliest finishing time of activity (i,j)	
(LST) _{ij}	Latest starting time of activity (i,j)	
(LFT) _{ij}	Latest finishing time of activity (i,j)	

The computations are made in following steps.

(a) Forward Pass Computations :

$$(EST)_{ij} = E_i$$

$$(EFT)_{ij} = \text{Maximum of } [(EST)_{ij} + t_{ij}^E] \forall i-j \text{ leading into event } j$$

(b) Backward Pass Computations :

$$(LFT)_{ij} = L_j$$

$$(LST)_{ij} = \text{Minimum of } [(LFT)_{ij} - t_{ij}^E] \forall i-j \text{ emanating from node } i$$

(c) Calculation of Slack:

Event slack is defined as the difference between the latest event and earliest event

times. Slack for head event = $L_j - E_j$

Slack for tail event = $L_i - E_i$

The calculations for the above taken example network are summarised below in the table.

Predecessor Event i	Successor j	Event t_{i-j}	(EST) _{ij}	(EFT) _{ij}	(LST) _{ij}	(LFT) _{ij}	S(i) Slack
5	10	7	0	7	0	7	0
5	15	12	0	12	7	19	-
5	20	17	0	17	5	22	-
10	20	15	7	22	7	22	0
10	25	9	7	16	21	30	-
15	30	11	12	23	19	30	7
20	25	5	22	27	25	30	-
20	30	8	22	30	22	30	0
25	35	10	27	37	30	40	3
25	45	15	27	42	35	50	-
30	35	10	30	40	30	40	0

30	40	8	30	38	35	43	-
35	45	10	40	50	40	50	0
40	45	7	38	45	43	50	5


(d) Determination of Critical Path:

The sequence of critical activities in a network is called the critical path. The activities with zero slack of head event and zero slack for tail event, are called as critical activities. In the taken network, the following activities are critical activities: **5 - 10, 10 - 20, 20 - 30, 30 - 35, 35 - 45**. Thus the critical path is **A - E - G - K - M**.

Critical path duration is **7 + 15 + 8 + 10 + 10 = 50**.

Calculation of Expected Time and Variance of a Path in PERT

The Expected Time of a chain of activities in series, is the sum of their expected times. Similarly the variance of the path, is the sum of variances of activities on the path. In Figure below, three activities A,B and C are connected in series, (i.e. form a path). Their time estimates *to-tm-tp* are given along the activity arrows. The expected time of the path 1-2-3-4 is calculated as:



$$\begin{aligned}
 t_E^{1-2-3-4} &= t_E^{1-2} + t_E^{2-3} + t_E^{3-4} \\
 &= \frac{3+4 \cdot 6+9}{6} + \frac{10+4 \cdot 15+17}{6} + \frac{7+4 \cdot 11+18}{6} \\
 &= 6 + 14.5 + 11.5 \\
 &= 32
 \end{aligned}$$

t_E could also be computed as

$$\begin{aligned}
 t_E^{1-2-3-4} &= \frac{\sum t_o + 4 \sum t_m + \sum t_p}{6} \\
 &= \frac{(3+10+7) + 4(6+15+11) + (9+17+18)}{6} \\
 &= 32
 \end{aligned}$$

The Variance for the path is given by

$$\begin{aligned}
 v^{1-2-3-4} &= \left(\frac{9-3}{6} \right)^2 + \left(\frac{17-10}{6} \right)^2 + \left(\frac{18-7}{6} \right)^2 \\
 &= 1 + (1.17)^2 + (1.83)^2 \\
 &= 5.72
 \end{aligned}$$

As the length of the path, that is the number of activities connected in series increases, the variance of the path and hence the uncertainty of meeting the expected time also increases.


An Example

In the network of figure below, the PERT time estimates of the activities are written along the activity arrows in the order *to-tm-tp*. Compute the expected time and variance for each activity. Also compute the expected duration and standard deviation for the following paths of the network.

(a) 10-20-50-80-90

(b) 10-30-50-70-90

(c) 10-40-60-80-90



The computation of expected times and variances for different activities are carried in a table given below.

Activity		Time Estimates			Expected Time	Variance
i	j	t _o	t _m	t _p	t _E	σ^2
10	20	6	9	12	9.00	1.00
10	30	3	5	9	5.33	1.00
10	40	10	14	18	14.00	1.78
20	50	7	10	13	10.00	1.00
20	70	3	4	8	4.5	0.69
30	50	4	10	12	9.33	1.78
40	50	8	11	14	11.00	1.00
40	60	5	10	15	10.00	2.78
50	70	3	4	5	4.00	0.11
50	80	11	15	17	14.67	1.00

60	80	7	9	12	9.17	0.69
70	90	4	8	10	7.67	1.00
80	90	6	7	9	7.17	0.25

(a) Expected duration and variance of the path 10-20-50-80-90

$$\begin{aligned} \text{Expected time } t_E &= t_E^{10-20} + t_E^{20-50} + t_E^{50-80} + t_E^{80-90} \\ &= 9.00 + 10.00 + 14.67 + 7.17 \\ &= 40.84 \end{aligned}$$

$$\begin{aligned} \text{Variance (V)} &= V^{10-20} + V^{20-50} + V^{50-80} + V^{80-90} \\ &= 1.00 + 1.00 + 1.00 + .25 \\ &= 3.25 \end{aligned}$$

$$\text{Standard deviation } (\sigma) = \sqrt{3.25} = 1.803$$

(b) Expected duration of path : 10-30-50-70-90

$$\begin{aligned} t_E &= t_E^{10-30} + t_E^{30-50} + t_E^{50-70} + t_E^{70-90} \\ &= 5.33 + 9.33 + 4.00 + 7.67 \\ &= 26.33 \end{aligned}$$

$$\begin{aligned} \text{Variance (V)} &= V^{10-30} + V^{30-50} + V^{50-70} + V^{70-90} \\ &= 1.00 + 1.78 + 0.11 + 1.00 \\ &= 3.89 \end{aligned}$$

$$\text{Standard deviation } (\sigma) = \sqrt{3.89} = 1.972$$

(c) Expected duration of path 10-40-60-80-90

$$\begin{aligned} t_E &= t_E^{10-40} + t_E^{40-60} + t_E^{60-80} + t_E^{80-90} \\ &= 14.00 + 10.00 + 9.17 + 7.17 \\ &= 40.34 \end{aligned}$$

$$\begin{aligned} \text{Variance (V)} &= V^{10-40} + V^{40-60} + V^{60-80} + V^{80-90} \\ &= 1.78 + 2.78 + .069 + 0.25 \\ &= 5.5 \end{aligned}$$

$$\text{Standard deviation } (\sigma) = \sqrt{5.5} = 2.345$$

Multiple Choice Questions

1. Which of the following is not a part of Five M's?
a. Material, b. Machine, c. **Motion,** d. Method
2. _____ is the first step in a manufacturing planning and control system.
a. **Production planning** b. Achieving the forecast
c. Maintaining the required inventory levels d. Maintaining the planned backlog
3. The life cycle of a product includes
a. Extraction of natural resources b. Processing of raw materials
c. Manufacturing of products d. **All of the mentioned**
4. Gas welding is a type of
a. constant mass process b. material removal process
c. **material addition process** d. none of the above
5. In process charts, the symbol used for storage is
a. Circle b. Square c. Arrow d. **Triangle**
6. Work study is concerned with
a. **Improving present method and finding standard time** b. Motivation of workers
c. Improving production capability d. Improving production planning and control
7. In micro motion study, therblig is described by
a. **A symbol** b. An activity c. Micro motion d. Standard symbol and colour
8. Micro motion study is
a. Enlarged view of motion study b. Analysis of one stage of motion study
c. Minute and detailed motion study d. **Subdivision of an operation into therbligs and their analysis**
9. The cost reduction technique in comparison to the worth of a product is known as
a. Reverse engineering b. **Value engineering** c. Material engineering
d. Quality engineering
10. Value can be defined as the combination of _____ which ensures the ultimate economy and satisfaction of the customer.
a. **Efficiency, quality, service and price** b. Efficiency, quality, service and size
c. Economy, quality, service and price d. Efficiency, material, service and price
11. Which scheduling technique should be employed when due dates are important for a job order?
a. forward scheduling b. loading c. dispatching d. **backward scheduling**
12. What is at the heart of any ERP system?
a. Information b. Employees c. Customers d. **Database**

13. Which of the following is not an inventory?

- a. Machines** b. Raw material c. Finished products d. Consumable tools

14. ABC analysis is based upon the principle that

- a. all items in inventory must be monitored very closely
b. there are usually a few critical items, and many items which are less critical
c. an item is critical if its usage is high
d. the safety stock in terms of volume should be higher for A items than for C items

15. Predetermined motion time systems include

- a. Method Time Measurement
b. Work factor systems
c. Basic Motion time study
d. All of above

16. Work study is most useful

- a. Where production activities are involved**
b. in judging the rating of machines
c. in improving industrial relations
d. in judging the output of a man and improving it

17. Value is the cost directly proportionate to

- a. Price **b. Function** c. Product Material d. All of the above

18. The production database containing information about each of the components that a firm produces or purchases is the

- a. routing file b. work center master file c. control file **d. item master file**

19. A scheduling technique used to achieve optimum, one-to-one matching of tasks and resources is

- a. the assignment method** b. Johnson's rule c. the CDS Algorithm
d. the appointment method

20. Which of the following statements about the basic EOQ model is false?

- a. If the setup cost were to decrease, the EOQ would fall.
b. If annual demand were to increase, the EOQ would increase.
c. If the ordering cost were to increase, the EOQ would rise.
d. If annual demand were to double, the EOQ would also double.

Multiple Choice Questions

1. The life cycle of a product includes
 - a. Extraction of natural resources
 - b. Processing of raw materials
 - c. Manufacturing of products
 - d. All of the mentioned**
2. Using equation method, Break-even point is calculated as
 - a. $\text{Sales} = \text{Variable expenses} + \text{Fixed expenses} + \text{Profit}$
 - b. $\text{Sales} = \text{Variable expenses} + \text{Fixed expenses} - \text{Profit}$
 - c. $\text{Sales} = \text{Variable expenses} - \text{Fixed expenses} + \text{Profit}$
 - d. None of the above**
3. Delay occurs when
 - a. someone stops the process**
 - b. product wait for next event (operation)
 - c. both 'a' and 'b'
 - d. None of the above
- 4.-Value analysis examines the
 - a. Design of every component
 - b. Method of manufacturing
 - c. (C) Material used
 - d. All of the above**
5. Which file contains important information regarding an item's flow through the shop?
 - a. routing file**
 - b. work center master file
 - c. control files
 - d. item master file
6. Which of the following describes an ERP system?
 - a. ERP systems provide a foundation for collaboration between departments
 - b. ERP systems enable people in different business areas to communicate
 - c. ERP systems have been widely adopted in large organisations to store critical knowledge used to make the decisions that drive the organisation's performance
 - d. All of the above**
7. Which of the following is a reason for ERPs explosive growth?
 - a. ERP is a logical solution to the mess of incompatible applications
 - b. ERP addresses the need for global information sharing and reporting
 - c. ERP is used to avoid the pain and expense of fixing legacy systems
 - d. All of the above**
8. Buffer stock' is the level of stock
 - a. Half of the actual stock
 - b. At which the ordering process should start
 - c. Minimum stock level below which actual stock should not fall**
 - d. Maximum stock in inventory
9. All of the following statements about ABC analysis are true except
 - a. inventory may be categorized by measures other than dollar volume
 - b. it categorizes on-hand inventory into three groups based on annual dollar volume
 - c. it is an application of the Pareto principle
 - d. it states that all items require the same degree of control**
10. In the basic EOQ model, if the cost of placing an order doubles, and all other values remain constant, the EOQ will
 - a. increase by about 41%**
 - b. increase by 100%
 - c. increase by 200%
 - d. either increase or decrease

11. The EOQ model with quantity discounts attempts to determine
 - a. what is the lowest amount of inventory necessary to satisfy a certain service level
 - b. what is the lowest purchasing price
 - c. whether to use fixed-quantity or fixed period order policy
 - d. how many units should be ordered**

12. When quantity discounts are allowed, the cost-minimizing order quantity
 - a. minimizes the sum of holding and ordering costs
 - b. minimizes the unit purchase price
 - c. may be a quantity below that at which one qualifies for that price
 - d. minimizes the sum of holding, ordering, and product costs**

13. The purpose of safety stock is to
 - a. replace failed units with good ones
 - b. eliminate the possibility of a stockout
 - c. eliminate the likelihood of a stockout due to erroneous inventory tally
 - d. control the likelihood of a stockout due to the variability of demand during lead time**

14. A disadvantage of the fixed-period inventory system is that
 - a. it involves higher ordering costs than the fixed quantity inventory system
 - b. additional inventory records are required
 - c. the average inventory level is decreased
 - d. since there is no count of inventory during the review period,**

15. The standard time for a job is
 - a. Total work content
 - b. Base time + relaxation time
 - c. Total work content + basic time
 - d. Total work content + delay contingency allowance**

- 16.. A Good Planning system must consider
 - a. What are we going to make?
 - b. What does it take to make it?
 - c. What do we have and need?
 - d. All of the above**

17. A specific product has expected demand during lead time of 100 units, with a standard deviation of 25 units. What safety stock (approximately) provides a 95% service level?
 - a. 41**
 - b. 55
 - c. 133
 - d. 140

18. A product whose EOQ is 400 experiences a 50% increase in demand. The new EOQ is
 - a. unchanged
 - b. increased by less than 50%**
 - c. increased by 50%
 - d. increased by more than 50%

19. ABC analysis is based upon the principle that
 - a. all items in inventory must be monitored very closely
 - b. there are usually a few critical items, and many items which are less critical**
 - c. an item is critical if its usage is high
 - d. the safety stock in terms of volume should be higher for A items than for C items

20. Which of the following is true regarding forward scheduling?
 Forward scheduling is the scheduling of
 - a. the end items or finished products
 - b. jobs as soon as the requirements are known**
 - c. the start items or component parts
 - d. the final operation first beginning with the due date

Multiple Choice Questions

1. A Good Planning system must consider
 - a. What are we going to make?
 - b. What does it take to make it?
 - c. What do we have and need?
 - d. All of the above**
2. Which of the following are characteristics of B.E.P?
 - a. There is no loss and no profit to the firm.
 - b. Total revenue is equal to total cost.
 - c. Contribution is equal to fixed cost.
 - d. All of the above.**
3. Which of the following production processes is least flexible?
 - a. Job order production
 - b. Batch or quantity production
 - c. Mass production**
 - d. none of the above
4. Predetermined motion time systems include
 - a. Method Time Measurement
 - b. Work factor systems
 - c. Basic Motion time study
 - d. All of above**
5. Work study is most useful
 - a. Where production activities are involved**
 - b. in judging the rating of machines
 - c. in improving industrial relations
 - d. in judging the output of a man and improving it
6. Value is the cost directly proportionate to
 - a. Price
 - b. Function**
 - c. Product Material
 - d. All of the above
- 7.. Which of the following is true regarding forward scheduling?
Forward scheduling is the scheduling of
 - a. the end items or finished products
 - b. jobs as soon as the requirements are known**
 - c. the start items or component parts
 - d. the final operation first beginning with the due date
8. Which of these is not part of the planning files of a production planning and control system?
 - a. a progress file**
 - b. a work center master file
 - c. an item master file
 - d. a routing file
9. Which of the following is an aid used to monitor jobs in process?
 - a. a Gantt load chart
 - b. the assignment method
 - c. a Gantt schedule chart**
 - d. Johnson's Rule
10. What must a system do to qualify as a true ERP solution?
 - a. Be flexible**
 - b. Be modular and closed
 - c. Extend within the company
 - d. All of the above
11. Which of the following occurs when everyone involved in sourcing, producing, and delivering the company's product works with the same information?
 - a. Eliminates redundancies
 - b. Cuts down wasted time
 - c. Removes misinformation.
 - d. All of the above**
12. Which of the following is not an inventory?
 - a. Machines**
 - b. Raw material
 - c. Finished products
 - d. Consumable tools
13. The minimum stock level is calculated as
 - a. Reorder level – (Normal consumption x Normal delivery time)**
 - b. Reorder level + (Normal consumption x Normal delivery time)
 - c. (Reorder level + Normal consumption) x Normal delivery time
 - d. (Reorder level + Normal consumption) / Normal delivery time

14. All of the following statements about ABC analysis are true except
- a. inventory may be categorized by measures other than dollar volume
 - b. it categorizes on-hand inventory into three groups based on annual dollar volume
 - c. it is an application of the Pareto principle
 - d. it states that all items require the same degree of control**
15. The two most basic inventory questions answered by the typical inventory model are
- a. timing and cost of orders
 - b. quantity and cost of orders
 - c. timing and quantity of orders**
 - d. order quantity and service level
16. Which of the following statements about the basic EOQ model is true?
- a. If the ordering cost were to double, the EOQ would rise.
 - b. If annual demand were to double, the EOQ would increase.
 - c. If the carrying cost were to increase, the EOQ would fall.
 - d. All of the above statements are true.**
17. A product whose EOQ is 40 experiences a decrease in ordering cost from \$90 per order to \$10. The revised EOQ is
- a. three times as large
 - b. one-third as large**
 - c. nine times as large
 - d. one ninth as large
18. A product whose EOQ is 400 experiences a 50% increase in demand. The new EOQ is
- a. unchanged
 - b. increased by less than 50%**
 - c. increased by 50%
 - d. increased by more than 50%
19. When quantity discounts are allowed, the cost-minimizing order quantity
- a. minimizes the sum of holding and ordering costs
 - b. minimizes the unit purchase price
 - c. may be a quantity below that at which one qualifies for that price
 - d. minimizes the sum of holding, ordering, and product costs**
20. If demand is not uniform and constant, then stockout risks can be controlled by
- a. increasing the EOQ
 - b. placing an extra order
 - c. raising the selling price to reduce demand
 - d. adding safety stock**

Multiple Choice Questions

1. A Good Planning system must consider
 - a. What are we going to make?
 - b. What does it take to make it?
 - c. What do we have and need?
 - d. All of the above**
2. The life cycle of a product includes
 - a. Extraction of natural resources
 - b. Processing of raw materials
 - c. Manufacturing of products
 - d. All of the mentioned**
3. The correct order of procedure in method study is
 - a. Select – Record – Examine – Develop – Define – Install – Maintain**
 - b. Select – Define – Examine – Develop – Record – Install – Maintain
 - c. Select – Record – Develop – Examine – Define – Install – Maintain
 - d. Select – Record – Examine – Define – Develop – Install – Maintain
4. Delay occurs when
 - a. someone stops the process
 - b. product wait for next event (operation)
 - c. both 'a' and 'b'**
 - d. None of the above
5. Predetermined motion time systems include
 - a. Method Time Measurement
 - b. Work factor systems
 - c. Basic Motion time study
 - d. All of above**
6. The standard time for a job is
 - a. Total work content
 - b. Base time + relaxation time
 - c. Total work content + basic time
 - d. Total work content + delay contingency allowance**
- 7-The cost reduction technique in comparison to the worth of a product is known as
 - a. Reverse engineering
 - b. Value engineering**
 - c. Material engineering
 - d. Quality engineering
- 8-The price paid by the buyer is
 - a. Cost value
 - b. Use value**
 - c. Esteem value
 - d. Exchange value
9. Which scheduling technique should be employed when due dates are important for a job order?
 - a. forward scheduling
 - b. loading
 - c. dispatching
 - d. backward scheduling**
10. Which of the following is not an effectiveness criterion for scheduling?
 - a. maximizing flow time**
 - b. minimizing completion time
 - c. minimizing WIP inventory
 - d. maximizing utilization
11. Which of the following describes an ERP system?
 - a. ERP systems provide a foundation for collaboration between departments
 - b. ERP systems enable people in different business areas to communicate

c. ERP systems have been widely adopted in large organisations to store critical knowledge used to make the decisions that drive the organisation's performance

d. All of the above

12. What are several different types of software, which sit in the middle of and provide connectivity between two or more software applications?

a. Middleware b. Enterprise application integration middleware

c. Automated business process d. e-business infrastructure

13. The following classes of costs are usually involved in inventory decisions except

a. Cost of ordering b. Carrying cost c. Cost of shortages d. **Machining cost**

14. Which of the following would not generally be a motive for a firm to hold inventories?

a. to decouple or separate parts of the production process

b. to provide a stock of goods that will provide a selection for customers

c. to take advantage of quantity discounts

d. to minimize holding costs

15. Cycle counting

a. is a process by which inventory records are verified once a year

b. provides a measure of inventory accuracy

c. provides a measure of inventory turnover

d. assumes that all inventory records must be verified with the same frequency 2

16. The two most basic inventory questions answered by the typical inventory model are

a. timing and cost of orders

b. quantity and cost of orders

c. timing and quantity of orders

d. order quantity and service level

17. Which of the following statements about the basic EOQ model is false?

a. If the setup cost were to decrease, the EOQ would fall.

b. If annual demand were to increase, the EOQ would increase.

c. If the ordering cost were to increase, the EOQ would rise.

d. If annual demand were to double, the EOQ would also double. 3

18. An inventory decision rule states "when the inventory level goes down to 14 gearboxes, 100 gearboxes will be ordered." Which of the following statements is true?

a. 100 is the reorder point, and 14 is the order quantity.

b. 14 is the reorder point, and 100 is the order quantity.

c. The number 100 is a function of demand during lead time.

d. 14 is the safety stock, and 100 is the reorder point.

19. The proper quantity of safety stock is typically determined by

a. minimizing an expected stockout cost

b. carrying sufficient safety stock so as to eliminate all stockouts

c. meeting 95% of all demands

d. setting the level of safety stock so that a given stockout risk is not exceeded

20. Demand for dishwasher water pumps is 8 per day. The standard deviation of demand is 3 per day, and the order lead time is four days. The service level is 95%. What should the reorder point be?

a. about 18 b. about 24 c. about 32 d. about 33 **e. more than 35**

Multiple Choice Questions

1. The life cycle of a product includes
 - a. Extraction of natural resources
 - b. Processing of raw materials
 - c. Manufacturing of products
 - d. All of the mentioned**
2. Using equation method, Break-even point is calculated as
 - a. $\text{Sales} = \text{Variable expenses} + \text{Fixed expenses} + \text{Profit}$
 - b. $\text{Sales} = \text{Variable expenses} + \text{Fixed expenses} - \text{Profit}$
 - c. $\text{Sales} = \text{Variable expenses} - \text{Fixed expenses} + \text{Profit}$
 - d. None of the above**
3. Delay occurs when
 - a. someone stops the process
 - b. product wait for next event (operation)
 - c. both 'a' and 'b'
 - d. None of the above
- 4.-Value analysis examines the
 - a. Design of every component
 - b. Method of manufacturing
 - c. (C) Material used
 - d. All of the above**
5. Which file contains important information regarding an item's flow through the shop?
 - a. routing file**
 - b. work center master file
 - c. control files
 - d. item master file
6. Which of the following describes an ERP system?
 - a. ERP systems provide a foundation for collaboration between departments
 - b. ERP systems enable people in different business areas to communicate
 - c. ERP systems have been widely adopted in large organisations to store critical knowledge used to make the decisions that drive the organisation's performance
 - d. All of the above**
7. Which of the following is a reason for ERPs explosive growth?
 - a. ERP is a logical solution to the mess of incompatible applications
 - b. ERP addresses the need for global information sharing and reporting
 - c. ERP is used to avoid the pain and expense of fixing legacy systems
 - d. All of the above**
8. Buffer stock' is the level of stock
 - a. Half of the actual stock
 - b. At which the ordering process should start
 - c. Minimum stock level below which actual stock should not fall**
 - d. Maximum stock in inventory
9. All of the following statements about ABC analysis are true except
 - a. inventory may be categorized by measures other than dollar volume
 - b. it categorizes on-hand inventory into three groups based on annual dollar volume
 - c. it is an application of the Pareto principle
 - d. it states that all items require the same degree of control**

10. In the basic EOQ model, if the cost of placing an order doubles, and all other values remain constant, the EOQ will

a. increase by about 41% b. increase by 100% c. increase by 200% d. either increase or decrease

11. The EOQ model with quantity discounts attempts to determine

- a. what is the lowest amount of inventory necessary to satisfy a certain service level
- b. what is the lowest purchasing price
- c. whether to use fixed-quantity or fixed period order policy
- d. how many units should be ordered**

12. When quantity discounts are allowed, the cost-minimizing order quantity

- a. minimizes the sum of holding and ordering costs
- b. minimizes the unit purchase price
- c. may be a quantity below that at which one qualifies for that price
- d. minimizes the sum of holding, ordering, and product costs**

13. The purpose of safety stock is to

- a. replace failed units with good ones
- b. eliminate the possibility of a stockout
- c. eliminate the likelihood of a stockout due to erroneous inventory tally
- d. control the likelihood of a stockout due to the variability of demand during lead time**

14. A disadvantage of the fixed-period inventory system is that

- a. it involves higher ordering costs than the fixed quantity inventory system
- b. additional inventory records are required
- c. the average inventory level is decreased
- d. since there is no count of inventory during the review period,**

15. The standard time for a job is

- a. Total work content b. Base time + relaxation time
- c. Total work content + basic time **d. Total work content + delay contingency allowance**

16.. A Good Planning system must consider

- a. What are we going to make? b. What does it take to make it?
- c. What do we have and need? **d. All of the above**

17. A specific product has expected demand during lead time of 100 units, with a standard deviation of 25 units. What safety stock (approximately) provides a 95% service level?

- a. 41** b. 55 c. 133 d. 140

18. A product whose EOQ is 400 experiences a 50% increase in demand. The new EOQ is

a. unchanged **b. increased by less than 50%** c. increased by 50% d. increased by more than 50%

19. ABC analysis is based upon the principle that
- a. all items in inventory must be monitored very closely
 - b. there are usually a few critical items, and many items which are less critical**
 - c. an item is critical if its usage is high
 - d. the safety stock in terms of volume should be higher for A items than for C items

20. Which of the following is true regarding forward scheduling?

Forward scheduling is the scheduling of

- a. the end items or finished products
- b. jobs as soon as the requirements are known**
- c. the start items or component parts
- d. the final operation first beginning with the due date