

(Deemed to be University Established Under Section 3 of UGC Act 1956)

Coimbatore – 641 021.

LECTURE PLAN DEPARTMENT OF PHYSICS

STAFF NAME: Dr. V. SENTHIL KUMAR SEMESTER: II

SUBJECT NAME: ENVIRONMENTAL STUDIES **SUB.CODE:** 18AEC201

CLASS: I B.Sc., (PHYSICS)

UNIT – I

Environment

S. No	Hour	Topics to be covered	Support
	required		Materials
1	1 hr	Definition	T1 (3)
2	1 hr	Scope and importance	T1 (3-5)
3	1 hr	Components	T1 (54)
4	1 hr	Ecosystem: Definition	T1 (54)
5	1 hr	Concept, Scope, importance	T1 (55-56)
6	1 hr	Structure and functions of ecosystem	T1 (56)
7	1 hr	Energy flow	T1 (58-62)
8	1 hr	Ecological succession	T1 (62)
9	1 hr	Food chains	T1 (62-63)
10	1 hr	Food webs	T1 (62-63)
11	1 hr	Classification of ecosystem	T1 (63-75)
12	1 hr	REVISION	
	,	Total no. of hours planned for unit - I	12 hrs

UNIT – II

Natural Resources

S. No	Hour	Topics to be covered	Support
	required		Materials
1	1 hr	Renewable and Non-renewable Resources	T1 (16-20)
2	1 hr	Natural resources and associated problems	T1 (20)
3	1 hr	Forest resources	T1 (23-26)
4	1 hr	Water resources	T1 (26-30)
5	1 hr	Mineral resources	T1 (30-32)
6	1 hr	Food resources	T1 (32-35)
7	1 hr	Energy resources	T1 (35-48)
8	1 hr	Land resources: Use and over-utilization,	T1 (48-49)
		exploitation	
9	1 hr	Role of an individual in conservation of natural	T1 (50-51)
		resources	
10	1 hr	Equitable use of resources for sustainable lifestyles	T1 (51-53)
11	1 hr	Fire accidents and prevention	T1 (51-53)
12	1 hr	REVISION	
		Γotal no. of hours planned for unit - II	12 hrs

 $\label{eq:UNIT-III} \textbf{Biodiversity and its conservation}$

S. No	Hour	Topics to be covered	Support
	required		Materials
1	1 hr	Biodiversity and Its Conservation: Introduction	T1 (82)
2	1 hr	Definition: genetic, species and ecosystem diversity	T1 (82-83)
3	1 hr	Biogeographical classification of India	T1 (84)
4	1 hr	Value of biodiversity: consumptive use, productive	T1 (84-88)
		use, social, ethical, aesthetic and option values	
5	1 hr	Biodiversity at global, National and local levels	T1 (88)
6	1 hr	India as a mega-diversity nation	T1 (89)
7	1 hr	Hot-spots of biodiversity	T1 (90)
8	1 hr	Threats to biodiversity: habitat loss, poaching of	T1 (91-93)
		wildlife, man-wildlife conflicts	
9	1 hr	Threats to biodiversity: habitat loss, poaching of	T1 (91-93)
		wildlife, man-wildlife conflicts	
10	1 hr	Endangered and endemic species of India	T1 (94-99)
11	1 hr	Conservation of biodiversity: in-situ and ex-situ	T1 (104-108)
		conservation of biodiversity	
14	1 hr	REVISION	
	Т	Total no. of hours planned for unit - III	12 hrs

UNIT – IV Environmental Pollutions

S. No	Hour	Topics to be covered	Support
	required	-	Materials
1	1 hr	Environmental Pollution: Definition	T1 (112)
2	1 hr	Causes, effects and control measures of Air pollution	T1 (113)
3	1 hr	Water pollution	T1 (123-130)
4	1 hr	Soil pollution	T1 (131-134)
5	1 hr	Marine pollution	T1 (135-139)
6	1 hr	Noise pollution	T1 (140-141)
7	1 hr	Thermal pollution	T1 (142)
8	1 hr	Nuclear hazards	T1 (143)
9	1 hr	Solid waste management: Causes, effects and control	T1 (145-149)
		measures of urban and industrial wastes	
10	1 hr	Role of an individual in prevention of pollution.	T1 (150-152)
		Pollution case studies	
11	1 hr	Disaster management: Foods, earthquake, cyclone	T1 (156-164)
		and landslides	
12	1 hr	REVISION	
	Т	Total no. of hours planned for unit - IV	12 hrs

 $\label{eq:UNIT-V} \textbf{Social Issues and the Environment}$

S.	Hour	Topics to be covered	Support
No	required		Materials
1	1 hr	Social Issues and the Environment: From unsustainable to	T1 (165-167)
		sustainable development. Urban problems related to energy.	
2	1 hr	Water conservation, rain water harvesting, watershed	T1 (168-172)
		management. Resettlement and rehabilitation of people; its	
		problems and concerns	
3	1 hr	Environmental ethics: Issues and possible solutions. Climate	T1 (173-186)
		change, global warming, acid rain, ozone layer depletion,	
		nuclear accidents and holocaust	
4	1 hr	Case studies. Wasteland reclamation. Consumerism and waste	T1 (186-192)
		products	
5	1 hr	Environment Protection Act. Air (Prevention and Control of	TI (193-199)
		Pollution) Act, Water (Prevention and Control of Pollution)	
		Act, Wildlife Protection Act, Forest Conservation Act	
6	1 hr	Issues involved in enforcement of environmental legislation,	T1 (201-214)
		Public awareness, Population growth, variation among	
		nations.	
7	1 hr	Population explosion—Family Welfare Programme.	T1 (215-242)
		Environment and human health. Human rights. Value	
		education.	
8	1 hr	HIV/AIDS. Women and Child Welfare. Role of Information	T1 (243-247)
		Technology in environment and human health	
9	1 hr	REVISION	
10	1 hr	OLD QUESTION PAPER DISCUSSION	
11	1 hr	OLD QUESTION PAPER DISCUSSION	
12	1 hr	OLD QUESTION PAPER DISCUSSION	
		Total no. of hours planned for unit - V	14 hrs

Textbooks

T1 – Erach Bharucha, 2004. Environmental Studies, UGC, Universities Press Pvt. Ltd., Hyderabad.

Reference Books

R1 – R1 – Anubha Kaushik, C.P. & Kaushik, (2004). Perspectives in Environmental Studies. New Delhi: New Age International Pvt. Ltd. Publications.



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201 COURSE NAME: ENVIRONMENTAL STUDIES
UNIT: I BATCH-2018-2021

(Environment)

UNIT-I SYLLABUS

Environment: Definition, scope and importance, components, Ecosystem Definition, Concept, Scope, importance, Structure and functions of ecosystem. Energy flow, Ecological succession Food chains and food webs. Classification of ecosystem.

ENVIRONMENT

DEFINITION

- Environment is derived from the French word Environner which means to encircle or surround.
- All the biological and non-biological things surrounding an organism are thus included in environment.
- Thus environment is sum total of water, air and land, inter-relationships among themselves and also with the human beings, other living organisms and property.
- The above definition given on Environment (Protection) Act, 1986 clearly indicates that environment includes all the physical and biological surroundings and their interactions.

COMPONENTS

- The natural environment of a living organism can be divided into three components.
 - Biotic components
 - Abiotic components
 - Energy components

Biotic Components

• It consists of all the living organisms present within the environment.

Abiotic components

• All other substances except living organisms are known as abiotic components.



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201 COURSE NAME: ENVIRONMENTAL STUDIES
UNIT: I BATCH-2018-2021

(Environment)

• The abiotic components broadly consist of atmosphere (air), Hydrosphere (water) and Lithosphere (soil).

Energy components

• The energy component may be solar energy, geo-chemical energy, thermo-electrical energy, hydro-electrical energy, atomic energy and energy due to radiation.

ECOSYSTEM

Definition

• Tansley (1935) – self regulating group of biotic communities of species interacting with one another and with their non-living environment exchanging energy and matter

CONCEPT OF ECOSYSTEM

- Living organisms cannot be isolated from their non-living environment because the later provides materials and energy for the survival of the farmer.
- An ecosystem is therefore defined as a natural functional ecological unit comprising of living organisms and their non-living environment that interact to form a stable self supporting system.

Eg. Pond, lake, desert, grassland, forest, etc.

Ecosystem characteristics

- Structural features composition and organization of biological communities and abiotic components constitute- structure of Ecosystem.
- Biotic structure Plants, animals, microorganisms form biotic components nutritional behaviour and status in the ecosystem – producers or consumers – how do they get their food.

SCOPE OF ECOSYSTEM

• Modern ecology focuses on the basic functional ecological unit the ecosystem.



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201 COURSE NAME: ENVIRONMENTAL STUDIES
UNIT: I BATCH-2018-2021

(Environment)

- An ecosystem is any spatial or organizational unit which includes a community of living organisms and non-living substances of environment interacting to produce an exchange of materials between the living and non-living parts.
- It may be as small as a puddle or as large as the entire earth (biosphere or ecosphere).
- Further, an ecosystem may be natural as a pond, a lake, a river, an estuary, an ocean, a forest, etc., or it may be man-made or artificial like an aquarium, a dam, a cropland, a garden, an orchard, a city and so on.
- The term ecosystem was coined by A.G. Tansely (1935) its 'eco' part means environment and the 'system' part implies, a complex of coordinated units.

IMPORTANCE OF ECOSYSTEM

- Ecosystem study indicates the available solar energy and the efficiency of an ecosystem to trap the same.
- It gives information about the available essential minerals and their recycling periods.
- Gross and net productivity of an ecosystem are known.
- It provides knowledge about the web of interactions and interrelations amongst the various populations as well as between populations and the abiotic environment.
- It helps human beings to know about conservation of resources, protection from pollution and inputs required for maximizing productivity.

STRUCTURE OF ECOSYSTEM

- The structure of any ecosystem is formed of two components, namely
 - Abiotic factors
 - Biotic factors.




CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201 COURSE NAME: ENVIRONMENTAL STUDIES

UNIT: I

BATCH-2018-2021

(Environment)



Abiotic Factors

• The abiotic factors of an ecosystem include the non-living substances of the environment.

Example

- Water, soil, air, light, temperature, minerals, climate, pressure etc.
- The biotic factors of the ecosystem depend on the abiotic factors for their survival.

Biotic Factors

• The biotic factors include the living organisms of the environment.

Example

- Plants, animals, bacteria, viruses etc.
- The biotic factors of an ecosystem are classified into three main groups
 - Producers
 - Consumers
 - Reducers or decomposers.

Producers

• The organisms which carryout photosynthesis constitutes the producers of an ecosystem.



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201 COURSE NAME: ENVIRONMENTAL STUDIES
UNIT: I BATCH-2018-2021

(Environment)

- o **Eg.** Plants algae and bacteria.
- The producers depend on the abiotic factors of the ecosystem for producing energy.
- They are provided with chlorophyll.
- Chlorophyll is used in the synthesis of energy rich compounds with the utilization of abiotic factors like light, CO2, water and minerals
- A portion of the energy synthesized, is used by the producers for their growth and survival and the remaining energy is stored for future use.

Consumers

- Consumers are organisms which eat or devour other organisms.
- The consumers are further divided into three or more types.
- They are primary consumers, secondary consumers and tertiary consumers.

(i) Primary Consumers

- They eat the producers like plants, algae and bacteria.
- The primary consumers are also called herbivores.
- Elton referred the herbivores as key industry animals.
- Rabbit, deer, etc., are primary consumers in a terrestrial ecosystem.

(ii) Secondary Consumers

- They kill and eat the-herbivores.
- They are also called carnivores.
- As these carnivores directly depend on herbivores, they are specifically called primary carnivores.
- Fox, wolf, etc. are the secondary consumers in a terrestrial ecosystem.

(iii) Tertiary Consumers

- They kill and eat the secondary consumers.
- They are also called secondary carnivores.
 - o **Eg**. Lion, tiger, etc.

Reducers or Decomposers



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201 COURSE NAME: ENVIRONMENTAL STUDIES
UNIT: I BATCH-2018-2021

(Environment)

- The decomposers are organisms that break up the dead bodies of plants and their waste products.
- They include fungi and certain bacteria.
- They secrete enzymes.
- The enzymes digest the dead organisms and the debris into smaller bits or molecules.
- These molecules are absorbed by the reducers.
- After taking energy, the reducers release molecules to the environment as chemicals to be used again by the producers.

FUNCTIONS OF ECOSYSTEMS


- Ecosystems have some functional attributes which keep the component parts running together.
- For example green leaves prepare food and roots absorb nutrients from the soil.
- Herbivores feed on part of the plant production, and in turn serve as food for carnivores.
- Decomposers carry out the function of breaking down complex organic materials into simple inorganic product which can be used by the producers.
- All these functions in an ecosystem occur through delicately balanced and controlled processes.
- Thus, this cycle goes on and on, leading to efficient continuous functioning of the ecosystem.
- Food chain, food web and trophic structure.
- Energy flow
- Cycling of nutrients (biogeochemical cycles)
- Primary and secondary production
- Ecosystem development and regulation.

ENERGY FLOW IN ECOSYSTEM



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201 COURSE NAME: ENVIRONMENTAL STUDIES
UNIT: I BATCH-2018-2021

(Environment)



- The diagram above shows how both energy and inorganic nutrients flow through the ecosystem.
- We need to define some terminology first.
- Energy "flows" through the ecosystem in the form of carbon-carbon bonds.
- When respiration occurs, the carbon-carbon bonds are broken and the carbon is combined with oxygen to form carbon dioxide.
- This process releases the energy, which is either used by the organism (to move its muscles, digest food, excrete wastes, think, etc.) or the energy may be lost as heat.
- The dark arrows represent the movement of this energy.
- Note that all energy comes from the sun, and that the ultimate fate of all energy in ecosystems is to be lost as heat. Energy does not recycle!!
- The other component shown in the diagram is the inorganic nutrients.
- They are inorganic because they do not contain carbon-carbon bonds.
- These inorganic nutrients include the phosphorous in your teeth, bones, and cellular membranes; the nitrogen in your amino acids (the building blocks of protein); and the iron in your blood (to name just a few of the inorganic nutrients).
- The movement of the inorganic nutrients is represented by the open arrows.



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201 COURSE NAME: ENVIRONMENTAL STUDIES
UNIT: I BATCH-2018-2021

(Environment)

- Note that the autotrophs obtain these inorganic nutrients from the inorganic nutrient pool, which is usually the soil or water surrounding the plants or algae.
- These inorganic nutrients are passed from organism to organism as one organism is consumed by another.
- Ultimately, all organisms die and become detritus, food for the decomposers.
- At this stage, the last of the energy is extracted (and lost as heat) and the inorganic nutrients are returned to the soil or water to be taken up again.
- The inorganic nutrients are recycled, the energy is not.
- Many of us, when we hear the word "nutrient" immediately think of calories and the carbon-carbon bonds that hold the caloric energy.
- IT IS VERY IMPORTANT that you be careful in your use of the word nutrient in this sense.
- When writing about energy flow and inorganic nutrient flow in an ecosystem, you must be clear as to what you are referring.
- Unmodified by "inorganic" or "organic", the word "nutrient" can leave your reader unsure of what you mean.
- This is one case in which the scientific meaning of a word is very dependent on its context. Another example would be the word "respiration", which to the layperson usually refers to "breathing", but which means "the extraction of energy from carbon-carbon bonds at the cellular level" to most scientists (except those scientists studying breathing, who use respiration in the lay sense).

To summarize: In the flow of energy and inorganic nutrients through the ecosystem, a few generalizations can be made:

- 1. The ultimate source of energy (for most ecosystems) is the sun
- 2. The ultimate fate of energy in ecosystems is for it to be lost as heat.



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201 COURSE NAME: ENVIRONMENTAL STUDIES
UNIT: I BATCH-2018-2021


(Environment)

- 3. Energy and nutrients are passed from organism to organism through the food chain as one organism eats another.
- 4. Decomposers remove the last energy from the remains of organisms.
- 5. Inorganic nutrients are cycled, energy is not.

ECOLOGICAL SUCCESSION

- The communities in any area are not stable.
- They are changing into other forms of communities from time to time.
- Thus in a particular area one community may be replaced by another community or by a series of communities.

Types of ecosystem




For example

- A pond community can be transformed into a marshy land community, if the pond is gradually filled with sand and mud.
- The marshy land in the course of time may give rise to a grassland community or a forest community according to the environmental factors prevailing there.
- This process of development of new communities is called ecological succession.
- It can be defined as an orderly and progressive replacement of one community by another till the development of a stable community in that area (Smith, 1965).



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201 COURSE NAME: ENVIRONMENTAL STUDIES
UNIT: I BATCH-2018-2021

(Environment)



Ecological succession. A pond community is replaced by a forest community through ecological succession

Significance of Succession

- Ecological succession creates a stable community in the fluctuating physical environment. The stable or climax community has the ability to buffer and control the physical forces like water, temperature etc.
- It plays an important role in the slow dispersal of animals.

FOOD CHAINS

The biotic factors of the ecosystem are linked together by food.

For example

- The producers form the food for the herbivores.
- The herbivores the food for the carnivores.
- The sequence of the eaters being eaten is called food chain.

Producers -----> Herbivores ----> Carnivores

- The various steps in a food chain are called trophic levels.
- Owing to repeated eating being eaten the energy is transferred from to another trophic level.



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201 COURSE NAME: ENVIRONMENTAL STUDIES
UNIT: I BATCH-2018-2021

(Environment)

- This transfer of energy from one trophic level to another is called energy flow.
- A typical food chain can be seen in a pond ecosystem.
- The algae and phytoplankton are eaten by the zooplankton.
- The zooplankton is eaten by fishes which are eaten by snakes.

Pond Ecosystem


Phytoplankton -----> Zooplankton ----> Fishes ----> Snakes

Grassland Ecosystem

Plants -----> Mouse -----> Snake ----> Hawk

Forest Ecosystems

Plants ----> Goat ----> Lion



Types of food chains

- The food chains are of two types, namely
 - Grazing food chain
 - Detritus food chain

Grazing food chain

• This food chain starts from plants, goes through herbivores and ends in carnivores.


Plants----> Herbivores -----> Primary carnivores----> secondary carnivores

• This type of food chain depends on the autotrophs which capture the energy from solar radiation.



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201 COURSE NAME: ENVIRONMENTAL STUDIES
UNIT: I BATCH-2018-2021

(Environment)



A few chains are given below


Grass -----> Grasshopper ----> Lizard ----> Hawk Grass ----> Mouse ----> Snake ----> Hawk

Phytoplankton -----> Zooplankton ----> Fishes ----> Snakes

- The grazing food chain is further divided into two types, namely
 - Predator chains
 - o Parasitic chains

Predator chains

- In predator food chains one animal capture and devours another animal.
- The animal which is called prey and the animal which eats other animals is called predator.
- The predator food chain is formed of plants, herbivores, primary carnivores, secondary carnivores and so on.





CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201 COURSE NAME: ENVIRONMENTAL STUDIES
UNIT: I BATCH-2018-2021

(Environment)

Parasitic chain

- The plants and animals of the grazing food chain are infected by parasites.
- The parasitic chain within the grazing food chain is formed.

Detritus food chain

- It starts with dead organic matter and ends in inorganic compounds.
- There are certain groups of organisms which feed exclusively on the dead bodies of animals and plants.
- These organisms are called Detritivores.
- The Detritivores include algae, bacteria, fungi, protozoans, insects, millipedes, centipedes, crustaceans, mussels, clams, annelid worms, nematodes, ducks, etc.
- These organisms ingest and digest the dead organic materials.
- Some amount of energy is trapped and the remainder is excreted in the form of simple organic compounds.
- These are again used by another set of Detritivores until the organic compounds are converted into CO2 and water.

Dead organic materials -----> Detritivores ----> CO2 + H2O

Linking of Grazing and Detritus Food Chains

- The two main food chains cannot operate independently.
- They are interconnected at various levels.
- According to Wilson and Bossert (1971) the stability of the ecosystem directly proportional to the number of such links.
- The detritus feeders obtain energy form the dead bodies of animals and plants which are components of the grazing food chain.
- Again some of the detritus feeders are eaten by the consumers of the grazing food chain.



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201 COURSE NAME: ENVIRONMENTAL STUDIES
UNIT: I BATCH-2018-2021

(Environment)

• For example, in a pond ecosystem earthworms belonging to the detritus food chain are eaten by fishes belonging to the grazing food chain.

FOOD WEB

- In an ecosystem the various food chains are interconnected with each other to form a net work called food web.
- The interlocking of many food chains is called food web.
- Simple food chains are very rare in nature.
- This is because each other organisms may obtain food from more than one trophic level.
- In other words, one organism forms food for more than one organisms of the higher trophic level.


Examples

- In a grassland ecosystem, grass is eaten by grasshopper, rabbit and mouse.
- Grasshopper is eaten by lizard which is eaten by hawk.
- Rabbit is eaten by hawk.
- Mouse is eaten by snake which is eaten by hawk.
- In addition hawk also directly eats grasshopper and mouse.
- Thus there are five linear food chains which are interinterconnected to form a food web.
- This is a very simple food web.
- But in any ecosystem the food web is more complex.
- For example, in the grassland itself, in addition to hawk, there are many other carnivores such as vulture, crow, wolf, fox, man, etc.



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201 COURSE NAME: ENVIRONMENTAL STUDIES
UNIT: I BATCH-2018-2021

(Environment)



Significance of Food Web

- Food webs are very important in maintaining the stability of an ecosystem.
- For example, the deleterious growth of grasses is controlled by the herbivores.
- When one type of herbivores becomes extinct, the other types of herbivores increase in number and control the vegetation.
- Similarly, when one type of herbivores animal becomes extinct, the carnivores predating on this type may eat another type of herbivore.

CLASSIFICATION OF ECOSYSTEMS

- The ecosystem may be large, as large as the world or small, as small as a cow dung ecosystem.
- The biosphere (the total life content of the world) is the major ecosystem.
- It comprises all other ecosystems.

Mega Ecosystem

• The biosphere is formed of four mega ecosystems.



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201 COURSE NAME: ENVIRONMENTAL STUDIES
UNIT: I BATCH-2018-2021

(Environment)

(i) Marine Ecosystem

• It includes saline-water ecosystems like oceans, seas, estuaries, brackish waters, etc.

(ii) Limnic Ecosystem

• It includes all fresh water ecosystems like pond, pools, lakes, rivers, streams, etc.

(iii) Terrestrial Ecosystems

• It includes the ecosystems of air, forests, grasslands, deserts, etc.

(iv) Industrial Ecosystems

• These are man-made ecosystems. Eg. Cropland, city town, etc.

Macro Ecosystems

• The mega ecosystem is further divided into sub units called macro ecosystems.

Examples

- Forests.
- The terrestrial macro ecosystem is formed of many forest ecosystem.

Meso Ecosystems

• The macro ecosystem is further divided into meso ecosystems.

Examples

• The forest ecosystem is formed of many meso ecosystems like deciduous forest, coniferous forest, etc.

Micro Ecosystems

• The meso ecosystem is further divided into micro ecosystems.

Examples

- A low land in a forest, a mountain in a forest, etc.
- All ecosystems in the world are further divided into natural and artificial ecosystems.

Natural Ecosystems

• These are self-regulating systems without much direct human interference and manipulations.

Examples



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201 COURSE NAME: ENVIRONMENTAL STUDIES
UNIT: I BATCH-2018-2021

(Environment)

• Ponds, lakes, rivers, seas, oceans, grasslands, deserts, etc.

Artificial Ecosystems

• These are man-made ecosystems.

Examples

• Crop lands, cities, towns, villages, etc.



KARPAGAM ACADEMY OF HIGHER EDUCATION, COIMBATORE-21 DEPARTMENT OF PHYSICS

DETARTMENT OF THISTCA

I B. Sc. PHYSICS (2018-2021)

ENVIRONMENTAL STUDIES (18AEC201)

Questions	Opt 1
Unit I	
The term environment literally means	The surroundings
The Primary consumer are also called as	herbivores
Valuable, practical services that help to preserve ecosystem performed by nature are called	ecosystem service
The surrounding physical and biological factor with which organisms closely interact and remain adapted is known as	nature
The organic matter produced by the Photosynthetic activity of green plants is called as	light energy
is diffused into the ground by gravitational force	Rain water
Solar energy stored in material such as wood, grain, sugar, and municipal waste is called	fossil fuels
Decomposers are otherwise called as	detritivores
Light energy is transformed into chemical energy by	photosynthesis
All food chains starts with and ends with decay	environment
In grazer food chain the living plants are directly	destroy
Energy transformation through the food chain is	regular
is the most populated city in India	Mumbai
Any unit that includes all the organisms that interact with the physical environment is called	community
A pond, serves as a good example for a water ecosystem	fresh
The type of ecosystem with the highest mean plant productivity is	tropical rain forest
In an aquatic ecosystem, the tropic level equivalent to cows in grasslands is	nekton
Bhopal disaster occur on	Dec 4, 1982
Which gas was liberated in Bhopal gas tragedy?	Ethyl isothiocyanate
Smog is a combination of	air and water vapour
The most serious pollutant to rubber tyres is	CO2
All species on earth together with their environments collectively comprise	lithosphere

is the study that deals with the interaction of	Etiology
organisms with their environment	
Organisms that feed upon other living organisms as a source of	producers
energy and nutrients are called as	
A food web is	like a food chain
The first tropic level refers to A biomass pyramid is important because it illustrates	all herbivores how energy flows through a food we
Fungi is/are	single-celled prokaryotes
Basidiospores are considered to be a major source of	airborne allergens
Man and biosphere programme is affiliated with	UNESCO
gases has an important role in maintaining	Nitrogen
atmospheric temperature	C
Trichodermaharzianum has proved a useful microorganism for	reclamation of wastelands
Non-Ionizing radiations with specific biological effects are	Gamma rays
Radiations are harmful as it	causes skin cancer
Ozone depletion in the stratosphere will cause	increased incidence of skin cancer
The relationship between living and non living things are called	
Most harmful environmental pollutants are	natural nutrients in excess
There would be no life in the oceans without organisms called and	decomposers, phytoplankton
Nuclear accidents mostly release radioactive into the atmosphere	carbon
The predominant gas in the atmosphere is	Oxygen
Low level ozone is referred to as ozone	tropospheri
The ozone at ground level is primarily from precursors	fossil fuel

The most serious environmental effect posed by hazardous wastes is	air pollution
EEAT scheme was launched during Five Year Plan	5th
The major biodiversity hotspot in Tamil Nadu is Pottery workers are at high risk of lung disease	western Ghats asbestosis
water is otherwise known as potable water is the totality of genes, species and ecosystems in a region	Raw Habit
is the primary effect of excess phosphorous in the aquatic environment	Fixation
A food chain starts with a	consumers
The main source of water in India is	rain water
are organisms consuming other living organisms	Carnivorous
The unit of ecosystem is	Kelvin
An increase in altitude is similar to an increase in latitude in	it becomes more
that	sunny
In parasitism,	both species benefit
The Solar energy is	Energy from the sun
The method of Generating electricity by using water is	Solar Energy
limits the mixing between troposphere and the other upper zones	Ozone
Water vapor contains a huge amount of stored energy known as	latent heat
The process of light energy converted to chemical energy in the	
green plants are called	reduction
	reduction Biosphere
green plants are called The outer layer of earth is consists of rock and soil The food chain stats with dead matters are	Biosphere grazing food chain
green plants are called The outer layer of earth is consists of rock and soil	Biosphere

Prepared by Dr. V. SENTHIL KUMAR, HEAD, Dept. of PHYSICS, KAHE

Opt 2	Opt 3	Opt 4	Answer
The structures carnivores	The system omnivores	The climate detrivores	The surroundings herbivores
biological control	the green house effect	biosphere balancing	ecosystem service
ecology	forest	environment	environment
cellular process	energy flow	primary productivity	primary productivity
Ocean	River water	sea	Rain water
biomass	geothermal energy	natural gas	biomass
primary consumers	organic matter	secondary consumers	detritivores
respiration	recycling	productivity	photosynthesis
organisms	photosynthesis	fungi	photosynthesis
consume comfortable Calcutt population	decay propose Delhi biosphere	grown inefficient Chennai ecosystem	consume inefficient Mumbai ecosystem
brackish	marine	se	fresh
temperate grasslan	desert	tundr	tropical rain forest
zooplankton	phytoplankton	benthos	zooplankton
Dec 3, 1984 Sodium isothiocyanate water and smoke	Dec 8, 1986 Methyl isocyanate smoke and fog	Dec 9, 1980 Phenyl isocyanate and phosgene fire and water	Dec 3, 1984 Methyl isocyanate smoke and fog
CO	О3	NO2	О3
hydrosphere	atmosphere	biosphere	biosphere

Ecology	Botany	Biology	Ecology
consumers	pests	decomposers	consumers
a set of interconnected food chains, illustrating the tropic relationships among species	the set of prey species that are consumed by animals in an ecosystem	the tropic (feeding) levels that can be observed in an ecosystem	a set of interconnected food chains, illustrating the tropic relationships among species
all green plants the number of species in each tropic level	sunlight the biomass of all organisms at each tropic level in a system	all animals the number of tropic levels in a system	all green plants the number of tropic levels in a system
Phototrophic eukaryotes	eukaryotes single- celled and primitive multi-celled	heterotrophic eukaryotes	heterotrophic eukaryotes
water borne allergens	animal faeces	bioweapon	airborne allergens
IUCN	WWF	WIPO	UNESCO
Oxygen	Argon	Carbon dioxide	Carbon dioxide
bioremediation of contaminated soils	biological control of soil-borne plant pathogens	gene transfer in higher plants	bioremediation of contaminated soils
Beta-rays	UV radiations	X-rays	UV radiations
causes anemi	alters body tissues	is unstable	causes skin cancer
forest tires	global warming	hole	hole
Ecosystem	Acid rain	Water	Ecosystem
human organic wastes	non-biodegradable chemicals	waste animal fee	non-biodegradable chemicals
zooplankton, consumers	phytoplankton, zooplankton	zooplankton, scavengers	phytoplankton, zooplankton
iodine	phosphorus	sulphur	iodine
Argon stratospheri CFCs	Hydrogen ionosperi oxygen	Nitrogen exospheri methane	Nitrogen tropospheri fossil fuel

contamination of groundwater 6th	increased use of land for landfills 7th	destruction of habitat 8th	contamination of groundwater 6th
saputhara	kollihills	all the above	western Ghats
asthm	silicosis	bronchitis	silicosis
Irrigation	Drinking	Surface	Irrigation
Habitat	Biodiversity	Food chain	Biodiversity
Nitrification	Eutrophication	Radiation	Eutrophication
scavengers	producer	decomposer	producer
ground water	surface water	sea water	rain water
Saprophages	Herbivorous	Biophages	Biophages
Biosphere	Calories	Animals	Biosphere
it becomes warmer	precipitation increases	it becomes colder	it becomes colder
neither species	one species	one species	one species benefits,
benefits	benefits, but the	benefits, and the	but the other is
	other is weakene	other is not affecte	weakene
Heat of the interior		Conversion of heat	Energy from the sun
of earth	during Nuclear Reaction	energy	
Geothermal Energy	Nuclear Energy	Hydroelectrical	Hydroelectrical
		Energy	Energy
Stratospause	Tropause	UV radiation	Ozone
solar energy	stored heat	mechanical energy	latent heat
oxidation	photosynthesis	All the above	photosynthesis
Hydrosphere	Atmosphere	Lithosphere	Lithosphere
detritus food chain	Parasitic chain	none of the above	detritus food chain
decomposer	animals	parasites	decomposer
1986	1990	1988	1986



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES

COURSE CODE: 18AEC201 UNIT: II BATCH-2018-2021

(Natural Resources: Renewable and Non-renewable Resources)

UNIT-II SYLLABUS

Natural Resources: Renewable and Non-renewable Resources: Natural resources and associated problems. Forest resources, Water resources, Mineral resources, Food resources, Energy resources, Land resources: Use and over-utilization, exploitation. Role of an individual in conservation of natural resources. Equitable use of resources for sustainable lifestyles. Fire accidents and prevention.

ASSOCIATED PROBLEMS OF FOREST RESOURCES

NATURAL RESOURCES

- Any component of the environment which can be transferred in a way such that it becomes
 more valuable and useful is termed as resource.
- Life on this planet earth depends upon the large number of things and services provided by the nature which are known as natural resources.

Resources

• There are two types of resources (i) renewable and (ii) non renewable resources

Renewable resources

• They have the capacity to renew. Example. Clean air, clean water.

Non renewable resources

- Available in minute quantities
- They cannot be regenerated
- Example. Ground water, minerals.

The major resources are (i) Forest (ii) water (iii) mineral (iv) food (v) energy and (vi) Land resources

DEFORESTATION

Deforestation is mainly done for the following reasons:

For shifting of Cultivation



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES

COURSE CODE: 18AEC201 UNIT: II BATCH-2018-2021

(Natural Resources: Renewable and Non-renewable Resources)

- For fuel requirement
- To get raw materials for industrial use
- For the developmental projects of the Government
- To meet the growing food needs
- By overgrazing

CONSEQUENCES OF DEFORESTATION

- 1. Threatens many wild life species due to destruction of natural habitat
- 2. Biodiversity is lost along with that genetic diversity
- 3. Hilly regions are made prone to landslides
- 4. Soil erosion and loss of soil fertility
- 5. Hydrological cycle is affected

(loss of rainfall, flood, drought etc)

TIMBER EXTRACTION AND MINING

The important effects of timber extraction are

- thinning of forests
- loss of biodiversity, particularly tree breading species
- soil erosion and loss of soil fertility
- migration of tribal people from one place to another in search of new forest
- extinction of tribal people and their culture

CONSTRUCTION OF DAMS

Uses of dams are

- Dams are regarded as symbol of national development.
- provides large scale employment of tribal people and increase the std. of living of
- them
- contribute for economic uplift and growth
- help in checking flood
- generate electricity
- reduce power and water shortage



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES

COURSE CODE: 18AEC201 UNIT: II BATCH-2018-2021

(Natural Resources: Renewable and Non-renewable Resources)

- provide irrigation water
- provide drinking water to remote areas
- promote navigation and fishery.

Associated Environmental problems:

- 1. Displacement of tribal people
- 2. Loss of flora and fauna
- 3. Siltation and sedimentation near reservoir
- 4. Stagnation and water logging near reservoir
- 5. Growth of aquatic weeds
- 6. Micro climatic changes
- 7. causes earthquakes
- 8. Breeding of disease vectors

WATER RESOURCES

• Water is an indispensible resource. Around 97% of world surface is covered with water. Most of the animals and plants have 60-65% of water in their body.

USES OF WATER RESOURCES

Water is used for

- Domestic
- irrigation and
- industrial purposes

ASSOCIATED PROBLEMS OF WATER RESOURCES

- Due to economic development, rapid industrial growth and population explosion over utilization of ground water leads to rapid depletion of water resources, ground subsidence, lowering of water table and water logging.
- The use of ground water and surface water rate which are higher than that of recharge ultimately leads to Water scarcity, Water logging, Salination, alkalization.



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES

COURSE CODE: 18AEC201 UNIT: II BATCH-2018-2021

(Natural Resources: Renewable and Non-renewable Resources)

- creates declining of water levels
- crops failure and reduction in agricultural production
- over pumping of ground water create drought and food shortage
- over pumping of ground water sea water intrusion in coastal aquifers
- land subsidence may due to over pumping of ground water
- river pollution due to industrial activities and dumping of waste into rivers, which in turn force to utilize the ground water, ultimately leads to over pumping

Flood: over flow of water, whenever the water in flow is greater than the carrying capacity of the channels flood occurs.

Causes:

- heavy rainfall, snow melt, sudden release of water from dams.
- Prolonged down pour leading to overflowing of rivers and lakes
- Reduction in carrying capacity due to obstructions or sediments etc.
- Deforestation, overgrazing, mining increases water run off
- Removal of dense forests from hilly regions

Effects:

- Submerges the flooded area
- Loss of soil fertility due to soil erosion
- Extinction of civilization at costal area

Flood management:

- Dams and reservoirs can be constructed
- Embankments and proper channel management
- Flood way should not be encroached
- Forecasting or flood warning
- Decrease of run off by infiltration through afforestation or rain water harvesting etc.

Drought: Unpredictable delay in climatic condition occurring due to monsoon rain failure.

Types:



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES

COURSE CODE: 18AEC201 UNIT: II BATCH-2018-2021

(Natural Resources: Renewable and Non-renewable Resources)

- **Meteorological**: in order of month or year, actual moisture supply at a given place consistently falls below critical level.
- **Hydrological:** deficiency in surface and subsurface water supplies
- **Agricultural:** inadequate soil moisture to meet the need of a particular crop at particular time or susceptibility of crops during different stages in its development
- Socioeconomic: reduction in the availability of food and social securing of people
 Causes:
- Deforestation and lesser rainfalls coupled with cutting of trees for timber leads to desertification.
- Over drafting of ground water, subsidence of soil, drying of wetlands
- Pollution of soil with solid waste, industrial effluents etc makes land useless and dry
- Population explosion in man and livestock leads to enhanced requirement of timber, fuel wood, grazing
- Shifting cultivation

Effects:

- Increase of water in stream pond
- Ground water table get declined
- Loss of agricultural crops
- Loss of biodiversity
- Government spent a lot of money as drought relief fund

Control measures

- Rain water harvesting
- Watershed management
- Prevent deforestation
- Encourage afforestation

MINERAL RESOURCES



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES

COURSE CODE: 18AEC201 UNIT: II BATCH-2018-2021 (Natural Resources: Renewable and Non-renewable Resources)

Environmental impacts of over extraction of mineral resources:

• Depending on the conditions of terrain and depth of ore deposits 2 types of mining operations are carried out. 1. open cast mining and 2. underground mining.

Both types of mining processes in each step produce several environmental effects such as,

- Deforestation takes place due to removal of vegetal covers.
- Great volume of debris has been generated which disrupt the surface and ground water circulation. It also reduces the water carrying capacity of streams very close to mining area
- The stacking of over burden and building of soil banks creates problems of landslides
- Under ground fire in coalmines is a hazard that is difficult to control
- Mining and ore processing normally causes air pollution and water pollution
- The acid water generated in coalmines can pose a serious problem of water pollution, which adversely affects the flora and fauna.
- Deeper excavation of ground causes lowering of water table, which leads to drying of wells
 or sea water intrusion
- In stone quarries, blasting of rocks not only annoying the people nearby, but also cause hazard from fly rocks and dusts and damage to buildings due to vibrations
- The disposal of waste material produced after concentrations of ore create increase concentration of heavy metals and toxic elements in the environment.

FOOD RESOURCES:




CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES

COURSE CODE: 18AEC201 UNIT: II BATCH-2018-2021

(Natural Resources: Renewable and Non-renewable Resources)

PROBLEMS FACED BY FOOD RESOURCES



CHANGES CAUSED BY OVERGRAZING AND AGRICULTURE:

Overgrazing:

Process of eating away the vegetation along with its roots without giving a chance to regenerate

- Land degradation-leads to organically poor, dry, compacted soil cannot be used for further cultivation
- Soil erosion-cover of vegetation gets removed from soil
- Loss of useful species-good quality grasses and herbs with high nutritive value, when grazed lose even the root stocks which carry the reserve food for regeneration get destroyed which gives raise to secondary species like parthenium, Lantane, Xanthium etc
- To prevent –match the forage supplement to the herd's requirement.eg.Switch grass
 Modern agriculture:
- The practice through which specific plant species are cared and managed so as to obtain maximum yield of consumable parts of plants –agriculture



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES

COURSE CODE: 18AEC201 UNIT: II BATCH-2018-2021

(Natural Resources: Renewable and Non-renewable Resources)

 Makes use of hybrid seeds and selected and single crop variety, high tech equipment and lots of energy subsides in the form of fertilizers, pesticides and irrigation water e.g. green revolution

Due to modern agriculture

- Damage to soil occurs
- Water contamination takes place
- Water scarcity occurs
- Global climate change takes place
- Water logging-results when soil is over irrigated
- Soil salinity-increase plant productivity, interferes with water uptake by plants
- Fossil fuels and pesticides produce air pollution

Impacts related to high yielding varieties:

- Monoculture i.e. the same genotype is grown over vast areas. Disease spread easily
- Micronutrient imbalance e.g. Zinc deficiency-affect soil productivity
- Nitrate pollution-nitrogenous fertilizers applied deep soil contaminates ground water. cause blue baby syndrome methaemoglobinemia- affects infants
- Eutrophication: Over nourishment of lakes due to agriculture field wash out -leads to algal bloom-dead organic matters increases due to decomposition-leads to oxygen demand

Problems associated with pesticide use:

- Evolution of genetic resistance
- Imbalance in ecosystem
- Creation of new pest
- Persistence, Bioaccumulation and Biomagnification
- Mobility through soil, water, air, washed away into rivers, streams, when it rains can harm fishes
- Creating super pest
- Death of non target organisms



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES

COURSE CODE: 18AEC201 UNIT: II BATCH-2018-2021

(Natural Resources: Renewable and Non-renewable Resources)

- Salinity
- Water logging

ENERGY RESOURCES

Growing energy needs:

 Population explosion, Luxurious life, Industries, Agriculture, mining, transportation, lighting, cooling, heating, building all need energy. Fossil fuels like coal, oil, natural gas produce 95% of energy

Sources of energy

Primary-Renewable energy-resources which can be generated continuously in nature and are in exhaustible and can be used again endlessly. wood, Tidal, Solar, wind, hydropower, biomass, biofuel, geothermal, hydrogen.

Non – **renewable energy**- Resources which have accumulated in nature over a long span of time and cannot be quickly replenished when exhausted. Coal, petroleum, natural gas **Secondary**-petrol, electrical energy, coal burning

Energy renewable	Advantage	Disadvantage
renewable	Wide availability Low cost Decentralized power production Low pollution Available for the future	Unreliable supply Produced in small quantity Difficult to store Cost more
Energy non renewable	Available in high concentrated form Easy to store Reliable supply Lower cost	1.highly pollution Available only in few places High running cost Limited supply and will one day get exhausted

Use of alternate energy sources:



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES

COURSE CODE: 18AEC201 UNIT: II BATCH-2018-2021

(Natural Resources: Renewable and Non-renewable Resources)

Refers to energy sources which are not based on the burning of fossil fuels or the splitting
of atoms. Such as solar energy, wind energy, hydro power, tidal energy, ocean thermal
energy, geothermal energy, biomass energy.

LAND RESOURCE

Land is critically important national resource which supports all living organisms including
plants and animals. The soil profile of land determines its ability to serve socio-economic
needs.

ASSOCIATED PROBLEMS

- Land Degradation: Land degradation is defined as the reduction in soil capacity to produce in terms of quality, quantity goods and services.
- Landslides- The hill slopes are prone to landslides, landslips, rockslides etc. These
 hazardous features have reduced the overall progress of the region as they obstruct the
 roads, communication media and water flow.
- Soil erosion:

ROLE OF INDIVIDUAL IN CONSERVATION OF NATURAL RESOURCES:

Natural resources are forest, water, soil, food, mineral and energy resources. Overuse of these resources cause problems

Conserve water:

- Don't keep water taps running
- Install water saving toilets
- Check for water leaks
- Reuse soapy water
- Use drip and sprinkling irrigation

Conserve energy

- Turn off lights, fan when not in use
- Use solar cooker for cooking
- Try riding bicycle

Protect soil:

- Don't uproot plants
- Grow grass which binds soil and prevent erosion
- Make compost



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES

COURSE CODE: 18AEC201 UNIT: II BATCH-2018-2021 (Natural Resources: Renewable and Non-renewable Resources)

- Use green manure
- Don't over irrigate
- Use mixed cropping

EQUITABLE USEOF RESOURCES FOR SUSTAINABLE IFE STYLE:

- Most developed countries like USA, Canada, Japan, Australia have 22% of natural resources, use 88%.73% of its energy and command 85% of its income
- Less developed countries has 78% of population, 12% Usage of natural resources, 27% of energy, 15% of income
- Gap arises due to increase in population distribution of resources and wealth
- Problem solved by equitable distribution of resources and wealth
- Global consensus has to be reached for more balanced distribution of basic resources like safe drinking water, food, fuel etc. So poor low developed countries able to sustain their life
- Two basic cause of unsustainability are over population in poor countries and over consumption of resources by rich countries generate wastes
- Rich countries lower down their consumption level
- Poor countries fulfilled by providing them resources

KARPAGAM ACADEMY OF HIGHER EDUCATION, COIMBATORE-21

DEPARTMENT OF PHYSICS

I B. Sc. PHYSICS (2018-2021)

ENVIRONMENTAL STUDIES (18AEC201)

Questions	Opt 1
Unit II	
is one of the following is the non-renewable resource	Water
soil is the best for plant growth	Sandy soil
of stratosphere provides protection to our life	Nitrogen
Atomic energy is obtained by using the ores of	copper
The death of last individual of a species is called	extinction
Red data books provide a list of	advanced plants
The resources that can be replaced by natural ecological cycle is called	Natural Resources
Both power and manure are provided byplants	thermal
The resources that are derived from bio-mass of living organisms are	renewable
called resources	
is the major raw material for biogas	Plant leaves
Bio gas generation is mainly based on the principle of	fermentation
The movement of soil compounds is called	Soil Nutrition
The dramatic increase in agricultural production that have been made	biotechnical
possible by highyield "miracle crops" are called	revolution
The nation whose government is promoting large families because of an	United States
aging population and low fertility rate is	
Which among the following is not a renewable source of energy?	Biomass energy
Blue revolution is associated with	agriculture
A form of energy or matter that is essential for the functioning and	resources
sustained survival of living organism within a specific population or	
ecosystem is called	
Water which is an universal solvent for most of the biochemical and	15
biological process, constitutes about the total volume of	
billion kilometers	
The complete failure of monsoon rainfall with a dry climate accompanied	soil erosion
by acute shortage of water causes	
The study of minerals is called	geology
The resources that are obtained from any non-living materials are called	non-renewable
resources	
is the degradation of land in arid, semi-arid and dry	Land fertility
sub-humid areas	•
is called poaching	Cutting of trees
deserts are formed between tall mountain ranges which	Polar
prevent moisture-rich clouds from reaching areas on the ice, or protected	
side, of the range	

Oil spills are a source of pollution for Air is composed of gases, water vapours and is a water borne disease Increase in global mean temperature causes Common energy source in Indian villages is	water rainfall Small Pox greenhouse effect Electricity
is the natural phenomenon, caused by an unlimited and unprecedented Rainfall	Soil erosion
scale is useful to record the force of win	decibel
The first 'Green revolution' in produced a large amount of	1960s
foo	
is a nonrenewable energy resource	Solar
types of habitats are there in a biosphere	4
Flora is the life occurring in a particular region or time	plant
is the leading source of energy used in the United States today	coal
The energy used for all plant life processes is derived fromradiation	ultra violet
Of all of the energy production in the United States, percentage	10
is lost in distribution and inefficient use	
is least likely to contain an oil trap	an anticline
rock types would most likely be the best oil reservoir	Granite
About 75% of electricity comes from water in	South America
Two-thirds of the world's known oil reserves are located in	siberi
Oil derived from coal, oil shales or tar sands is called	natural gas
India ranks amongst the wind-energy producing countries of the worl	first
energy is derived from heated groundwater	solar
Gobar gas is obtained from	manure
Water used for paper mills should not contain	magnesium
Fuel cells are	Carbon cell
Photovoltaic energy is the conversion of sunlight into	Chemical energy
Which of the following is a disadvantage of most of the renewable energy	Highly polluting
Steam reforming is currently the least expensive method of producing	
Which is the renewable energy source?	natural gas furnace
Air is composed of gases, water vapours and	rainfall
The newspaper contains one of the following toxic materials which is	C
cycle is not a gaseous biogeochemical cycle in ecosystem	Nitrogen
If you are using biomass as a source of energy you might	Heating with coal
be	C
that contains chemical waste and causes of damage to plants and	Smog
animals	Danning
Which of the following has nothing to do with hydropower?	Burning transparent to
Carbon dioxide is called green-house gas because it is	transparent to sunlight but traps heat

The slow rate of decomposition of fallen logs in nature is due to their	poor nitrogen
	content

Prepared by Dr. V. SENTHIL KUMAR, HEAD, Dept. of PHYSICS, KAHE

Opt 2	Opt 3	Opt 4	Answer
Oxygen	Sunlight	Coal	Coal
Clay	Gravel	Loamy Soil	Loamy Soil
Hydrogen	Ozone	Argon	Ozone
uranium	lithium	radium	uranium
clay	vanishe	climax	extinction
rare, endangered or	disease resistant	minerals	rare, endangered or
endemic species	animals		endemic species
Exhaustible	Non renewable	Renewable	Renewable
Resources	resources	Resources	Resources
nuclear	biogas	hydroelectri	biogas
non-renewable	environmental	natural	renewable
Cow dung	Mu	Grass	Cow dung
degradation	purification	sedimentation	fermentation
Soil erosion	Flooding	Sedimentation	Soil erosion
bioeconomic	green house effect	green revolution	green revolution
revolution			
India	France	China	France
Solar energy	Hydro-power	Geothermal energy	Solar energy
iron and steel	irrigation	fishing	fishing
natural resource	environment	forest	resources
natural resource	CHVITOIIIICIII	Totest	resources
20	25	30	15
flash flood	loss of bio-	drought	drought
	diversity		
mineralogy	mining science	metallurgy	mineralogy
renewable	natural	environmental	non-renewable
Desertification	Ecosystem	Vegetation	Desertification
growing of green	water storage	minerals	Cutting of trees
plants	D : 1 1	G 1	D ' 1 1
Trade win	Rain shadow	Costal	Rain shadow

land and water snowfall Meningitis forest fire Sun	land and air dust particles diarrhoea desertification Wood and animal dung	air and noise light Cholera loss of fertility Coal		land and water dust particles Cholera greenhouse effect Wood and animal dun
Cyclone	Floods	Hightening		Floods
richter 1970s	beaufort 1980s	fujit 1990s		richter 1960s
Methane 2	Hydroelectricit 3	Coal	6	Coal 4
animal	human	microbial		plant
oil resources	natural gas	nuclear power		oil resources
infra red	beta	solar		solar
25	40		50	40
fault	natural stratigraphy	syncline		syncline
Shale	Sandstone	Salt		Sandstone
India	Australia	China		South America
gulf of mexico and	the middle east	indonesi		the middle east
caribbean	the imagic cust	maonesi		the initiale cast
biomass	syncrude	biogas		syncrude
secon	thir	fourth		fourth
500011		1041111		10 41 41
geothermal	hydroelectri	nuclear		solar
cow dung	crop residues	fossil		cow dung
sodium	iron	chlorine		iron
Hydrogen battery	Nuclear cell	Chromium cell		Hydrogen battery
Biogas	Electricity	Geothermal energ	V	Chemical energy
High waste disposal	· · · · · · · · · · · · · · · · · · ·	High running cost	•	Unreliable supply
Biogas	Hydrogen	Natural gas		Hydrogen
cows	coal burning	gas grill		cows
snowfall	dust particles	light		dust particles
P	Mg	Hg		P
Carbon	Sulphur	Phosphorus		Phosphorus
Heating with natural	Heating with	Heating with a		Heating with a wood
gas	petroleum	wood stove		stove
Acid Rain	Seasonal Rain	Monsoon Rain		Acid Rain
Gravity	Sun	Water cycle		Burning
transparent to heat	used in green-	transparent to bot	th	transparent to
but traps sunlight	house to increase	sunlight and heat		sunlight but traps
-	plant growth			heat

low moisture content

low cellulose content

anaerobic environment around them

low moisture content



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: III BATCH-2018-2021

(Biodiversity and Its Conservation)

UNIT-III SYLLABUS

Biodiversity and Its Conservation: Introduction, definition: genetic, species and ecosystem diversity. Biogeographical classification of India. Value of biodiversity: consumptive use, productive use, social, ethical, aesthetic and option values. Biodiversity at global, National and local levels. India as a mega-diversity nation. Hot-spots of biodiversity. Threats to biodiversity: habitat loss, poaching of wildlife, man-wildlife conflicts. Endangered and endemic species of India. Conservation of biodiversity: in-situ and ex-situ conservation of biodiversity.

Biodiversity and its conservation

- If we divide the whole earth's mass into 10 billion parts, it is only in one part where life exists and the astounding variety of living organ-isms numbering somewhere around 50 million species are all restricted to just about a kilometer- thick layer of soil, water and air. Isn't it wonderful to see that so much diversity has been created by nature on this earth from so little physical matter!
- Biodiversity refers to the variety and variability among all groups of living organisms and the ecosystem complexes in which they occur.
- From the driest deserts to the dense tropical rainforests and from the high snow-clad mountain peaks to the deepest of ocean trenches, life occurs in a marvelous spectrum of forms, size, colour and shape, each with unique ecological inter-relationships.
- Just imagine how monotonous and dull the world would have been had there been only a few species of living organisms that could be counted on fingertips!
- In the Convention of Biological diversity (1992) biodiversity y has been defined as the variability among living organisms from all sources including *inter alia*, terrestrial, marine and other aquatic ecosystems and the ecological complexes of which they are a part.

Biodiversity

 Biodiversity is the abbreviated word for "biological diversity" (bio-life or living organisms, diversity-variety).



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: III BATCH-2018-2021

(Biodiversity and Its Conservation)

• Thus biodiversity is the total variety of life on our planet, the total number of races, varieties and species.

• The sum of total of various types of microbes, plants and animals (producers, consumers and decomposers) in a system.

Levels of Biodiversity

• Units of biodiversity may range from the genetic level within a species to the biota in a specific region and may extend up to the great diversity found in different biomes.

GENETIC DIVERSITY

- It is the basic source of biodiversity.
- The genes found in organisms can form enormous number of combinations each of which gives rise to some variability.
- Genes are the basic units of hereditary information transmitted from one generation to other.
- When the genes within the same species show different versions due to new combinations, it is called genetic variability.
- For example, all varieties belong to the species *Oryza*, but there are thousands of wild and cultivated varieties of rice which show variations at the genetic level and differ in their color, size, shape, aroma and nutrient content of the grain.
- This is the genetic diversity of rice.

SPECIES DIVERSITY

- This is the variability found within the population of a species or between different species of a community.
- It represents broadly the species richness and their abundance in a community.
- There are two popular indices of measuring species diversity known as *Shannon Wiener index* and *Simpon index*.

What is the number of species on this biosphere?

• The estimates of actual number vary widely due to incomplete and indirect data.



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201 **COURSE NAME: ENVIRONMENTAL STUDIES** UNIT: III

BATCH-2018-2021

(Biodiversity and Its Conservation)

The current estimates given by Wilson in 1992 put the total number of living species in a range of 10 million to 50 million.

- Till now only about 1.5 million living and 300.000 fossil species have been actually described and given scientific names.
- It is quite likely that a large fraction of these species may become extinct even before they are discovered and en-listed.

ECOSYSTEM DIVERSITY

- This is the diversity of ecological complexity showing variations in ecological niches, strophic structure, food-webs, nutrient cycling etc.
- The ecosystems also show variations with respect to physical parameters like moisture, temperature, altitude, precipitation etc.
- Thus, there occurs tremendous diversity within the ecosystems, along these gradients.
- We may consider diversity in forest ecosystem, which is supposed to have mainly a dominance of trees.
- But, while considering a tropical rainforest, a tropical deciduous forest, a temperate deciduous forest and a boreal forest, the variations observed are just too many and they are mainly due to variations in the above mentioned physical factors.
- The ecosystem diversity is of great value that must be kept intact.
- This diversity has developed over millions of years of evolution.
- If we destroy this diversity, it would disrupt the ecological balance.
- We cannot even replace the diversity of one ecosystem by that of another.
- Coniferous trees of boreal forests cannot take up the function of the trees of tropical deciduous forest lands and vice versa, because ecosystem diversity has evolved with respect to the prevailing environmental conditions with well regulated ecological balance.

BIOGEOGRAPGHICAL CLASSIFICATION OF INDIA



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: III BATCH-2018-2021

(Biodiversity and Its Conservation)

- India has different types of climate and topography in different parts of the country and these variations have induced enormous variability in flora and fauna.
- India as a rich heritage of biological diversity and occupies the tenth position among the plant rich nations of the world.
- It is very important to study the distribution, evolution, dispersal and environmental relationship of plants and animals in time and space.
- Biogeography comprising of Phytogeography and zoogeography deals with these aspects
 of plants and animals.
- In order to gain insight about the distribution and environmental interactions of flora and fauna of our country, it has been classified into ten biogeographic zones.
- Each of these zones has its own characteristic climate, soil, topography and biodiversity.

India's major biogeographic habitats

S N	Biogeographic Zone	Biotic Province	Total area (Sq.Km.)
0			
1	Trans-Himalayan	Upper Regions	186200
2	Himalayan	North-West Himalayas	6900
		West-Himalayas	720000
		Central Himalayas	123000
		East Himalayas	83000
3	Desert	Kutch	45000
		Thar	180000
		Ladakh	NA
4	Semi-Arid	Central India	107600
		Gujarat-Rajwara	400400
5	Western Ghats	Malabar Coast	59700
		Western Ghat Mountains	99300
6	Deccan Peninsula	Deccan Plateau South	378000
		Central Plateau	341000
		Eastern Plateau	198000
		Chhota Nagpur	217000



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: III BATCH-2018-2021

(Biodiversity and Its Conservation)

		Central Highlands	287000
7	Gangetic Plain	Upper Gangetic Plain	206400
		Lower Gangetic Plain	153000
8	North-East India	Brahmaputra Valley	65200
		North-Eastern Hills	106200
9	Islands	Andaman Islands	6397
		Nicobar Islands	1930
		Lakshadweep Islands	180
1	Coasts	West Coast	6500
0		East Coast	6500

Value of Biodiversity

- The value of biodiversity in terms of its commercial utility, ecological services, social and aesthetic value is enormous.
- We get benefits from other organisms in innumerable ways.
- Sometimes we realize and appreciate the value of the organism only after it is lost from his earth.
- Very small, insignificant, useless looking organisms may play a crucial role in the
 ecological balance of the ecosystem or may be a potential source of some invaluable drug
 for dreaded diseases like cancer or AIDS.
- The multiple uses of biodiversity or biodiversity value have been classified by McNeely et al in 1990.

i) Consumptive use value

- These are direct use values where the biodiversity product can be harvested and consumed directly.
- E.g. fuel, food, drugs, fibre, etc.

Food

- A large number of wild plants are consumed by human beings as food.
- About 80,000 edible plant species have been reported from wild.



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: III BATCH-2018-2021

(Biodiversity and Its Conservation)

- About 90% of present day food crops have been domesticated from wild tropical plants.
- Even now our agricultural scientists make use of the existing wild species of plants that are closely related to our crop plants for developing new hardy strains.
- Wild relatives usually possess better tolerance and hardiness.
- A large number of wild animals are also our sources of food.

Drugs and medicines

- About 75% of the world's population depends upon plants or plant extracts for medicines.
- The wonder drug *Penicillin* used as an antibiotic is derived from a fungus called *penicillium*.
- Likewise, we get *Tetracyclin* from a bacterium.
- Quinine, the cure for malaria is obtained from the bark of Cinchona tree, while *Digitalin* is obtained from foxglove (Digitalis) which is an effective cure for heart ailments.
- Recently *vinblastin* and *vincristine*, two anticancer drugs, have been obtained from Periwinkle (*Catharanthus*) plant, which possesses anticancer alkaloids.
- A large number of marine animals are supposed to possess anti-cancer properties which are yet to be explored systematically.

Fuel

- Our forests have been used since ages for fuel wood.
- The fossil fuels coal, petroleum and natural gas arc also products of fossilized biodiversity.
- Firewood collected by individuals is not normally marketed, but are directly consumed by tribals and local villagers, hence falls under consumptive value.

ii) Productive use values

- These are the commercially usable values where the product is marketed and sold.
- It may include lumber or wild gene resources that can be traded for use by scientists for introducing desirable traits in the crops and domesticated animals.



CLASS: I B.Sc.PHYSICS COURS
COURSE CODE: 18AEC201

COURSE NAME: ENVIRONMENTAL STUDIES
UNIT: III BATCH-2018-2021

(Biodiversity and Its Conservation)

• These may include the animal products like tusks of elephants, musk from musk deer, silk from silk-worm, wool from sheep, fir of many animals, lac from lac insects etc, all of which are traded in the market.

- Many industries are dependent upon the productive use values of biodiversity.
- **E.g.** the paper and pulp industry, Plywood industry, Railway sleeper industry, Silk industry, textile industry, ivory-works, leather industry, pearl industry etc.
- Despite international ban on trade in products from endangered species, smuggling of fur, hide, horns, tusks, live specimen etc. worth millions of dollars are being sold every year.
- Developing countries in Asia, Africa and Latin America are the richest biodiversity centers
 and wild life products are smuggled and marketed in large quantities to some rich western
 countries and also to China and Hong Kong where export of cat skins and snake skins
 fetches a booming business.

iii) Social Value

- These are the values associated with the social life, customs, religion and psycho-spiritual aspects of the people.
- Many of the plants are considered holy and sacred in our country like Tulsi (holy basil),
 Peepal, Mango, Lotus, Bael etc.
- The leaves, fruits of flowers of these plants are used in worship or the plant itself is worshipped.
- The tribal people are very closely linked with the wild life in the forests.
- Their social life, songs, dances and customs are closely woven around the wildlife.
- Many animals like Cow, Snake, Bull, Peacock, Owl etc. also have significant place in our psycho-spiritual arena and thus hold special social importance.
- Thus biodiversity has distinct social value, attached with different societies.

iv) Ethical value

- It is also sometimes known as existence value.
- It involves ethical issues like "all life must be preserved".



CLASS: I B.Sc.PHYSICS COURSE N COURSE CODE: 18AEC201 UN

COURSE NAME: ENVIRONMENTAL STUDIES
UNIT: III BATCH-2018-2021

(Biodiversity and Its Conservation)

• It is based on the concept of "Live and Let Live".

- If we want our human race to survive, then we must protect all biodiversity, because biodiversity is valuable.
- The ethical value means that we may or may not use a species, but knowing the very fact that this species exists in nature gives us pleasure.
- We all feel sorry when we learn that "passenger pigeon" or "dodo" is no more on this earth.
- We are not deriving anything direct from Kangaroo, Zebra or Giraffe, but we all strongly that these species should exist in nature.
- This means, there is an ethical value or existence value attached to each species.

v) Aesthetic value

- Great aesthetic value is attached to biodiversity.
- No one of us would like to visit vast stretches of barren lands with no signs of visible life.
- People from far and wide spend a lot of time and money to visit wilderness areas where
 they can enjoy the aesthetic value of biodiversity and this type of tourism is now known as
 eco-tourism.
- The "Willingness to pay" concept on such eco-tourism gives us even a monetary estimate for aesthetic value of biodiversity.
- Ecotourism is estimated to generate about 12 billion dollars of revenue annually that roughly gives the aesthetic value of biodiversity.

vi) Option values

- These values include the potentials of biodiversity that are presently unknown and need to be explored.
- There is a possibility that we may have some potential cure for AIDS or cancer existing within the depths of a marine ecosystem, or a tropical rain-forest.
- Thus option value is the value of knowing that there are biological resources existing on this biosphere that may one day prove to be an effective option for something important in the future.



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: III BATCH-2018-2021

(Biodiversity and Its Conservation)

- Thus, the option value of biodiversity suggests that any species may prove to be a miracle species someday.
- The biodiversity is like precious gills of nature presented to us.
- We should not commit the folly of losing these gills even before unwrapping them.
- The option value also includes the values, in terms of the option to visit areas where a variety of flora and fauna, or specifically some endemic, rare or endangered species exist.

vii) Ecosystem service value

- Recently, a non-consumptive use value related to self maintenance of the ecosystem and various important ecosystem services has been recognized.
- It refers to the services provided by ecosystems like prevention of soil erosion, prevention
 of floods, maintenance of soil fertility, cycling of nutrients, fixation of nitrogen, cycling of
 water, their role as carbon sinks, pollutant absorption and reduction of the threat of global
 warming etc.
- Different categories of biodiversity value clearly indicate that ecosystem, species and genetic diversity all have enormous potential and a decline in biodiversity will lead to huge economic, ecological and socio-cultural loss.

THREATS TO BIODIVERSITY

- Extinction or elimination of a species is a natural process of evolution.
- In the geologic period the earth has experienced mass extinctions.
- During evolution, species have died out and have been replaced by others.
- However, the rate of loss of species in geological past has been a slow process, keeping in view the vast span of time going back to 444 million years.
- The process of extinction has become particularly fast in the recent years of human civilization.
- In this century, the human impact has been so serve that thousands of species and varieties are becoming extinct annually.



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: III BATCH-2018-2021

(Biodiversity and Its Conservation)

- One of the estimates by the noted ecologist, E.O. Wilson puts the figure of extinction at 10,
 000 species per year or 27 per day.
- This startling figure raises an alarm regarding the serious threat to biodiversity.
- Over the last 150 years the rate of extinction has escalated more dramatically.
- If the present trend continues we would lose $1/3^{rd}$ to $2/3^{rd}$ of our current biodiversity by the middle of twenty first century.
- Let us consider some of the major causes and issues related to threats to biodiversity.

LOSS OF HABITAT

- Destruction and loss of natural habitat is the single largest cause of biodiversity loss.
- Billions of hectares of forests and grasslands have been cleared over the past 10,000 years for conversion into agricultural lands, pastures, settlement areas or development projects.
- These natural forests and grasslands were the natural homes of thousands of species which perished due to loss of their natural habitat.
- Severe damage has been caused to wetlands thinking them to be useless ecosystems.
- The unique rich biodiversity of the wetlands, estuaries and mangroves are under the most serious threat today.
- The wetlands are destroyed due to draining, filling and pollution thereby causing huge biodiversity loss.
- Sometimes the loss of habitat is in installments so that the habitat is divided into small and scattered patches, a phenomenon known as habitat fragmentation.
- There are many wild life species such as bears and large cats that require large territories to subsist.
- They get badly threatened as they breed only in the interiors of the forests.
- Due to habitat fragmentation many song birds are vanishing.
- There has been a rapid disappearance of tropical forests in our country also, at a rate of about 0.6% per year.



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: III BATCH-2018-2021

(Biodiversity and Its Conservation)

• With the current rate of loss of forest habitat, it is estimated that 20-25% of the global flora would be lost within a few years.

 Marine biodiversity is also under serious threat due to large scale destruction of the fragile breeding and feeding grounds of our oceanic fish and other species, as a result of human intervention.

POACHING

- Illegal trade of wildlife products by killing prohibited endangered animals i.e., poaching is another threat to wildlife.
- Despite international ban on trade in products from endangered species, smuggling of wildlife items like furs, hides, horns, tusks, live specimens and herbal products worth millions of dollars per year continuous.
- The developing nations in Asia, Latin America and Africa are the richest source of biodiversity and have enormous wealth of wildlife.
- The rich countries in Europe and North America and some affluent countries in Asia like Japan, Taiwan and Hong Kong are the major importers of the wild life products or wild life itself.
- The trading of such wild life products is highly profit making for the products that just hunt this prohibited wild life and smuggle it to other countries mediated through a mafia.
- The cost of elephant tusks can go upto \$100 per kg; the leopard fur coat is sold at \$100,000 in Japan while bird catchers can fetch upto \$10,000 for a rare hyacinth macaw, a beautiful coloured bird, from Brazil.
- The worse part of the story is that for every live animal that actually gets into the market, about 50 additional animals are caught and killed.
- If you are fond of rare plants, fish or birds, please make sure that you are not going for the endangered species or the wild-caught species.
- Doing so will help in checking further decline of these species.
- Also do not purchase furcoat, purse or bag, or items made of crocodile skin or python skin.



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: III BATCH-2018-2021

(Biodiversity and Its Conservation)

You will certainly help in preserving biodiversity by doing so.

MAN-WILDLIFE CONFLICTS

- We have discussed about the need to preserve and protect our wildlife.
- However, sometimes we come across conflicting situations when wildlife starts causing
 immense damage and danger to man and under such conditions it becomes very difficult
 for the forest department to pacify the affected villagers and gain local support for wild-life
 conservation.
- Instances of man animal conflicts keep on coming to lime light from several states in our country.
- In Sambalpur, Orissa 195 humans were killed in the last 5 years by elephants.
- In retaliation the villagers killed 98 elephants and badly injured 30 elephants.
- Several instances of killing of elephants in the border regions of Kote-Chamarajanagar belt in Mysore have been reported recently.
- The man-elephant conflict in this region has arisen because of the massive damage done by the elephants to the farmer's cotton and sugarcane crops.
- The agonized villagers electrocute the elephants and sometimes hide explosives in the sugarcane fields, which explode as the elephants intrude into their fields.
- In fact, more killings are done by locals than by poachers.
- Recently, in early 2004, a man-eating tiger was reported to kill 16 Nepalese people and one 4-year old child inside the Royal Chitwan National Park, 240Km South west of Kathmandu.
- The Park renowned for its wildlife conservation effort has become a zone of terror for the locals.
- At times, such conflicting situations have been reported from the border regions of Corbett,
 Dudhwa, Palamau and Ranthambore National Parks in our country as well.
- Very recently in June, 2004 two men were killed by leopards in Powai, Mumbai.
- A total of 14 persons were killed during 19 attacks since January by the leopards from the Sanjay Gandhi National Park, Mumbai which has created a panic among the local residents.



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: III BATCH-2018-2021

(Biodiversity and Its Conservation)

Causes of Man-animal conflicts

- Dwindling habitats of tigers, elephants, rhinos and bears due to shrinking forest cover comples them to move outside the forest and attack the field or sometimes even humans.
- Human encroachment into the forest areas raises a conflict between man and the wildlife, perhaps because it is an issue of survival of both.
- Usually the ill, weak and injured animals have a tendency to attack man.
- Also, the female tigress attacks the human if she feels that her newborn cubs are in danger.
- But the biggest problem is that if human-flesh is tasted once then the tiger does not eat any
 other animal.
- At the same time, it is very difficult to trace and cull the man-eating tiger and in the process many innocent tigers are also killed.
- Earlier, forest departments used to cultivate paddy, sugarcane etc. within the sanctuaries when the favorite staple food of elephants i.e. bamboo leaves were not available.
- Now due to lack of such practices the animals move out of the forest in search of food.
- It may be noted that, one adult elephant needs 2 quintals of green fodder and 150 kg of clean water daily and if it is not available, the animal strays out.
- Very often the villagers put electric wiring around their ripe crop fields.
- The elephants get injured, suffer in pain and turn violent.
- Earlier there used to be wild-life corridors through which the wild animals used to migrate seasonally in groups to other areas.
- Due to development of human settlements in these corridors, the path of wildlife has been disrupted and the animals attack the settlements.
- The cash compensation paid by the government in lieu of the damage caused to the farmer's crop is not enough.
- In Mysore, a farmer gets a compensation of Rs. 400//- per quintal of expected yield while the market price is Rs. 2400/- per quintal.
- The agonized farmer therefore gets revengeful and kills the wild animals.



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: III BATCH-2018-2021

(Biodiversity and Its Conservation)

Remedial Measures to Curb the Conflict

- Tiger conservation project (TCP) has made provisions for making available, vehicles, tranquillizer guns, binoculars and radio sets etc. to tactfully deal with any imminent danger.
- Adequate crop compensation and cattle compensation scheme must be started, along with substantial cash compensation for loss of human life.
- Solar powered fencing should be provided along with electric current proof trenches to prevent the animals from straying into fields.
- Cropping pattern should be changed near the forest borders and adequate fodder, fruit and water should be made available for the elephants within forest zones.
- Wild life corridors should be provided for mass migration of big animals during unfavorable periods.
- About 300 km² area is required for elephant corridors for their seasonal migration.
- In similipal Sanctuary, Orissa there is a ritual of wild animal hunting during the months of April-May for which forest is burnt to flush out the animals. Due to massive hunting by people, there is a decline in prey of tigers and they start coming out of the forest in search of prey.
- Now there is WWF-TCP initiative to curb this ritual of "Akhand Shikar" in Orissa.

KARPAGAM ACADEMY OF HIGHER EDUCATION, COIMBATORE-21

DEPARTMENT OF PHYSICS

I B. Sc. PHYSICS (2018-2021)

ENVIRONMENTAL STUDIES (18AEC201)

ENVIRONMENTAL STUDIES (18AEC201)	
Questions	Opt 1
Unit III	
The species rich ecosystem	Marine ecosystem
The most fundamental level of biodiversity	Genetic diversity
The lowest species diversity in the tropical areas	Eastern Atlantic
Physically India is divided into	Four region
Some species play ecological roles that are of great importance than predicted	primary species
People love, live, a phenomenon called	Spirituality
Three important issues of biodiversity	Commodity,
	Amenity, and
	Morality
Total identifies species on theearth	1.5 million
Two biodiversityhotspots in India	Gangetic and
	Western Himalayas
Total biodiversity hotspots in the world	25
Levels of biodiversity include all but one	Genetics
The type of diversity including all the different kinds of living things	Species diversity
found in a certain habitat is called as	
A taxon with restricted geographical distribution is termed as?	Rare
Conservation of biodiversity outside the natural habitat is called	Ex-situ
as	
Which of the following does not come under the threatened categories?	Endangered
Biosphere reserve has following zone except one	Core zone
In which of the following boundaries are not circumscribed	Biosphere reserve
The knowledge of which of the following factor does not help in the	Habitat of wildlife
wildlife Management In type of wildlife management the wildlife is protected from hunting mainly during breeding season and is enforced by law and if	Closed season
violated is punishable and termed as illlegal	TT1 1
The tigers are found in which of the following biosphere reserve:	Thar desert biosphere reserve
How many biosphere reserves are present in India?	41
Biodiversity of which organism is more in Eastern Ghat in comparison to Western Ghat?	Reptilia
Which one of the following is not used for <i>ex situ</i> plant conservation?	Field gene banks
Which one is odd for species diversity?	alpha diversity
Which micro organism is responsible for synthesis of antibiotics?	Bacteria

Species diversity is responsible for which phenomena?	process of Evolution
How many botanical gardens are registered in IABG? Which of the following represent maximum number of species among global biodiversity?	1500 Algae
Prolonged liberal irrigation of agricultural fields is likely to create the probable greatest problem of water conservation is to reduce the amount of Maximum nutritional diversity is found in the group Which regions are included in Biodiversity Hot-spot? Which one is odd for India?	•
Which one is the correct pair ?	Bali Tiger – Endangered species
For which animal sunderbans is declared as a National Park? Which one is odd for Amzon rain forest? Among the recently extinct animal, Guagga is of which country? Which organisation is active for conservation of biodiversity at world level?	Lion Africa Mammals-472 WWF
Find odd one out:- Which animal is remnant gene pool in the world? Find odd one out: Which is the example of ex-situ conservation? Which is true for wild life conservation?	Project Elephant Flamingo Nanda devi National park Hunting of prey
At which place animals and plants are most protected? Which is not applicable institute conservation? What is called the area which is remain around the core zone of biosphere region?	Botanical gardens National Park Buffer
Which is the Hot spot of India? Which is the most appropriate method for conservation of wild life?	Gangatic plain Vaccination
Where Mangroves forest found? Where is the genes of rare plants species to stored? For which animal Project Gir is famous? MAB means	Dry region Gene bank Elephant Man and biosphere

Who publish Red-list? WWF

In India different types of mangoes species are example of species diversity Which number is correct for Indentfied popular species? 1.1 to 1.1 million

programme

IUCN means	International union for conservation of nature and natural
	resources
In India, which example has maximum varieties?	Wheat
In India, Western ghat is known as Hot-spot because of	Evergreen forest
What is important of gene diversity?	Maintenance of
,	species
Which is the modern concept of conservation?	Biosphere reserve

Prepared by Dr. V. SENTHIL KUMAR, HEAD, Dept. of PHYSICS, KAHE

Terrestrial Special Ecosystem Extra terrestrial Marine ecosystem ecosystem Species diversity Population Diversity Genetic diversity Eastern Pacific Western Atlantic Indo-Pacific Region Eastern Atlantic Seven region Five region Two region Four region Keystone species Climax species Decomposers Keystone species Marine ecosystem Four region Eastern Atlantic Four region Four region Keystone species
Species diversityPopulationDiversityGenetic diversityEastern PacificWestern AtlanticIndo-Pacific RegionEastern AtlanticSeven regionFive regionTwo regionFour regionKeystone speciesClimax speciesDecomposersKeystone species
Seven region Five region Two region Four region Keystone species Climax species Decomposers Keystone species
Keystone species Climax species Decomposers Keystone species
Maditation Dans Displays Displays
Meditation Peace Biophilia Biophilia
Genus, species and Community, Flora, Fauna and Commodity,
population diversity amd Humans Amenity, and
ecosystem Morality
5-30 million 3 million 10 million 1.5 million
Western Ghats and Peninsular and J&K and Rajasthan Western Ghats and
Eastern Himalayas Vindhyas Eastern Himalayas
2 15 50 25
Species Population Ecosystem Population Constitution Formation Population discounts Population
Genetic diversity Ecosystem diversity Population diversity Species diversity
Vulnerable Extinct Endemic Endemic
In-situ Conservation In-vivo Ex-situ
Vulnerable Least concern Rare Least concern
Command zone Buffer zone Spherical zone Spherical zone
Sanctuary National parks Colony parks Sanctuary
Behaviour of Food habit of Name of wildlife Name of wildlife wildlife
Open wildlife Custodial Limited entry zone Closed season
season management
Neelgiri biosphere Namdhapa Sunderbans Sunderbans
reserve biosphere reserve biosphere reserve biosphere reserve
34 14 17 14
Amphibian Aves Mammals Amphibian
Seed banks Shifting cultivation Botanical Gardens Shifting cultivation
gamma diversity beta diversity lamnda diversity lamnda diversity
Virus Fungus Algae Fungus

speciation	For alternative types (allele) of gene	For stability and normal function of Ecosystem	For stability and normal function of Ecosystem
80,000	_	•	800
Lichens	Fungi	Mosses and Ferns	Fungi
Metal toxicity	Salinity	Acidity	Salinity
Runoff water	Groundwater	Evaporation	Runoff water
Plantae	Fungi	Animalia	Monera
National park	Garden	Only Hotspot	Sanctuary
origin place of 166	Primary centre for	It contains 12 mega	7th rank in
species of crop plants	domestication of ginger, turmeric, citrus, cardamom	biodiversity region	agriculture species
Caspian Tiger –	Javan Tiger – Rare	Bali Tiger -Extinct	Caspian Tiger –
Extinct species	species	species	Extinct species
Rhino	Tiger	Wild ass	Tiger
Russia	Mauritius	Java	Java
Reptile-427	Birds-1300	piceis-3000	Mammals-472
WCU	a and b both	EE	a and b both
Tiger Project	Gir Lion Project	Project Wild ass	Project Wild ass
Painted Frog	Wild ass	Spring tailed Lizard	Wild ass
Great Nicobar	Mannar	Thar	Thar
Sanctuary	Biosphere reserve	Zoo	Zoo
ex-situ conservation	In-situ conservation		ex-situ conservation
		and In-situ	and In-situ
		conservation	conservation
National Park	Zoos	Sanctuary	National Park
Sanctuary	Botanical Garden	Biosphere reserve	Botanical Garden
Transition zone	Developed zone	Peripherial zone	Buffer
Western Ghat	Eastern Ghat	Arravali mountain	Western Ghat
Hybridization	conservation in	Killing of predator	conservation in
	natural habitat		natural habitat
Coastal region	Open area	tropical region	Coastal region
Gene Library	Herberium	Open area	Gene bank
Hangul	Tiger	Lion	Lion
Mammal and	Mammal and	Men and biological	Man and biosphere
biological	biosphere	programme	programme
programme	programme		
IUCN	MAB	IBWL	IUCN
Genetic diversity	Induced mutation	Breeding	Genetic diversity
0.5 to 1.0 million	2.5 to 3.0 million	1.7 to 1.8 million	1.7 to 1.8 million

Indian union for conservation of	International union for conservation of	chemical	International union for conservation of
nature and natural	nature and nutrients	nomenclature	nature and natural
resources	resources		resources
Rice	Mango	Tea	Mango
High endemism	more height	Topical climate	High endemism
speciation	Research of genetic code	Maintenance and research of spices	speciation
sanctuary	National park	Protected forest	Biosphere reserve



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: IV BATCH-2018-2021

(Environmental Pollution)

UNIT-IV SYLLABUS

Environmental Pollution: Definition, Causes, effects and control measures of Air pollution, Water pollution, Soil pollution, Marine pollution, Noise pollution, Thermal pollution, Nuclear hazards, Solid waste management: Causes, effects and control measures of urban and industrial wastes. Role of an individual in prevention of pollution. Pollution case studies. Diaster management: Foods, earthquake, cyclone and landslides.

ENVIRONMENTAL POLLUTION

Definition

Pollution may be defined as an undesirable change in the physical, chemical or biological characteristics of our air, water and land that may or will harmfully affect human life, the lives of the desirable species, our industrial processes, living conditions and cultured assets, or that may or will waste or deteriorate our raw material resources.

Types of environmental pollution

- Air pollution
- Water pollution
- Soil pollution
- Marine pollution
- Noise pollution
- Thermal pollution
- Nuclear hazards

AIR POLLUTION

 Air pollution refers to the undesirable change occurring in air causing harmful effects on man and domesticated species.

Air pollutants

- Dust
- Smoke




CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201 COURSE NAME: ENVIRONMENTAL STUDIES

UNIT: IV

BATCH-2018-2021

(Environmental Pollution)

- Sulphur oxides (CO)
- Nitrogen oxides (SO₂)
- Ammonia (NH₃)
- Nitrogen dioxide(NO₂)
- Hydrogen cyanide
- Hydrogen fluorides
- Hydrogen sulphide (H₂S)
- Chlorines
- Phosgenes
- Arsines
- Aldehydes
- Ozone
- Ionizing radiations
- CO₂



Air pollutants are two types

- Primary air pollutants
- Secondary air pollutants

Primary Air Pollutants



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: IV BATCH-2018-2021

(Environmental Pollution)

- Air is polluted by poisonous gases and undesirable substances.
- They are released by burning fossil fuels.
- These substances are called primary air pollutants.
- The tissues present in the tip of dusheri mango turns black when they are exposed to sulphur dioxide (SO₂) fumes.

The primary pollutants are following

- Soot released from unburned fuel
- \bullet SO₂
- Benzopyrene (hydrocarbon) released from cigarette smoke.
- NH₃
- Oxides of nitrogen
- CO (carbon monoxide)
- Lead

Secondary Air Pollutants

- Secondary air pollutants are poisonous nitrogen oxides, hydrocarbons and O₂ interact to produce more powerful photochemical oxidants like ozone (O₃), peroxyacetyl nitrate (PAN), Aldehydes, sulphuric acid, peroxides, etc.
- All these constitute photochemical smog.

CAUSES OF AIR POLLUTION

Agriculture

• Hydrocarbons released by plants, pollen grains, insecticides etc. cause air pollution.

Dust

• Dust in the air is increased by dust storms, wind, volcanoes, automobiles, etc.

Industries



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: IV BATCH-2018-2021

(Environmental Pollution)

• The Combustion of fossil fuels like coal, petroleum, etc. in industries is the main source of pollution.

Automobiles

- The combustion of petrol and diesel in automobiles releases harmful gases into the air.
- They also produce dust.

Ionising Radiations

- Ionizing radiations include alpha particle, beta particles and gamma rays.
- They are released into the air from testing atomic weapons and atomic explosions.

Freons

• Use of freons and other chlorine-fluorine-carbons as refrigerants, coolants and as filling agents in aerosol packages cause pollution.

Aerosols

- Aerosols are small particles of all sorts of solid or liquid substances suspended in the air.
- They block the stomata of plants and prevent he gaseous exchanges between plants and atmosphere.
- They may also change the climate of an area.

Biological indicators

- Some plants are sensitive to certain air pollutants.
- These plants are used to indicate the presence of these substances.
- These plants are called biological indicators

Example

- Pinto beans and petunias are used to indicate the presence of peroxy acetyl nitrate (PAN).
- Tobacco and annual blue-grass plants are used to show the presence of ozone (O₃).



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201

UNIT: IV

COURSE NAME: ENVIRONMENTAL STUDIES BATCH-2018-2021

(Environmental Pollution)

ECOLOGICAL EFFECTS OF AIR POLLUTION

Death

When air is polluted with poisonous gases, death comes as a result immediately. Bopha episode is a good example.

Bhopal episode

- On 2nd December 1984about 3000 human beings died about 5000 paralyzed and thousands of cattle, bird, dogs and cats died in one night at Bhopal.
- This mass death is due to the leakage of methyl isocyanate (toxic gas) into the air from art insecticide plant managed by Union Carbide.

Chlorosis

- The disappearance of chlorophyll is called Chlorosis.
- It is caused by SO₂ and fluorides present in the air.

Necrosis

- The breakdown of cells is called necrosis.
- It is caused by SO₂, nitrogen dioxide, ozone and fluorides.

Green house effect

- CO₂ is released into the air by the combustion of fuels.
- It is estimated that CO₂ content of the air is increasing at the rated 0.4% per annum.
- This will result in an appreciable warming up of the ear.
- This is called green house effect.
- It is very likely that this will cause the melting of polar ice caps resulting in a rise of nearly 60 feet on the sea level.
- Coastal regions and low lying areas allover the world will be go under water.



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201 **COURSE NAME: ENVIRONMENTAL STUDIES** UNIT: IV

BATCH-2018-2021

(Environmental Pollution)

Crop losses

- Heavy loss of crop plants is caused by smog.
- Smog denotes a combination of smoke and fog.
- The important components of s ozone and PAN (Peroxyacetyl nitrate).
- They damage leafy vegetables, cereals, textile crops, ornamental plants, fruits and forest trees.

Respiratory disorders

- Excessive ethylene accelerates respiration causing premature senescence (old age) and abscission (accumulation of yellow fluid (pus) in the body).
- Aldehydes irritate nasal and respiratory tracts.
- Chlorine and phosgenes (carbonyl chloride) cause pulmonary oedema.

Nausea

H₂S smells like rotten eggs and nausea.

Vomiting

SO₂ causes vomiting.

Jaundice

Arsines induce RBC breakdown and jaundice.

Oxygen carrying capacity

CO reduces O₂ carrying capacity of RBC by its permanent combination with hemoglobin.

Coughing

Coughing is induced by phosgenes (carbonyl chloride).

Headache

SO₂ causes headache.

Cancer



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: IV BATCH-2018-2021

(Environmental Pollution)

 Cancer is caused by air pollutants like ash, soot, smoke. chromium, nickel and radioactive elements.

Mutation

- Radioactive elements produce mutation.
- Ozone produces chromosomal aberrations.

Cardiac diseases

• Cadmium causes high blood pressure and heart diseases.

Pneumonia

• Pneumonia is caused by breathing in too much of manganese particles.

Depletion of Ozone Umbrella

- In the atmosphere, about 30km above the surface of the earth, the ozone molecules (O₃) form an umbrella.
- It prevents the penetration of harmful ultra violet radiation from the sun and thus protects the life of the earth.
- It is now feared that there is danger of appearing holes on the ozone umbrella.
- This is caused by the use of freons and other chlorine-fluorine-carbons as refrigerants, coolants
 in domestic refrigerators and otter cold storage facilities, and as filling agents in foam plastics
 and in aerosol packages.
- Reaching ozone umbrella, they destroy ozone molecules as a result of photochemical reactions.
- Over the past 16 years, the density of the ozone layer has been diminishing at an average rate of 3%.
- It is calculated that the depletion of ozone layer by I% results in an increase in the incidence of skin cancer by 5% to 7%.

Acid Rains



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201

UNIT: IV

COURSE NAME: ENVIRONMENTAL STUDIES BATCH-2018-2021

(Environmental Pollution)

- One of the major environmental issues facing human society at the National and International level is the problem of acid.
- The rainwater is always slightly acidic as CO₂ in the atmosphere gets dissolved in it.
- However during recent years, it has been noted a further lowering of pH of rainwater often as 2.4.
- This lowering of pH is due to the dissolution of acids in the rain water.
- Precipitation of oxides of sulphur and nitrogen with rain is termed acid rain.
- Acid rain is caused by air pollution.
- When atmospheric air contains sulphur dioxide (SO₂) and oxides of nitrogen such as nitrous oxide (N₂O) and nitric oxide (NO), they dissolve in rainwater forming sulphuric acid and nitric acid.
- The rain water falls as acid rain.
- The main source of oxides of sulphur and nitrogen is the burning of fossil fuels in power plants based on coal and oil contribute more than 60% of all sulphur oxides and 25 to 20% of nitrogen oxides in the atmosphere.
- Automobiles make a sustainable contribution in large cities.
- Ozone is now recognized as a major factor in the formation of acid rain.
- Acid rain affects both materials and organisms.
- It attacks building materials principally sandstone, limestone, marble, steel and nickel.
- In plants, it leads to Chlorosis (gradual yellowing in which the chlorophyll making mechanism is impeded) or depigmentation of leaves.
- Acid rain increases the acidity of lakes and rivers.
- Vast tracts of forests and lakes in Europe and North America have been destroyed by acid.



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201 **COURSE NAME: ENVIRONMENTAL STUDIES** UNIT: IV

BATCH-2018-2021

(Environmental Pollution)

Acidity kills fish, bacteria and algae and the aquatic ecosystem collapses into sterility leaving a crystal clear but ultimately a dead lake.

CONTROL OF AIR POLLUTION

- The emission of exhaust from automobiles can be reduced by devices, such as positive crankcase ventilation valve and catalytic converter.
- Electrostatic precipitators can reduce smoke and dust from industries.
- Later birds, cats and dogs which me the marine animals died.
- Finally many men who ate fish, crabs and shell fish died.
- Their initial symptoms of Minamata disease include the numbness of limbs, lips and tongue, impairment of motor control, deafness and blurring of vision.
- Finally it affects and destroys the brain.
- As a result of the attack of Minamata disease about 17 persons died and 23 became permanently disabled in the year 1953, in Japan.

Diarrhea

It is caused by mercury, cadmium and cobalt.

Mortality of Plankton and Fish

Chlorine which is added to water control the growth of algae and bacteria in the cooling system of power stations may persist in streams to cause the mortality of plankton and fish.

Reduction in Productivity

- Intensive agriculture increases the amount of silt in lakes and rivers.
- Silt prevents the penetration of light to depths and thus reduces primary production.

Siltation

- Siltation is a phenomenon by which the gills of fish deposited with silt.
- This causes heavy mortality among fishes.



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: IV BATCH-2018-2021

(Environmental Pollution)

Poor Oxygenation

- Oil present on the surface of water prevents water oxygenation.
- This reduces respiration and metabolism in aquatic organisms.

Poor Photosynthesis

• Oil-pollution prevents photosynthesis in phytoplankton.

Red Tide

- When coastal waters are enriched with nutrients of sewage dinoflagellates multiply rapidly and form bloom.
- This blooming lat. liberate into the water toxic metabolic by-products which can result in a large scale death of marine fishes.
- This is called red tide.

Biochemical Oxygen Demand

- Sewage enriches the water with nutrients.
- This causes rapid growth of plankton and algae.
- This leads to oxygen depletion in water.
- The oxygen depletion causes the death of algae.
- They decay and decomposition of algae consumes more oxygen from water.
- Biochemical Oxygen Demand or biological oxygen demand (BOD) is the amount of oxygen required by the microorganisms in water.
- BOD is higher in polluted water (sewage) and lesser in drinking water.
- Increased BOD lowers the contents of dissolved O₂ in water causing the suffocation and death of aquatic flora and fauna.

Water-borne diseases



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201 **COURSE NAME: ENVIRONMENTAL STUDIES** UNIT: IV

BATCH-2018-2021

(Environmental Pollution)

Disease like jaundice, cholera, typhoid, diarrhea, etc. are transmitted through water contaminated with sewage.

Methaemoglobinema

- The nitrate used in fertilizers enters the intestine of man through drinking water.
- In the intestine it is converted into nitrite.
- Nitrite is absorbed into the blood where it combines with hemoglobin to form methaemoglobin: Methaemoglobin cannot transport oxygen.
- This leads to suffocation and breathing troubles, especially in infants.
- This disease is called methaemoglobinema.
- Gaseous pollutants arising from industries can be removed by differential solubility of gases in water.
- A fine spray of water in the device called scrubber can separate many gases like NH₃, SO₂, etc. from the emitted exhaust.
- Certain gases can be removed by filtration or absorption through activated carbon.
- Certain gases can be made chemically inert by chemical conversion.
- At the Government level pollution can be controlled by framing legislations.

WATER POLLUTION

Water is the soul of nature; its pollution will perish the world.

Water pollution refers to the undesirable change occurring in water which may harmfully affect the life activities of man and domesticated species.

WATER POLLUTION

- Water is the soul of nature; its pollution will perish the world.
- Water pollution refers to the undesirable change occurring in water which may harmfully affect the life activities of man and domesticated species.



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201 COURSE NAME: ENVIRONMENTAL STUDIES

UNIT: IV


BATCH-2018-2021

(Environmental Pollution)

Water pollutants

The common water pollutants are as follows

- Domestic sewage
- Industrial effluents
- Pesticides
- Herbicides
- Fertilizers
- Bacteria and viruses
- Plankton blooms
- Heavy metals like mercury
- Temperature
- Silt
- Radioactivity
- Oils, etc.



CAUSES OF WATER POLLUTION



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201

COURSE NAME: ENVIRONMENTAL STUDIES

UNIT: IV

BATCH-2018-2021

(Environmental Pollution)

Domestic sewage

- Domestic sewage consists of human faeces, urine, and the dirty used-up water in houses.
- It contains a large number of pathogenic bacteria and virus.
- The sewage is released into the rivers on the banks of which most of the cities are situated.

Industrial effluents

- All industrial plants produce some organic and inorganic chemical wastes.
- Those no usable chemicals are dumped in water as a means of getting rid of them.
- The industrial wastes include heavy metals (Hg, Cu, lead zinc etc), detergents, petroleum, acids, alkalis, phenols, carbonate, alcohol cyanides, arsenic, chlorine, etc.

Thermal Pollution

- Many industries use water for cooling.
- The resultant warm water is discharged into rivers.
- This brings about thermal pollution.

Agricultural pollution

• The fertilizers used for crops are washed into ponds and rivers.

Pesticides

- Pesticides are used to control pests in fields and houses.
- They include DDT, BHC, endrin etc.

Radioactive wastes

- Liquid radioactive wastes are released into the sea around nuclear installations.
- The oceanic currents carry the radioactive contaminants everywhere.
- Oil pollution
- Oil is a source of pollution in sea-water.



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: IV BATCH-2018-2021

(Environmental Pollution)

 Oil pollution is due to ship accidents, loading and discharging of oil at the harbour, oil refineries and off-shore oil production.

Retting

- The process of decaying coconut husk to get fibre for making coir is called retting.
- Retting releases H₂S.
- It makes water polluted.

ECOLOGICAL EFFECTS OF WATER POLLUTION

Minamata disease

- This disease is caused by mercury poisoning.
- It is characterized by crippling and death.
- This disease appeared in a coastal town, Minamata, in Japan.
- The primary cause for this disease was a p industry which was started on the san coast of Japan in 1905.
- From this factory a by-product called mercury was disposed into the sea.
- This mercury cumulated in marine animals.

Eutrophication

- Domestic sewage and fertilizers add large quantities of nutrients such as nitrates and phosphates to the fresh water ecosystems.
- The rich supply of these nutrients makes blue green algae, green algae and other phytoplankton to grow abundantly.
- This increased productivity of lakes and ponds brought about by nutrient enrichment is known as eutrophication.
- As the algae use O_2 of the water for respiration, the O_2 is depleted from the water.



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201

UNIT: IV

COURSE NAME: ENVIRONMENTAL STUDIES BATCH-2018-2021

(Environmental Pollution)

- The rapid growth also consumes all the nutrients of the water.
- The depletion of O₂ and nutrients lead to the death of algae and other phytoplankton.
- As other organisms, such as zooplankton and fishes of the water, depend on the blue green algae and phytoplankton for their food, they also die.
- This eutrophication leads to the complete depletion of the fauna from the ecosystem.

CONTROL OF WATER POLLUTION

Sewage Treatment

Pollution control by sewage treatment includes the following steps

- Sedimentation
- Dilution
- Storage
 - (i) Sedimentation
- When sewage is allowed to stand, the suspended particles settle to the bottom.
- So by sedimentation the suspended particles are removed from sewage.
 - (ii) Dilution
- The sewage can be diluted with water.
- This increases the O₂ contents and reduces BOD and CO₂.
 - (iii) Storage
- The diluted sewage is stored in a pond.
- This facilities the growth of microorganisms.
- This renders further oxidation of sewage.

Waste stabilization pond or oxidation pond



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: IV BATCH-2018-2021

(Environmental Pollution)

- The national Environmental Engineering Research Institute (NEERI) at Nagpur has devised a very economical method for the treatment of industrial and domestic effluents.
- Domestic and industrial wastes are stored in a dilute condition in shallow ponds called oxidation or stabilization ponds.
- After a few days micro-organisms and algae flourish.
- The micro-organisms decompose the organic wastes by oxidation, and the water is purified.
- This water is rich in nitrogen, phosphorus, potassium and other nutrients.
- This water can be used for fish agriculture etc.

Recycling

- Pollution can be prevented to a certain extent by reutilizing the wastes.
- This is called recycling.

Example

- The dung of cows and buffaloes can be used for the production of gobar gas.
- Sewage can be used for irrigation fish culture after treatment in oxidation pond.
- Certain pollutants from industrial effluents can be removed by filtration and selective absorption.
- Excessive use of pesticides and herbicides should be avoided.
- At the Government level, legislations should be framed to control water pollution.

SOIL POLLUTION

 The contamination of soil by human and natural activities which may cause harmful effects on living beings.

Causes

- Industrial waste
- Urban waste
- Agricultural practices
- Radioactive pollutants



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: IV BATCH-2018-2021

(Environmental Pollution)

• Biological agent

Effects

- Affect human health
- Affect soil fertility
- Reduce soil productivity
- Cause abnormalities

Control measures

- Properly collect solid waste
- Microbial degradation
- Recovery of products from waste
- For methane generation, use cattle dung
- For biogas generation, use biodegradable organic waste

NOISE POLLUTION

- The word noise has a Latin origin nausea meaning a feeling of sickness at the stomach with an urge to vomit.
- Noise is defined as unwanted sound or sound without value.
- Noise pollution is the unwanted sound dumped into the environment.
- Noise is measured by the unit decibel (dB).
- One decibel is equal to the faintest sound that can be heard by the human ears.
- Some people feel discomfort with the sound of 85dB.
- But more people do not feel discomfort with the sound of 115 dB.
- Pain is usually felt at 145dB.

Causes of Noise Pollution

- Scooters
- Motor bikes
- Cars
- Tempos
- Vans
- Buses
- Trucks
- Tractors



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: IV BATCH-2018-2021

(Environmental Pollution)

- Aircrafts
- Supersonic aircrafts
- Motor boats
- Ships
- Loud speakers
- Loud pop-music
- Social gatherings
- Machines of factories
- Mills
- Industries
- Kitchen appliances
- Fire crackers and generators are some of the chief sources of pollutions.

ECOLOGICAL EFFECTS OF NOISE POLLUTION

- Noise diminishes the power of hearing.
- It gives pain to the ear.
- It interferes with communication-systems.
- It causes fright.
- It increases the rate of heart beat.
- It causes the constriction of blood vessels.
- It increases blood pressure.
- It causes head-ache.
- It causes the dilation of pupil of the eye.
- It causes emotional upsets and
- It causes deafness.
- Noise causes physical or mental fatigue and lack of concentration.
- In industrial situations this effect results in lowered efficiency, reduced work rate and higher chances for accident.
- Noise disturbs sleep.
- High frequency or ultrasonic sound can affect the semicircular canals of the internal ear and cause nausea and dizziness.

CONTROL OF NOISE POLLUTION



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: IV BATCH-2018-2021

(Environmental Pollution)

Noise pollution can be controlled in the following ways

- Legislations should be framed.
- The sources that generate unwanted sound should be reduced.
- Noisy automobiles should be condemned.
- Wheels of automobiles should be oiled properly.
- Industrialists must take up necessary steps to control noise.
- Loudspeakers should be set at a low sound.
- Trees absorb noise and thus reduce noise pollution. So thick vegetation must be grown around industries, cities and on the sides of roads.
- Noise-producing machines should be placed in closed rooms.
- Residential houses should be constructed far away from in factories and airports.

THERMAL POLLUTION

• Increase or decrease in the temperature of water, air and land by human activity is called thermal pollution.

Sources of thermal pollution

CO_2

- CO₂ is produced during the combustion of fuel in houses, factories, power stations, etc.
- It is also released by plants and animals in the process of respiration.
- The CO₂ contents of the atmosphere have gone up by 15% in the past 100 years.
- It is estimated that by the year 2000 AD the increase in the CO₂ contents of the air will be nearly 25%.
- This will result in an appreciable warming up of the earth.
- This is called green house effect.
- It is very likely that this will cause the melting of polar ice caps.
- This will result in an ice caps will lead to rise of nearly 60 feet in sea level.



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: IV BATCH-2018-2021

(Environmental Pollution)

 As a result coastal areas and low-lying areas all over the world will be flooded and will go under water.

Hot water

- Power stations, industries and nuclear reactors use large quantities of water for cooling purposes.
- The resulting hot waters are released into the rivers.

ECOLOGICAL EFFECTS OF THERMAL POLLUTION

- When the temperature of the earth increases, ice caps melt. This will flood the coastal and low lying areas of land.
- A rise of 10°C in temperature increases the rate of exchange of salts between the organisms and the environment. This will accelerate the entry of toxins into the body from the external medium.

CONTROL OF THERMAL POLLUTION

- Cooling ponds
- Spray Ponds
- Cooling towers

Cooling Ponds

• Water from condensers is stored in ponds where natural evaporation cools the water which can then be recirculated or discharged in nearby water body.




CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201

COURSE NAME: ENVIRONMENTAL STUDIES

UNIT: IV

BATCH-2018-2021


(Environmental Pollution)



Dissipation of heat by cooling ponds

Spray Ponds

- The water from condensers is received in spray ponds.
- Here the water is sprayed through nozzles where fine droplets are formed.
- Heat from these fine droplets is dissipated to the atmosphere.



Dissipation of heat by spray ponds.



CLASS: I B.Sc.PHYSICS COUR COURSE CODE: 18AEC201


COURSE NAME: ENVIRONMENTAL STUDIES
UNIT: IV BATCH-2018-2021

(Environmental Pollution)

Cooling Towers

(i) Wet cooling tower

- Hot water is sprayed over baffles.
- Cool air entering from sides takes away the heat and cools the water.
- This cool water can be recycled or discharged.
- Large amount of water is lost through evaporation and in the vicinity of wet cooling tower extensive fog is formed which is not good for environment and causes damage to vegetation.




(ii) Dry cooling tower

- The heated water flows in a system of pipes.
- Air is passed over these hot pipes with fans.
- There is no water loss in this method but installation and operation cost of dry cooling tower is many times higher than wet cooling tower.



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: IV BATCH-2018-2021

(Environmental Pollution)



SOLID WASTE MANAGEMENT

- Waste, which is non-affective and comes from city, town or village as domestic and biomedical waste is termed as municipal solid waste
- The process of transportation, storage, collection and processing of solid waste in a protective and economic manner is termed as solid waste management.
- The above steps are followed thoroughly in waste management, its first and foremost priority is waste avoidance by minimizing it.
- To reduce waste, reuse it and recycle, it is called waste prevention.
- It is our second priority to reuse, recycles it at the maximum level.
- Once the possibility of waste prevention is exhausted, the next priority is to reduce the volume of residual waste pass on for final disposal.
- In recycling, material is separated from the garbage for the process of recycling.
- For example
- Old cars are recycled in the German industry.
- Gas, oil, Chemicals and Tar are also retrieved from the old tyres.



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: IV BATCH-2018-2021

(Environmental Pollution)

- Papers, cans etc. are recycled to produce fresh papers.
- Glass is melted to prepare new articles.

Types:

- Garbage or food waste
- Rubbish
- Agricultural waste
- Industrial waste
- Hazardous waste

Causes:

- **Over population** Pollution naturally increases with the growing number of persons, produce more waste.
- **Affluence** The tendency to pronounce the things as fashion and check them out, when not required as out of fashion.
- **Technology** Packaging of most of the gifts is considered as the source of solid waste pollution as most of these are non-biodegradable.
- Due to poor implementation of environment protection laws, urbanization, lack of awareness and lack of participation from the public, the problem of solid waste has increased at the highest level.
- Growth in consumption leads to consumption of items and on the other hand, wastes production.
- Population increase
- Growing Urbanization
- Industry
- Mining
- Transport

Effects:

- Contaminates water and air, resulting into diseases and dysentery in Human beings.
- Mosquitoes breed in the stagnant water, blocked due to waste choked in the drains.
- Decomposition of solid waste spreads obnoxious odour in the air, thus polluting it.



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201 COURSE NAME: ENVIRONMENTAL STUDIES

UNIT: IV


BATCH-2018-2021

(Environmental Pollution)

- Burning of waste, especially plastic adds up obnoxious fumes in the air.
- Garbage dumps and decomposed waste helps many harmful species to breed in them.
- The infected water supply also leads to large scale epidemics.

Control measures

• Solid waste management include the waste generation



- Collection of solid waste
- Disposal of solid waste

Disposal

• It involves the following process:

Sanitary landfill:

• The people in the city dump around 90% of the solid waste into natural or constructed pit or depression which compacts due to the surrounding dust.

Composting:



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES
COURSE CODE: 18AEC201 UNIT: IV BATCH-2018-2021

(Environmental Pollution)

In this process, the materials like glass, rubber and plastic etc. are separated and the rest
waste is exposed for bacterial action for decomposition for several months to produce
manure.

Incineration:

- Burning of waste to warm up residential units is termed as incineration.
- It is a convenient and quick method.

Pyrolysis:

• It's the process of burning the waste in absence of 0₂- In it organic compounds split into gaseous and gaseous fractions (CO, CO₂, CH₄, tar and charred carbon).

Disposal into sea:

• It's a simple and cheap method in which the solid waste is disposed under deep sea water at a remarkable distance from the coastal areas.

KARPAGAM ACADEMY OF HIGHER EDUCATION, COIMBATORE-21

DEPARTMENT OF PHYSICS

I B. Sc. PHYSICS (2018-2021)

ENVIRONMENTAL STUDIES (18AEC201)

Questions	Opt 1	
Unit IV		
Which of the following is not an air pollutant?	Smoke	
Which part of plant evaporates water?	Stomata	
A fossil fuel is best described as	a flammable solid or	
An example of a non-renewable, non-fossil energy resource is	oil.	
Which of the following is not a renewable energy source?	wind	
The term 'exothermic' refers to a chemical reaction	in which heat is abso	
What percentage of the coal's energy reaches the city?	approximately 30%	
How much of the energy contained in the diesel-oil fuel is not converted to	4800 kJ	
Mercury is particularly hazardous to human health because	it bioaccumulates hig	
Which of the following is the best description of sulphur dioxide?	a gas less dense than	
The dosage of sulphur dioxide is best described as	a measure of the harr	
The toxicity of mercury is best described as	how mercury enters t	
In some regions, the combination of acid rain and smog causes damage to	specificity.	
Which one of the following best accounts for mercury's significant harm to	persistence	
The main purpose of the Environmental Risk Assessment is to	. ensure maximum lo	
Which one of the following factors best indicates that the dam repair is eco	disruption to local wi	
After the dam is repaired, it is found that soil sediments in the flood plain	recycling.	
The dominant gas in biogas is:	CH4	
Maximum amount of gas found in air is	Oxygen	
which state of matter, the distance between the molecules is minimum?	Solid	
Which energy is converted into electrical energy by a solar cell?	Nuclear Energy	
Carrier of Dengue disease is	Aedes Mosquito	
Which state of India is known as 'Tiger State'?	Gujarat	
Which of the following has maximum speed?	Air	
Tobacco addiction is caused due to	Cocaine	
Which of the following is called artificial kidney?	dialyzer	
Which of the following causes AIDS?	Bacteria	
Global warming is caused due to	lack of rainfall	
The most abundant green house gas is	NO2	
Which is considered as a future source of power, that can meet our unlimit	Hydel power	
What is the rate of growth of human population?	10 million per year	
Which is a better method to dispose large amounts of water carrying relative	land filling method	
High level radioactive waste can be managed in which of the following wa	Open dumping	
Which country has the maximum number of tube-wells in the world?	America	
Which of the following is a major source of thermal pollution in water boo	l Sewage treatment pla	
Sound becomes hazardous noise pollution at decibels:	Above 80	
Disease caused by eating fish inhabiting mercury contaminated water is:	Bright's disease	
Which energy is converted into electrical energy by a solar cell?	Chemical Energy	
Which of the following is a biodegradable waste?	Plastics	
Wildlife Week is celebrated on	1st October to 7th Oc	

In which state of matter, the distance between the molecules is minimum?	Solid
The biochemical laboratory of human body is	Stomach
The nuclear accident at Chernobyl occurred in	1966
Carbon monoxide is	caused by ozone depl
Which of the following has maximum speed?	Air
Tobacco addiction is caused due to	Cocaine
Ozone layer is found in	Thermosphere
Full form of CNG is	Common National G
Renewable source of energy is	Coal
Which pollutant cause ozone layer depletion?	CFC
The mosquito repellent (coils, mats and liquids) that we generally use in ou	Pesticides
Combustion of coal in power plant produces mainly which is a major	Sulpher Dioxide
One of the problems that occurs as a consequence of CFC pollution is	movement of toxins i
A battery or cell converts energy into electrical energy	Solar
In developed countries, the two most deadly sources of indoor pollution are	pesticides and cleani
Which of the following plays an important role in the cause of rainfall?	Evaporation
Bacteria and fungal spores can be included as	contributors to indoo
Particulate matter dispersed as aerosols	includes nitrogen oxi
Which of the following is a consequence of acidic deposition?	It increases the likeli
The most obvious cause of industrial smog is	burning trash
The acid rain form with the following pollutants	Co ₂ and Co
method is used to reduce the non-digestible solid waste	Incineration
What is the used for scaling the sound?	unit
The emission of gas from refrigeration units cause ozone layer depletic	carbon monoxide
The emitted toxic gas in Phopal gas disaster is	Carboryl

Prepared by Dr. V. SENTHIL KUMAR, HEAD, Dept. of PHYSICS, KAHE

Opt 2	Opt 3	Opt 4	Answer
Carbon Dioxide	Nitrogen Gas	Sulphur Dioxide	Nitrogen Gas
Fruit	Branch	Root	Stomata
a fuel that contains c	fossilised rock that w	a flammable substance formed	a flammable substance
coal.	tidal	uranium.	tidal
solar	biomass	natural gas	biomass
in which heat is give	that proceeds very ra	that requires high temperatures	that requires high tem
	approximately 60%		approximately 90%
3200 kJ	2400 kJ	1200 kj	2400 kJ
as a heavy metal, it c	as a pure metal it is v	it is light and volatile, and so is	as a heavy metal, it ca
• • • • • • • • • • • • • • • • • • •	-	an acidic liquid at ordinary room	•
-	•	the amount of sulfur dioxide en	-
a measure of the harr	the persistence of me	how much mercury a person ex	the persistence of me
acute toxicity.	chronic toxicity.	synergistic action.	chronic toxicity.
degradability	specificity	synergism	synergism
•		balance any environmental dam	•
	•	previously submerged heritage	
	water conservation.		waste minimisation.
C2 H5	CO2	NO2	CH4
Carbon dioxide	Hydrogen	Nitrogen	Nitrogen
Plasma	Liquid	Gas	Plasma
Chemical Energy	Solar Energy	Magnetic Energy	Solar Energy
Culex Mosquito	Housefly	Anopheles Mosquito	Aedes Mosquito
West Bengal	Madhya Pradesh	Assam	Madhya Pradesh
Water Current	Sound	Light	Light
Nicotine	Caffeine	Histamine	Nicotine
donar kidney	tissue-matched	preserved kidney	dialyzer
Fungus	Retro virus	TMV	Retro virus
•	human activities again	extinction of animals and plants	human activities agair
CO2	O3	SO2	CO2
Hydrogen	Thermal power	Solar power	Hydrogen
90 million per year	1 million per year	80 million per year	90 million per year
Deep-well injection	Surface impoundmen		Surface impoundmen
Composting	Incineration	Dumping in sealed containers	Dumping in sealed co
Australia	China	India	India
Solid waste disposal	Thermal power plant	Biogas Treatment Plant	Thermal power plant
Above 30	Above 100	Above 120	Above 80
Hiroshima episode	Mina-mata disease	Osteosclerosis	Mina-mata disease
Nuclear Energy	Solar Energy	Magnetic Energy	Solar Energy
Polythene	Glass	manure	manure
15th October to 2 1st	1 1st June to 7th June	15th June to 21st June	1st October to 7th Oct

Liquid	Gas	Plasma	Solid	
Liver	Intestine	Kidney	Liver	
1976	1986	1996	1986	
a major component o extremely damaging produced by plants during phot extremely damaging to				
Water Current	Sound	Light	Light	
Caffeine	Nicotine	Histamine	Nicotine	
Stratosphere	Troposphere	Mesosphere	Stratosphere	
Compressed Natural	Common Natural Ga	a Cirtified Natural Gas	Compressed Natural (
Petroleum	Plants	Uranium	Plants	
Co_2	CH ₃	HNO_3	CFC	
Fertilizers	Sedatives	Insecticides	Insecticides	
Nitrogen Dioxide	Methane	Chloroflurocarbons	Nitrogen Dioxide	
increasing skin cance toxins accumulating damage to human red blood cell increasing skin cancer				
Heat	Mechanical	Chemical	Chemical	
synthetic furniture m	radiation from electr	radon and cigarette smoke	radon and cigarette sn	
Condensation	Both evaporation &	Filtration	Both evaporation & co	
VOCs and POPs	sources of radon in t	problems in degrading the ozon	n contributors to indoor	
may cause damage to	c binds with hemoglol	interacts only with surface tiss	umay cause damage to	
It results in offshore It creates rainwater tl It changes soil chemistry, leach It changes soil chemis				
fires for heating food	d indoor air pollution	burning fossil fuels	burning fossil fuels	
SO ₂ , N ₂ O and NO	H ₂ S and Co	O_2 and O_3	SO ₂ , N ₂ O and NO	
buried	discharge in plain la	burning in open atmosphere	Incineration	
hz	db	mhz	db	
Chloro fluoro carbor	Carbon di oxide	helium	Chloro fluoro carbon	
methyl isocyanate	Cyanide	Ethyl isocyanate	methyl isocyanate	

e formed from ancient biological material.
peratures to begin the reaction.
in cause serious impact injury. inary room temperature lioxide absorbed by a person in a given time. rcury in the environment.
of people likely to object to the project heritage buildings can be investigated
1st nature
nts ntainers

tober

o human blood

Заs

r in humans

noke
ondensation
pollutants
respiratory tissues when inhaled
stry, leaching out important minerals



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: V BATCH-2018-2021

(Social Issues and the Environment)

UNIT-V SYLLABUS

Social Issues and the Environment: From unsustainable to sustainable development. Urban problems related to energy. Water conservation, rain water harvesting, watershed management. Resettlement and rehabilitation of people; its problems and concerns. Environmental ethics: Issues and possible solutions. Climate change, global warming, acid rain, ozone layer depletion, nuclear accidents and holocaust. Case studies. Wasteland reclamation. Consumerism and waste products. Environment Protection Act. Air (Prevention and Control of Pollution) Act. Water (Prevention and Control of Pollution) Act. Wildlife Protection Act. Forest Conservation Act. Issues involved in enforcement of environmental legislation. Public awareness. Population growth, variation among nations. Population explosion—Family Welfare Programme. Environment and human health. Human rights. Value education. HIV/AIDS. Women and Child Welfare. Role of Information Technology in environment and human health.

SOCIAL ISSUES AND THE ENVIRONMENT

- Human beings live in both natural and social world. Our technological development has strong impacts on the natural as well as the social components.
- When we talk of development, it cannot be perceived as development only for a privileged few who would have a high standard of living and would derive all the benefits.
- Development has to be visualized in a holistic manner, where it brings benefits to all, not only for the present generation, but also for the future generations.
- There is an urgent need to inter-link the social aspects with development and environment.
- In this unit we shall discuss various social issues in relation to environment.

URBAN PROBLEMS RELATED TO ENERGY

- Cities are the main centers of economic growth, trade, education, innovations and employments.
- Until recently, a big majority of human population lived in rural areas and their economic activities centered around agriculture, cattle rearing, fishing, hunting or some cottage industry.



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201

UNIT: V

COURSE NAME: ENVIRONMENTAL STUDIES

BATCH-2018-2021

(Social Issues and the Environment)

It was some 200 years ago, with the dawn of industrial era, the cities showed a rapid development.

- Now about 50 percent of the world population lives in urban areas and there is increasing movement of rural folk to cities in search of development.
- The urban growth is so fast that is becoming difficult to accommodate all the industrial, commercial and residential facilities within a limited municipal boundary.
- As a result there is spreading of the cities into the sub-urban or rural areas too, a phenomenon known as urban sprawl.
- In developing countries too urban growth is very fast and in most of the cases it is uncontrollable and in planned growth.
- In contrast to the rural set-up the urban set-up is densely populated, consumes a lot of energy and materials and generates a lot of waste.
- The energy requirements of urban population are much higher than that of rural ones.
- This is because urban people have a higher standard of life and their life style demands more energy inputs in every sphere of life.

The energy demanding activities include

- Residential and commercial lighting.
- Transportation means including automobiles and public transport for moving from residence to workplace.
- Modern life-style using a large number of electrical gadgets in everyday life.
- Industrial plants using a big proportion of energy.
- A large amount of waste generation which has to be disposed off properly using energy based techniques.
- Control and prevention of air and water pollution which need energy dependent technologies.
- Due to high population density and high energy demanding activities, the urban problems related to energy are much more magnified as compared to the rural population.



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: V BATCH-2018-2021

(Social Issues and the Environment)

WATER CONSERVATION AND MANAGEMENT

- Water being one of the most precious and indispensable resources needs to be conserved.
- The following strategies can be adopted for conservation of water.

Decreasing run-off losses

- Huge water-loss occurs due to run-off on most of the soils, which can be reduced by allowing most of the water to infiltrate into the soil.
- This can be achieved by using contour cultivation, terrace farming, water spreading, chemical treatment or improved water-storage system.

(i) Contour cultivation

- On small furrows and ridges across the slopes trap rainwater and allow more time for infiltration.
- Terracing constructed on deep soils has large water-storage capacity.
- On gentle slopes trapped run off is spread over a large area for better infiltration.

(ii) Conservation-bench terracing

 Conservation-bench terracing involves construction of a series of benches for catching the runoff water.

(iii) Water spreading

- Water spreading is done by channeling or lagoon-leveling.
- In channeling, the water-flow is controlled by a series of diversions with vertical intervals.
- In lagoon leveling, small depressions are dug in the area so that there is temporary storage of water.

(iv) Chemical wetting agents (Surfactants)

• Chemical wetting agents (Surfactants) increase the water intake rates when added to normal irrigated soils.

(v) Surface crop residues

• Surface crop residues, Tillage, mulch, animal residues etc. help in reducing run-off by allowing more time for water to penetrate into the land.



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: V BATCH-2018-2021

(Social Issues and the Environment)

(vi) Chemical conditioners

- Chemical conditioners like gypsum (CaSO₄.2H₂O) when applied to sodic soils improve soil permeability and reduce run off.
- Another useful conditioner is HPAN (hydrolysed polyacrylonitrile).

(vii) Water-storage structures

• Water storage structure like farm ponds, dug-outs etc. built by individual farmers can be useful measures for conserving water through reduction of runoff.

Reducing evaporation losses

- This is more relevant in humid regions.
- Horizontal barriers of asphalt placed below the soil surface increase water availability and increase crop yield by 33-40%.
- This is more effective on sandy soil but less effective on loamy sand soils.
- A co-polymer of starch and acrylonitrile called 'super slurper' has been reported to absorb water upto 1400 times its weight.
- The chemical has been found to be useful for sandy soils.

Storing water in soil

- Storage of water takes place in the soil root zone in humid regions when the soil is wetted to field capacity.
- By leaving the soil fallow for one season water can be made available for the crop grown in text season.

Reducing irrigation losses

- Use of lined or covered canals to reduce seepage.
- Irrigation in early morning or late evening to reduce evaporation losses.
- Sprinkling irrigation and drip irrigation to conserve water by 30-50%.
- Growing hybrid crop varieties with less water requirements and tolerance to saline water help conserve water.

Re-use of water



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: V BATCH-2018-2021

(Social Issues and the Environment)

- Treated wastewater can be used for ferti-irrigation.
- Using grey water from washings, bath-tubs etc. for watering gardens, washings cars or paths help in saving fresh water.

Preventing wastage of water

- This can be done in house-holds, commercial buildings and public places.
- Closing taps when not in use
- o Repairing any leakage from pipes
- Using small capacity flush in toilets

Increasing block pricing

- The consumer has to pay a proportionately higher bill with higher use of water.
- This helps in economic use of water by the consumers

RAINWATER HARVESTING

- Rainwater harvesting is a technique of increasing the recharge of groundwater by capturing and storing rainwater.
- This is done by constructing special water-harvesting structures like dug wells, percolation pits, lagoons, check dams etc.
- Rainwater, wherever it falls, is captured and pollution of this water is prevented.
- Rainwater harvesting is not only proving useful for poor and scanty rainfall regions but also for the rich ones.
- The annual average rainfall in India is 1200 mm, However, in most places it is concentrated over the rainy season, from June to September.
- It is an astonishing fact that Cherapunji, the place receiving the second highest annual rainfall as 11000 mm suffers from water scarcity.
- The water flows with run off and there is little vegetation to check the run off and allow infiltration.
- Till now there is hardly any rain-water harvesting being done in this region, thereby losing all the water that comes through rainfall.



CLASS: I B.Sc.PHYSICS **COURSE NAME: ENVIRONMENTAL STUDIES** COURSE CODE: 18AEC201

UNIT: V

BATCH-2018-2021

(Social Issues and the Environment)

Rainwater harvesting has the following objectives

- To reduce run off loss
- To avoid flooding of roads
- To meet the increasing demands of water
- To raise the water table by recharging ground water
- To reduce groundwater contamination
- To supplement groundwater supplies during lean season.

Rainwater can be mainly harvested by any one of the following methods

- By storing in tanks or reservoirs above or below ground.
- By constructing pits, dug-we., lagoons, trench or check-dams on small rivulets
- By recharging the groundwater.
- Before adopting a rain-water harvesting system, the soil characteristics, topography, rainfall pattern and climatic conditions should be understood.

Traditional Rain Water Harvesting

- In India, it is an old practice in high rainfall areas to collect rainwater from roof-tops into storage tanks.
- In foot hills, water flowing from springs is collected by embankment type water storage.
- In Himalayan foot-hills people use the hollow bamboos as pipelines to transport the water of natural springs.
- Rajasthan is known for its 'tankas' (under-ground tanks) and khadins (embankments) for harvesting rainwater.
- In our ancient times we had adequate Talaabs, Baawaris, Johars, Hata etc. in every city, village and capital cities of our kings and lords, which were used to collect rain-water and ensured adequate water supply in dry periods.

Modern Techniques of Rain Water Harvesting

In arid and semi-arid regions artificial ground water recharging is done by constructing shallow percolation tanks.



CLASS: I B.Sc.PHYSICS

COURSE NAME: ENVIRONMENTAL STUDIES

COURSE CODE: 18AEC201

UNIT: V

BATCH-2018-2021


(Social Issues and the Environment)

- Check-dams made of any suitable native material (brush, poles, rocks, plants, loose rocks, wire-nets, stones, slabs, sacks etc.) are constructed for harvesting runoff from large catchment areas.
- Rajendra Singh of Rajasthan popularly known as "water man" has been doing a commendable job for harvesting rain-water by building check dams in Rajasthan and he was honoured with the prestigious Magsaysay Award for his work.
- Groundwater flow can be intercepted by building groundwater dams for storing water underground.
- As compared to surface dams, groundwater dams have several advantages like minimum evaporation loss, reduced chances of contamination etc.
- In roof top rainwater harvesting, which is a low cost and effective technique for urban houses and buildings, the rain-water from the top of the roofs is diverted to some surface tank or pit through a delivery system which can be later used for several purposes.
- Also, it can be used to recharge underground aquifers by diverting the stored water to some abandoned dug-well or by using a hand pump.
- All the above techniques of rainwater harvesting are low-cost methods with little maintenance expenses.
- Rainwater harvesting helps in recharging the aquifers, improves groundwater quality by dilution, improves soil moisture and reduces soil erosion by minimizing run-off water.



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: V BATCH-2018-2021

(Social Issues and the Environment)



Roof-top rainwater harvesting by recharging (i) through hand pump or (ii) through abondoned dugwell.

WATERSHED MANAGEMENT

- The watershed is defined as the land area from which water drains under gravity to a common drainage channel.
- Thus, watershed is a delineated area with a well-defined topographic boundary and one water outlet.
- The watershed can range from a few square kilometers to few thousand square kilometers in size.
- In the watershed the hydrological conditions are such that water becomes concentrated within a particular location like a river or a reservoir, by which the watershed is drained.
- The watershed comprises complex interactions of soil, landform, vegetation, land use activities and water.
- People and animals are an integral part of a watershed having mutual impacts on each other.
- We may live anywhere; we would be living in some watershed.



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: V BATCH-2018-2021

(Social Issues and the Environment)

A watershed affects us as it is directly involved in sustained food production, water supply
for irrigation, power generation, and transportation as well as for influencing sedimentation
and erosion, vegetation growth, floods and droughts.

Thus, management of watersheds, treating them as a basic functional unit, is extremely
important and the first such Integrated Watershed Management was adopted in 1949 by the
Damodar Valley Corporation.

Watershed degradation

- The watersheds are very often found to be degraded due to uncontrolled, unplanned and unscientific land use activities.
- Overgrazing, deforestation, mining, construction activities, industrialization, shifting cultivation, natural and artificial fires, soil erosion and ignorance of local people have been responsible for degradation of various watersheds.

The objectives of watershed management are as follows:

- Rational utilization of land and water resources for optimum production causing minimum damage to the natural resources is known as watershed management.
- To rehabilitate the watershed through proper land use adopting conservation strategies for minimizing soil erosion and moisture retention so as to ensure good productivity of the land for the farmers.
- To manage the watershed for beneficial developmental activities like domestic water supply, irrigation, hydropower generation etc.
- To minimize the risks of floods, droughts and landslides.
- To develop rural areas in the region with clear plans for improving the economy of the region.

Watershed Management Practices

 In the Fifth Five Year Plan, watershed management approach was included with a number of programmes for it and a national policy was developed.



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: V BATCH-2018-2021

(Social Issues and the Environment)

• In watershed management, the aspects of development are considered with regard to the availability of resources.

The practices of conservation and development of land and water are taken up with respect
to their suitability for peoples' benefit as well as sustainability.

Various measures taken up for management include the following:

(i) Water harvesting

- Proper storage of water is done with pro-vision for use in dry seasons in low rainfall areas.
- It also helps in moderation of floods.

(ii) Afforestation and Agro forestry

- In watershed development, afforestation and crop plantation play a very important role.
- They help to prevent soil erosion and retention of moisture.
- In high rainfall areas woody trees are grown in between crops to substantially reduce the runoff and loss of fertile soil.
- In Dehradun trees like Eucalyptus and Leucaena and grasses like Chysopogon are grown along with maize or wheat to achieve the above objectives.
- Woody trees grown successfully in such agro forestry programmes include Dalbergia sissoo (Sheesham), Tectona panda (Teak) and Acacia nilotica (Keekar) which have been used in watershed areas of river Yamuna.

(iii) Mechanical measures for reducing soil erosion and runoff losses

- Several mechanical measures like terracing, bunding, bench terracing, no-till farming, contour cropping, strip cropping etc. are used to minimize runoff and soil erosion particularly on the slopes of water-sheds.
- Bunding has proved to be a very useful method in reducing run-off, peak discharge and soil loss in Dehradun and Siwaliks.

(iv) Scientific mining and quarrying

Due to improper mining, the hills lose stability and get disturbed resulting in landslides,
 rapid erosion etc.



CLASS: I B.Sc.PHYSICS

COURSE NAME: ENVIRONMENTAL STUDIES

COURSE CODE: 18AEC201

UNIT: V

BATCH-2018-2021

(Social Issues and the Environment)

Contour trenching at an interval of 1 meter on overburden dump, planting some soil binding plants like Ipomoea and Vitex and draining of water courses in the mined area are recommended for minimizing the destructive effects of mining in watershed areas.

(v) Public participation

- People's involvement including the farmers and tribals is the key to the success of any watershed management programme, particularly the soil and water conservation.
- People's cooperation as well as participation has to be ensured for the same.
- The communities are to be motivated for protecting a freshly planted area and maintaining a water harvesting structure implemented by the government or some external agency (NGO) independently or by involving the local people.
- Properly educating the people about the campaign and its benefits or sometimes paying certain incentives to them can help in effective people's participation.
- Successful watershed management has been done at Sukhomajri Panchkula, Haryana through active participation of the local people.
- Watershed management in Himalayan region is of vital importance since most of the watersheds of our country lie here.
- Several anthropogenic activities accelerate its slope instability which needs to be prevented and efforts should be made to protect the watershed by preventing overgrazing, terracing and contour farming to check runoff and erosion etc.
- On steeper slopes with sliding faces, straw mulching tied with thin wires and ropes helps in establishing the vegetation and stabilizing the slopes.

RESETTLEMENT AND REHABITILISAION

Problems and Concerns

- Economic development raises the quality and standard of living of the people of a country.
- Developmental projects are planned to bring benefits to the society.
- However, in the process of development, very often there is over-exploitation of natural resources and degradation of the environment.



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: V BATCH-2018-2021

(Social Issues and the Environment)

- Besides this, quite often, the native people of the project site are directly affected.
- These native people are generally the poorest of the poor, underprivileged tribal people.
- Various types of projects result in the displacement of the native people who undergo
 tremendous economic and psychological distress, as the socio-economic and ecological
 base of the local community is disturbed.

(a) Displacement problems due to dams

- The big river valley projects have one of the most serious socio-economic impacts due to large scale displacement of local people from their ancestral home and loss of their traditional profession or occupation.
- India is one of countries in the world leading in big dam construction and in the last 50 years more than 20 million people are estimated to have been directly or indirectly affected by these dams.
- The Hirakud Dam has displaced more than 20,000 people residing in about 250 villages.
- The Bhakra Nangal Dam was constructed during 1950.s and till now it has not been possible to rehabilitate even half of the displaced persons.
- Same is the case with Tehri Dam on the river Bhagirathi, construction of which was green signaled after three decades of long campaign against the project by the noted activist Sunderlal Bahuguna the propagator of Chipko Movement.
- The immediate impact of the Tehri Dam would be on the 10,000 residents of the Tehri town. While displacement is looming large over the people, rehabilitation has become a more burning issue.

(b) Displacement due to Mining

- Mining is another developmental activity, which causes displacement of the native people.
- Several thousands of hectares of land area are covered in mining operation and the native people are displaced.



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201

UNIT: V

COURSE NAME: ENVIRONMENTAL STUDIES

BATCH-2018-2021

(Social Issues and the Environment)

Sometimes displacement of local people is due to accidents occurring in mined areas like subsidence of land that often leads to shifting of people.

(c) Displacement due to Creation of National Parks

- When some forest area is covered under a National Park, it is a welcome step for conservation of the natural resources.
- However, it also has a social aspect associated with it which is often neglected.
- A major portion of the forest is declared as core-area, where the entry of local dwellers or tribals is prohibited. When these villagers are deprived of their ancestral right or access to the forests, they usually retaliate by starting destructive activities.
- There is a need to look into their problems and provide them some employment.

REHABILITATION ISSUES

- The United Nations Universal Declaration on Human Rights [Article 25(1)] has declared that right to housing is a basic human right.
- In India, most of the displacements have resulted due to land acquisition by the government for various reasons.
- For this purpose, the government has the Land Acquisition Act, 1894 which empowers it to serve notice to the people to vacate their lands if there is a need as per government planning.
- Provision of cash compensation in lieu of the land vacated exists in section 16 of the Act.

The major issues related to displacement and rehabilitation is as follows:

- Tribals are usually the most affected amongst the displaced who are already poor. Displacement further increases their poverty due to loss of land, home, jobs, food insecurity, loss of access to common property assets, increased morbidity and mortality and social isolation.
- Break up of families is an important social issue arising due to displacement in which the women are the worst affected and they are not even given cash/land compensation.



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201

UNIT: V

COURSE NAME: ENVIRONMENTAL STUDIES

BATCH-2018-2021

(Social Issues and the Environment)

The tribals are not familiar with the market policies and trends. Even if they get cash compensation, they get alienated in the modern economic set-up.

- The land acquisition laws ignore the communal ownership of property, which is an inbuilt system amongst the tribals. Thus the tribals lose their communitarian basis of economic and cultural existence. They feel like fish out of water.
- Kinship systems, marriages, social and cultural functions, their folk-songs, dances and activities vanish with their displacement. Even when they are resettled, it is individualbased resettlement, which totally ignores communal settlement.
- Loss of identity and loss of the intimate link between the people and the environment is one of the biggest loss. The age-long indigenous knowledge, which has been inherited and experienced by them about the flora, fauna, their uses etc. gets lost.

Rehabilitation Policy

- There is a need for a comprehensive National Rehabilitation Policy.
- Different states are following different practices in this regard.
- There is a need to raise public awareness on these issues to bring the resettlement and rehabilitation plans on a humane footing and to honour the human rights of the oustees.

ENVIRONMENTAL ETHICS

- Over exploitation of forests, land, water as well as various living components of biosphere and failure to tackle the problem of pollution and environmental degradation are exposing the humanly to the thread of a global environment crisis.
- It emphasis that real development cannot occur unless the strategies which are formulated are implemented are environmentally sustainable.
- Even though our government is formulating several rules, regulations, policies, laws, it is the duty of each and every one to protect our nature.
- Therefore human beings are ethically responsible for the preservation of the world's ecological integrity.



(Social Issues and the Environment)

CLASS: I B.Sc.PHYSICS

COURSE NAME: ENVIRONMENTAL STUDIES BATCH-2018-2021

COURSE CODE: 18AEC201 UNIT: V

The environment ethics literally means conscious efforts to protect environment and to maintain its stability from the pollutants.

Following are some of the ways to safeguard environment.

- To sacrifice the consumption of some of the good which reduces environment quality?
- Minimize the resource utilization and conservation
- Adopt sustainable and eco friendly development. (e.g.) reduction of waste, recycling, waste management and harvesting non conventional energy.
- If we change as individuals then the society will also change by itself.
- The society is nothing but an extension of the individual.

Gender equity

Gender equity is a set of actions, attitudes, and assumptions that provide opportunities and create expectations about individuals. In our definition of gender equity, gender is never separate from race, ethnicity, language, disability, income, or other diversities that define us as human beings. It offers a framework for educational reform in which all females and males

- are engaged, reflective learners, regardless of the subject
- are prepared for future education, jobs, careers, and civic participation
- set and meet high expectations for themselves and others
- develop as respectful, inclusive, and productive individuals, friends, family members, workers, and citizens
- receive equitable treatment and achieve equitable outcomes in school and beyond
 - "Gender equality requires equal enjoyment by women and men of socially-valued goods, opportunities, resources and rewards."

In other words, gender equality refers to equal access to social goods, services and resources and equal opportunities in all spheres of life for both men and women. When



CLASS: I B.Sc.PHYSICS

UNIT: V

COURSE NAME: ENVIRONMENTAL STUDIES

COURSE CODE: 18AEC201

EC201 UNIT

BATCH-2018-2021

(Social Issues and the Environment)

there is gender inequality, it is women that are more likely to be disadvantaged and

marginalized; but we should not ignore the negative impact that gender inequality can have

on men as well. For example, societal norms regarding the appropriate behaviour for men

tend to put them under pressure as regards the need to provide materially for their family,

and also deny them opportunities of being more nurturing towards their children and wife.

Therefore gender equality is the concern of all and changes must be brought about for both

men and women. However, this is not to say that men and women are equally affected by

gender inequality. It remains true that women have the greater share of disadvantages.

However, gender equality, as defined above, does not often result in equal outcomes for

men and women. Being given the same chances in life is not sufficient to bring about true

equality. Women and men have different needs and experiences and accommodation

should be made for these differences. For example, giving boys and girls equal access to

all the courses offered in a school may not result in girls taking advantage of this

opportunity if some courses are predominantly filled with male students and have only male

teachers. There is still the unfortunate tendency to consider male norms as a measure for

women's position. Providing women and men with the same opportunities is the first step;

but for true gender equality to be achieved there is a need for gender equity.

"Gender equity is the process of being fair to women and men." (UNFPA)

Women and men should not only be given equal access to resources and equal

opportunities, but they should also be given the means of benefiting from this equality. This



CLASS: I B.Sc.PHYSICS

UNIT: V

COURSE NAME: ENVIRONMENTAL STUDIES

COURSE CODE: 18AEC201

BATCH-2018-2021

(Social Issues and the Environment)

is where the concept of 'gender equity' comes into play. Gender equity implies fairness in the way women and men are treated. The different life experiences and needs of men and women are taken into consideration and compensation is made for women's historical and social disadvantages. The lower status of women in society often constitutes a handicap and provisions should be made to redress this inequality before they can take advantage of the opportunities provided. Gender equity thus serves to level the playing field and empower women. Therefore, we can say that equity is essential to achieve true equality.

The conservation ethic and traditional value systems of India

In ancient Indian traditions people have always valued mountains, rivers, forests, trees and several animals. Thus much of nature was venerated and protected. Forests have been associated with the names of forest gods and goddesses both in the Hindu religion as well as in tribal cultures. 'Tree' goddesses have been associated with specific plant species. Ficus religiosa, the peepal tree, is venerated and is thus not to be cut down. The Banyan tree in some regions such as Maharashtra, is venerated once a year by tying a thread around it as a symbol of respect. The Tulsi plant is grown on the doorstep outside every home.

Patches of forest have been dedicated to a deity in many Indian cultures especially in tribal areas. These traditionally protected forest patches depict the true nature of undisturbed vegetation and have a large number of indigenous plant species as their exploitation has been controlled through local sentiments. Certain species of trees have been protected as they are valued for their fruit or flowers. The mango tree is protected for its fruit around most farms even when wood becomes scarce. The Mohua tree (Madhuca indica) is protected by tribal people as it provides edible flowers, oil from its seeds and is used to make a potent alcohol. Many plants, shrubs and herbs have been used in Indian medicines



CLASS: I B.Sc.PHYSICS

COURSE NAME: ENVIRONMENTAL STUDIES

COURSE CODE: 18AEC201

UNIT: V

BATCH-2018-2021

(Social Issues and the Environment)

which were once available in the wild in plenty. These are now rapidly vanishing. Many species of animals are venerated as being the 'vahan' or vehicle of different gods on which they are said to travel through the cosmos.

In Indian mythology, the elephant is associated with Ganesha. The elephant headed Ganesha is also linked to the rat. Vishnu is associated with the eagle. Rama is linked to monkeys. In mythology, Hanuman, the monkey god, rendered invaluable help to Rama during his travels to Lanka. The Sun god, Surya, rides a horse and has a superb chariot on which he moves through the sky. The lion is linked to Durga and the blackbuck to the moon goddess. The cow is associated with Krishna. Vishnu's incarnations have been represented as taking various animal forms which serially include, fish, tortoise, a boar and a dwarf, and a half man half lion form.

The associations to various plants that have been given a religious significance include Tulsi, which is linked to Lakshmi and Vishnu. The Tulsi plant is also linked to the worship of one's own ancestors. The peepal tree is said to be the tree under which Buddha attained enlightenment. It is also associated with Vishnu and Krishna. Several trees are associated with the goddess Laxmi, including Amalaki, Mango and the Tulsi shrub.

Traditions also held that these species, which were considered as an important aspect of Nature, were the basis of local life support systems and were integral to bringing about a harmonious life. In traditional societies of the past, these examples were all a part of ethical values that protected nature. As modern science based on the exploitation on nature spread into India, many of these traditions began to lose their effectiveness as measures that led to conserving nature.

ENVIRONMENT (PROTECTION) ACT, 1986

This act is to take action to protect and improve environment and set up the followings



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: V BATCH-2018-2021

(Social Issues and the Environment)

- 1. Standard of quality of air, water or soil
- 2. Maximum permissible limits of concentration of pollutants (including noise pollutant)
- 3. procedures and safe guard for handling hazardous items
- 4. Prohibition of using hazardous items
- 5. Prohibition and restriction of certain industries in certain area
- **6.** Procedure and safe guard for prevention of accidents

Environment (Protection) Rules, 1986

State Pollution control board is to follow the guidelines provided in schedule VI.

Some are as follows

- Advises industries for treating the waste water and gases use of technology achieve prescribed standard.
- Encourage recycling and reusing the wastes
- Encourage recovery of biogas, energy and reusable matter
- Discharge of effluents and emissions into environment is permitted by SPCB after taking into account capacity of the receiving water body.
- To emphasize clean technology to increase fuel efficiency and decrease environmental pollutants

The act provides for environmental Audit for checking complying with the environmental laws and regulations.

Air (Prevention & Control of Pollution) Act, 1981

Salient features

- Prevention, control and abatement of air pollution
- Air pollution has been defined as the presence of any solid, liquid or gaseous substance (including noise) in the atmosphere in such a concentration that may be or tend to be harmful to human being or any other living creature or plants or property or environment.
- Noise pollution inserted in 1987
- Central Pollution Control Board (CPCB) & State Pollution Control Board (SPCB) similar to water pollution board



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: V BATCH-2018-2021

(Social Issues and the Environment)

- Section 20 provides for emission std to auto mobile and air pollution control area in consultation with SPCB
- Direction of PCB can be appealed in the appellate authority.

Water (prevention and control of pollution) Act 1974:

 Maintaining and restoring the wholesomeness of water by preventing and controlling its pollution.

The salient features and provisions of Act are summed as follows.

- Maintenance and Restoration of Quality surface and ground water
- Establishment of central PCB and state PCB
- Confers powers and functions to CPCB and SPCB
- The act provides for funds, budgets, accounts and audits of the CPCB & SPCB
- The act provides penalties for the defaulters and duties and powers

Wildlife [protection] act, 1972:

- Land mark in the history of wildlife legislation.
- 1976 the powers are transferred from state to central government.
- Indian Board for Wild life (IB W L) was created in 1952 in our country which after WLA,
 1972, took up the task of setting National parks and sanctuaries.

Wildlife [protection] Act

- Defines wild life related terminology.
- Provide appointments of advisory Board, wildlife warden, their powers & duties etc.
- Prohibition of hunting of endangered species [was first] mentioned.
- List of endangered species is provided.
- Guides central 200 authorities.
- Provides grants for setting up of national parks, wild life sanctuaries etc.
- The Act imposes ban on trade & commence of scheduled animals.
- Provides legal proves to officers to punish the offenders.
- Provide captive breeding programme for endangered species.



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: V BATCH-2018-2021

(Social Issues and the Environment)

Many conservation projects for endangered species were started under this act.

- Lion 1972
- Tigers 1973
- Crocodile [1974]
- Deer 1981.

Forest (conservation) Act, 1980

It deals with conservation of forest and includes reserve forest, protected forest and any forest land irrespective of ownership.

Salient features

- State government can use forest only forestry purpose.
- Provision for conservation of all types of forests. Advisory committee appointed for funding conservation
- Illegal non-forest activity within a forest area can be immediately stopped under this act.
- Non forest activity means clearing land for cash-crop agriculture, mining etc.
- However construction in forest for wild life or forest management is exempted from non forestry activity.

1992 Amendment:

- This amendment allows transmission lines, seismic surveys, exploration drilling and hydro electric project in forest area without cutting trees or with limited cutting of trees – prior approval central government (CG) to be sought.
- Wild life sanctuaries, National parks etc. are prohibited from exploration except with CG prior approval.
- Cultivation of coffee, rubber, tea (cash crop), fruit bearing trees, oil yielding trees, trees of
 medicinal values are also prohibited in reserved forest area without prior approval from
 CG. Has this may create imbalance to ecology of the forest.
- Tusser (a type of silk yielding insect) cultivation in forest area is allowed since it discourages monoculture practices in forests and improves biodiversity.



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: V BATCH-2018-2021

(Social Issues and the Environment)

• Plantation of mulberry for rearing silk worm is prohibited.

• Proposal sent to CG for non-forestry activity must have a cost benefit analysis and environmental impact statement (EIS).

Environmental Legislation

• 1972 June 5th – Environment was first discussed as an agenda in UN conference on Human Environment. There after every year 5th June is celebrated as Environment Day.

Constitutional Provisions:

- Added in 1976 Article 48A "The state shall endeavor to protect and improve the environment and to safeguard forests and wildlife of the country".
- Article 51A (g): "It shall be the duty of every citizen of India to protect and improve the natural
 environment including forests, lakes, rivers and wildlife and to have compassion for living

creatures".

 By these two articles one constitution makes environment protection and conservation as one of our fundamental duties.

CENTRAL AND STATE POLLUTION CONTROL BOARD:

Central pollution control Board (CPCB):

- Advices central government (CG) in matters prevention and control of water pollution
- Co ordinates SPCB and provide technical assistance and guidance
- Training programs for prevention and control of pollution by mass media and other ways
- Publishes statistical and technical details about pollution
- Prepares manual for treatment and disposal of sewerage and trade effluents
- Lays std for water quality parameters
- plans nation-wide programs for prevention, control or abatement of pollution
- Laboratories for analysis of water, sewage or trade effluents

State pollution control Board (SPCB):

SPCB has similar functions as SPCB and governed by CPCB.



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: V BATCH-2018-2021

(Social Issues and the Environment)

• SPCB advises state government w.r.t. location of any industry that might pollute.

- Lays std for effluents to take samples from streams, wells or trade effluents or sewage.
- Passing through an industry. Samples taken are analyzed at recognized labs. If the sample
 is not confirming to the water quality standard, then the unit is neglected.
- Every industry to obtain consent from PCB before commencing an effluent unit by applying in prescribed form with fee.

Enforcement of environmental legislation - major issues

- Target of 33% of land to be covered by forest not achieved.
- Rivers turning to open sewers.
- Big towns and cities polluted.
- Wild life endangered.
- EFP (Effluent Treatment Plant) or Air Pollution Control devices are expensive leads to closure of units. Government should provide subsidy for small units.
- Pollution control laws not backed up by policy pronouncements or guidelines.
- Chairman of PCB political nominee. Hence political interference.
- Involving public in decision making envisaged by policy statement of the ministry of environment and forest (1992) is only in paper.

Draw backs of wild life (protection) act

- Fall out of Stockholm conference not localized.
- Ownership certificate of animals article illegal trading
- Trade through J & K. This act not applicable to J&K.
- Offender to get just 3 years imprisonment and or Rs.25000/- fine.

Draw backs of the forest (conservation) act 1980

- Inheritance of exploitative and consumerist elements of the British period.
- Tribal people (i.e.) inhabitants of forest are left by the act.
- Instead of attracting public support (tribal) it has intrigued in the human rights.
- Protection of trees, birds and animals have marginalized poor people.



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201

COURSE NAME: ENVIRONMENTAL STUDIES UNIT: V

BATCH-2018-2021

(Social Issues and the Environment)

RIO EARTH SUMMIT (RIO Summit)

- Five years after the Brundtland Report, the UN General Assembly asked for a report on progress made towards sustainable development and convened the United Nations Conference on Environment and Development (UNCED)
- UNCED was held in June 1992 at Rio de Janeiro in Brazil
- The Rio Earth Summit as it became known was the largest environmental conference ever held, attracting over 30,000 people including more than 100 heads of state.
- The objectives of the conference were to build upon the hopes and achievements of the Brundtland Report, in order to respond to pressing global environmental problems and to agree major treaties on biodiversity, climate change and forest management.
- Perhaps for the first time, a major environmental conference adopted a more naturecentered approach towards environmental problems.
- Despite its environmental focus, the biggest arguments at the Earth Summit concerned finance, consumption rates and population growth.
- The developed nations were calling for environmental sustainability, but the less industrialized developing nations were demanding a chance to allow their economies to catch up with the developed world.

The Earth Summit produced a number of outcomes including:

- The Convention on Biological Diversity;
- The Framework Convention on Climate Change;
- Principles of Forest Management;
- The Rio Declaration on Environment and Development; and
- Agenda 21.

The Convention on Biological Diversity

The Convention on Biological Diversity entered into international law in 1994 with 153 nations signing up.



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES COURSE CODE: 18AEC201 UNIT: V BATCH-2018-2021

(Social Issues and the Environment)

- At first, many of the developed nations, most notably the United States, were reluctant to sign because they felt that their biotechnology industry would be threatened.
- The Convention states that participating nations have rights over their biological resources, allowing responsible and sustainable exploitation, but ensuring that biological diversity is conserved.
- The Convention commits participating nations to a number of guiding principles.
- Identify the components of biodiversity that are useful in conservation.
- These components must then be used sustainably and activities that may harm the diversity must be monitored.
- Develop national strategies for the conservation and sustainable use of biodiversity.
- Integrate conservation and sustainable use of biodiversity into planning and policy making.
- Help people understand the importance of planning and policy making by using the media and educational programmes.
- Establish laws to protect and conserve threatened species and protected areas.
- Around these areas, environmentally sound development must be used.
- Restore degraded ecosystems and promote the recovery of threatened species.
- Establish ways to control the risks from organisms modified by biotechnology.
- Use the participation of members of the public within projects that threaten biodiversity.
- Developed nations were given a responsibility to pass on their environmentally sound technologies for the purpose of conserving and sustainably using biodiversity.
- The developed nations must also provide financial aid to developing nations to help them implement the terms of the Convention.
- **Following the implementation of the Convention in 1994,** the UK's national Biodiversity Action Plan has co-ordinated activity to conserve and enhance biodiversity in this country.
- It is overseen by the UK Biodiversity Group, drawn from central and local government, official and voluntary conservation bodies, business, farming and land management. Action plans for the protection of over 400 priority species and 45 habitats are now in place.



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201

COURSE NAME: ENVIRONMENTAL STUDIES

UNIT: V

BATCH-2018-2021

(Social Issues and the Environment)

- Wildlife protection has often focused on special reserves which contain habitats and species which must be maintained.
- But there is a risk that populations become smaller, fragmented and vulnerable to extinction.
- Their long-term survival, and overall enhancement of wildlife, depends on action in cities, towns and the countryside as a whole.

Climate Change

- The United Nations Framework Convention on Climate Change (FCCC) was adopted and signed by 162 countries in 1992 at the Rio Earth Summit.
- With 26 Articles, consisting of objectives, principles, commitments and recommendations, the FCCC became a blueprint for precautionary action against the threat of global climate change.
- The Convention highlighted the fact that human activities, like the burning of fossil fuels, are releasing large quantities of gases into the Earth's atmosphere.
- These gases, including carbon dioxide are enhancing the natural greenhouse effect. There are many concerns that the increase of such greenhouse gases in the atmosphere is causing "global warming", which is threatening humans and natural ecosystems.
- The aim of the Convention was to provide an international framework within which future actions could be taken to reduce the threat of global warming.
- The Convention indicates that participating nations have the right to exploit their own resources, but they have a responsibility to ensure that their activities do not cause any environmental harm to other nations.
- The ultimate goal of the Convention is to stabilize greenhouse gases in the atmosphere at a level that will not pose undue risk to the global climate system.
- Since most of the world's greenhouse emissions come from developed nations, the Convention challenges the developed nations to take the lead in combating climate change and its negative effects.



CLASS: I B.Sc.PHYSICS COURSE CODE: 18AEC201

UNIT: V

COURSE NAME: ENVIRONMENTAL STUDIES BATCH-2018-2021

(Social Issues and the Environment)

Developing nations whose economies are based on fossil fuels may have difficulties in reducing their greenhouse gas emissions.

- It is therefore recognized that developed nations will need to offer technological and financial assistance to the developing nations to encourage their transition towards a more sustainable form of economic development.
- As with the Convention on Biological Diversity, the Framework Convention on Climate Change commits participating nations to a number of actions, stating that they must:
- Provide information on quantities of greenhouse gases emitted.
- Regularly publish updates on programmes to control greenhouse gas emissions and adapt to climate change.
- Promote sound management, preserving greenhouse sinks such as plants and forests.
- Plan for the impacts of climate change on coastal zones, water resources and agriculture.
- Protect areas prone to flooding or drought.

Forests

- One of the key agreements reached at the 1992 Rio Earth Summit was the Principles of Forest Management.
- The Principles of Forest Management include a number of points.
- All nations should take part in "the greening of the world" through planting and conserving forests.
- Forests should be managed in order to meet the social, economic, ecological, cultural and spiritual needs of present and future generations.
- Unique examples of forest should be protected, for example ancient forests and forests with cultural, historical, spiritual and religious importance.
- Pollutants that harm forests should be controlled.
- Forestry plans should consider the non-economic values of forests and the environmental consequences of their management.
- Forest degradation should be avoided.



CLASS: I B.Sc.PHYSICS **COURSE NAME: ENVIRONMENTAL STUDIES** COURSE CODE: 18AEC201

UNIT: V BATCH-2018-2021

(Social Issues and the Environment)

The Rio Declaration on Environment and Development

The 1992 Rio Declaration on Environment and Development defines the rights of the people to be involved in the development of their economies, and the responsibilities of human beings to safeguard the common environment.

There are a number of principles to the Rio Declaration.

- People are entitled to a healthy and productive life in harmony with nature.
- Development today must not threaten the needs of present and future generations.
- Nations have the right to exploit their own resources, but without causing environmental damage beyond their borders.
- Environmental protection shall constitute an integral part of the development process.
- Eradicating poverty and reducing disparities in living standards in different parts of the world are essential if we are to achieve sustainable development whilst meeting the needs of the majority of the people.
- Environmental issues are best handled with the participation of all concerned citizens.
- The polluter should, in principle, bear the cost of pollution.
- Sustainable development requires better scientific understanding of the problems. Nations should share knowledge and technologies to achieve the goal of sustainability.

Agenda 21

- Agenda 21 is a commitment to sustainable development, which was agreed by many of the world's governments.
- Nations that have pledged to take part in Agenda 21 are monitored by the International on Sustainable Development, and are encouraged to promote Agenda 21 at the local and regional levels within their own countries.
- The Conventions, Principles and Declarations of the Earth Summit, provide guidelines to deal with the problems of poverty, hunger, resource consumption and the deterioration of ecosystems.



(Social Issues and the Environment)

CLASS: I B.Sc.PHYSICS

COURSE NAME: ENVIRONMENTAL STUDIES

COURSE CODE: 18AEC201 UNIT: V BATCH-2018-2021

Agenda 21 provides a format for this to happen, detailing an action plan for sustainable development and establishing targets for actions that combine economic development and environmental protection.

- Agenda 21: Is the blueprint for sustainability in the 21st century.
- Provides options for combating the deterioration of land, air and water, whilst conserving habitats and their diversity.
- Deals with poverty, over consumption, health and education.
- Promotes roles for all. Everyone governments, business, trade unions, scientists, teachers, indigenous people and youth – have roles to play in achieving sustainable development and should be involved in the decision making processes.
- Encourages the reduction of environmentally and socially detrimental processes, but within a framework which allows economic success.
- Agenda 21 promotes the attitude that a nation's wealth should also account for the full value of its natural resources.
- Agenda 21 also encourages nations to consider the costs of environmental degradation.
- In addition, to reduce the risk of damage, environmental assessments should be carried out and where degradation does occur, those responsible should bear the costs.
- Agenda 21 highlights the need to eradicate poverty.
- One of the major problems facing poorer nations is their lack of resources and ability to live sustainably.
- Developed nations have taken on the responsibilities of assisting poorer nations to reduce their environmental impacts and achieve sustainable development.
- Agenda 21 asks governments to integrate sustainable development into their national strategies and highlights the importance of involving non-governmental organizations (NGOs) and the public in the process.
- For sustainable development to work, issues must be tackled on a local, national and international level and nations must work 'towards international agreements which respect



CLASS: I B.Sc.PHYSICS COURSE NAME: ENVIRONMENTAL STUDIES UNIT: V BATCH-2018-2021

(Social Issues and the Environment)

the interests of all and protect the integrity of the global environmental and developmental system.'



KARPAGAM ACADEMY OF HIGHER EDUCATION, COIMBATORE-21

DEPARTMENT OF PHYSICS

I B. Sc. PHYSICS (2018-2021)

ENVIRONMENTAL STUDIES (18AEC201)

Questions	Opt 1	
Unit V		
Which of the following is not an air pollutant?	Smoke	
Which part of plant evaporates water?	Stomata	
A fossil fuel is best described as	a flammable solid or	
An example of a non-renewable, non-fossil energy resource is	oil.	
Which of the following is not a renewable energy source?	wind	
The term 'exothermic' refers to a chemical reaction	in which heat is abso	
What percentage of the coal's energy reaches the city?	approximately 30%	
How much of the energy contained in the diesel-oil fuel is not converted to	4800 kJ	
Mercury is particularly hazardous to human health because	it bioaccumulates hig	
Which of the following is the best description of sulphur dioxide?	a gas less dense than	
The dosage of sulphur dioxide is best described as	a measure of the harr	
The toxicity of mercury is best described as	how mercury enters t	
In some regions, the combination of acid rain and smog causes damage to	specificity.	
Which one of the following best accounts for mercury's significant harm to	persistence	
The main purpose of the Environmental Risk Assessment is to	. ensure maximum lo	
Which one of the following factors best indicates that the dam repair is eco	disruption to local wi	
After the dam is repaired, it is found that soil sediments in the flood plain	recycling.	
The dominant gas in biogas is:	CH4	
Maximum amount of gas found in air is	Oxygen	
which state of matter, the distance between the molecules is minimum?	Solid	
Which energy is converted into electrical energy by a solar cell?	Nuclear Energy	
Carrier of Dengue disease is	Aedes Mosquito	
Which state of India is known as 'Tiger State'?	Gujarat	
Which of the following has maximum speed?	Air	
Tobacco addiction is caused due to	Cocaine	
Which of the following is called artificial kidney?	dialyzer	
Which of the following causes AIDS?	Bacteria	
Global warming is caused due to	lack of rainfall	
The most abundant green house gas is	NO2	
Which is considered as a future source of power, that can meet our unlimit	Hydel power	
What is the rate of growth of human population?	10 million per year	
Which is a better method to dispose large amounts of water carrying relative	land filling method	
High level radioactive waste can be managed in which of the following wa	Open dumping	
Which country has the maximum number of tube-wells in the world?	America	
Which of the following is a major source of thermal pollution in water boo	l Sewage treatment pla	
Sound becomes hazardous noise pollution at decibels:	Above 80	
Disease caused by eating fish inhabiting mercury contaminated water is:	Bright's disease	
Which energy is converted into electrical energy by a solar cell?	Chemical Energy	
Which of the following is a biodegradable waste?	Plastics	
Wildlife Week is celebrated on	1st October to 7th Oc	

In which state of matter, the distance between the molecules is minimum?	Solid
The biochemical laboratory of human body is	Stomach
The nuclear accident at Chernobyl occurred in	1966
Carbon monoxide is	caused by ozone depl
Which of the following has maximum speed?	Air
Tobacco addiction is caused due to	Cocaine
Ozone layer is found in	Thermosphere
Full form of CNG is	Common National G
Renewable source of energy is	Coal
Which pollutant cause ozone layer depletion?	CFC
The mosquito repellent (coils, mats and liquids) that we generally use in ou	Pesticides
Combustion of coal in power plant produces mainly which is a major	Sulpher Dioxide
One of the problems that occurs as a consequence of CFC pollution is	movement of toxins i
A battery or cell converts energy into electrical energy	Solar
In developed countries, the two most deadly sources of indoor pollution are	pesticides and cleani
Which of the following plays an important role in the cause of rainfall?	Evaporation
Bacteria and fungal spores can be included as	contributors to indoo
Particulate matter dispersed as aerosols	includes nitrogen oxi
Which of the following is a consequence of acidic deposition?	It increases the likeli
The most obvious cause of industrial smog is	burning trash
The acid rain form with the following pollutants	Co ₂ and Co
method is used to reduce the non-digestible solid waste	Incineration
What is the used for scaling the sound?	unit
The emission of gas from refrigeration units cause ozone layer depletic	carbon monoxide
The emitted toxic gas in Phopal gas disaster is	Carboryl

Prepared by Dr. V. SENTHIL KUMAR, HEAD, Dept. of PHYSICS, KAHE

Opt 2	Opt 3	Opt 4	Answer
Carbon Dioxide	Nitrogen Gas	Sulphur Dioxide	Nitrogen Gas
Fruit	Branch	Root	Stomata
a fuel that contains c	fossilised rock that w	a flammable substance formed	a flammable substance
coal.	tidal	uranium.	tidal
solar	biomass	natural gas	biomass
in which heat is give	that proceeds very ra	that requires high temperatures	that requires high tem
	approximately 60%		approximately 90%
3200 kJ	2400 kJ	1200 kj	2400 kJ
as a heavy metal, it c	as a pure metal it is v	it is light and volatile, and so is	as a heavy metal, it ca
• • • • • • • • • • • • • • • • • • •	-	an acidic liquid at ordinary room	•
-	•	the amount of sulfur dioxide en	-
a measure of the harr	the persistence of me	how much mercury a person ex	the persistence of me
acute toxicity.	chronic toxicity.	synergistic action.	chronic toxicity.
degradability	specificity	synergism	synergism
•		balance any environmental dam	•
	•	previously submerged heritage	
	water conservation.		waste minimisation.
C2 H5	CO2	NO2	CH4
Carbon dioxide	Hydrogen	Nitrogen	Nitrogen
Plasma	Liquid	Gas	Plasma
Chemical Energy	Solar Energy	Magnetic Energy	Solar Energy
Culex Mosquito	Housefly	Anopheles Mosquito	Aedes Mosquito
West Bengal	Madhya Pradesh	Assam	Madhya Pradesh
Water Current	Sound	Light	Light
Nicotine	Caffeine	Histamine	Nicotine
donar kidney	tissue-matched	preserved kidney	dialyzer
Fungus	Retro virus	TMV	Retro virus
•	human activities again	extinction of animals and plants	human activities agair
CO2	O3	SO2	CO2
Hydrogen	Thermal power	Solar power	Hydrogen
90 million per year	1 million per year	80 million per year	90 million per year
Deep-well injection	Surface impoundmen		Surface impoundmen
Composting	Incineration	Dumping in sealed containers	Dumping in sealed co
Australia	China	India	India
Solid waste disposal	Thermal power plant	Biogas Treatment Plant	Thermal power plant
Above 30	Above 100	Above 120	Above 80
Hiroshima episode	Mina-mata disease	Osteosclerosis	Mina-mata disease
Nuclear Energy	Solar Energy	Magnetic Energy	Solar Energy
Polythene	Glass	manure	manure
15th October to 2 1st	1 1st June to 7th June	15th June to 21st June	1st October to 7th Oct

Liquid	Gas	Plasma	Solid	
Liver	Intestine	Kidney	Liver	
1976	1986	1996	1986	
a major component o extremely damaging produced by plants during phot extremely damaging to				
Water Current	Sound	Light	Light	
Caffeine	Nicotine	Histamine	Nicotine	
Stratosphere	Troposphere	Mesosphere	Stratosphere	
Compressed Natural	Common Natural Ga	a Cirtified Natural Gas	Compressed Natural (
Petroleum	Plants	Uranium	Plants	
Co_2	CH ₃	HNO_3	CFC	
Fertilizers	Sedatives	Insecticides	Insecticides	
Nitrogen Dioxide	Methane	Chloroflurocarbons	Nitrogen Dioxide	
increasing skin cance toxins accumulating damage to human red blood cell increasing skin cancer				
Heat	Mechanical	Chemical	Chemical	
synthetic furniture m	radiation from electr	radon and cigarette smoke	radon and cigarette sn	
Condensation	Both evaporation &	Filtration	Both evaporation & co	
VOCs and POPs	sources of radon in t	problems in degrading the ozon	n contributors to indoor	
may cause damage to	c binds with hemoglol	interacts only with surface tiss	umay cause damage to	
It results in offshore It creates rainwater tl It changes soil chemistry, leach It changes soil chemis				
fires for heating food	d indoor air pollution	burning fossil fuels	burning fossil fuels	
SO ₂ , N ₂ O and NO	H ₂ S and Co	O_2 and O_3	SO ₂ , N ₂ O and NO	
buried	discharge in plain la	burning in open atmosphere	Incineration	
hz	db	mhz	db	
Chloro fluoro carbor	Carbon di oxide	helium	Chloro fluoro carbon	
methyl isocyanate	Cyanide	Ethyl isocyanate	methyl isocyanate	

e formed from ancient biological material.
peratures to begin the reaction.
in cause serious impact injury. inary room temperature lioxide absorbed by a person in a given time. rcury in the environment.
of people likely to object to the project heritage buildings can be investigated
1st nature
nts ntainers

tober

o human blood

Заs

r in humans

noke
ondensation
pollutants
respiratory tissues when inhaled
stry, leaching out important minerals